



# Industrial Plugs & Sockets Price List 2022

---

Price effective: May, 2022




# WHO WE ARE

Neptune – The name the nation Trusts and the World Acclaims ; A distinctive identity, that, has been committed to offer, total satisfaction, in work credibility, over the last 30 years and continues to progressively march ahead, to achieve and introduce world class technology, in the field of, “Innovative Energy Management, Solutions for Power Quality Improvement”, and “Intuitive Access Automation & Parking Management Solutions”. The Organization gained Remarkable Progressive Growth and Development, under the Visionary Aura and Inspiration of Neptune Group Founder & Chairman Deepak Kapoor. An ode to these remarkable achievements included the honoring of the Neptune Group, with the Prestigious PWC Brand and Leader Award. Today, Neptune stands out as

a Pioneering Leader and owes its excellence to a dedicated and committed team of expert professionals and passionate work force that is focused on our motto – “Always Together to Achieve the Best”.The committed dedication has credited the Neptune Group as on ISO certified company that has more than 300 Business Channel Partners across India and 21 Branch Offices for a Pan India Sales & Support Network. The Organization has collaboration with Global Conglomerates that includes – Bals Elektrotechnik GmbH and Ducati Energia SpA, Italy and more. Besides having installations more than 45000 Plus Energy Management and Power Solutions and successfully accomplished 6000 Plus Projects, in last 3 year.

## Neptune-Domain of Excellence







# Power & Distribution Management

## INDUSTRIAL PLUGS & SOCKETS HSN-8536

### SURFACE MOUNTING



Surface Mounting Socket



Surface Mounting Socket

Ampere	2P+⊥ 230V		3P+⊥ 415V		3P+N+⊥ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SPLASH PROOF IP-44</b>						
16/20	111	1,080	11645	1,190	100	1,190
32	11651	1,340	11646	1,450	101	1,450
63	1104	5,290	1127	5,300	1124	5,300
<b>WATER TIGHT IP-67</b>						
16/20	1133	1,820	1137	2,310	1143	2,310
32	1145	2,260	1149	2,790	1155	2,790
63	1157	6,850	1161	6,680	1112	6,680
125	11427	21,740	11441	23,850	11447	23,850

### PANEL MOUNTING



Panel Mounting Socket



Panel Mounting Socket



Panel Mounting Socket




Panel Mounting Socket




Ampere	2P+⊥ 230V		3P+⊥ 415V		3P+N+⊥ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SOCKET-OUTLET ANGLED SPLASH PROOF IP-44</b>						
16/20	1217	670	1221	1,090	12078	1,090
32	12310	1,160	1233	1,340	1215	1,340
63	12135	4,630	-	4,760	12380	4,760
<b>SOCKET-OUTLET STRAIGHT SPLASH PROOF IP-44</b>						
16/20	131	670	1324	1,080	132001	1,080
32	13007	1,160	13011	1,320	1333	1,320
63	1307	4,630	134	4,730	136	4,730
<b>SOCKET-OUTLET ANGLED WATER TIGHT IP-67</b>						
16/20	1266	1,400	1270	1,520	1276	1,520
32	1278	1,750	1282	2,000	1288	2,000
63	12001	5,520	1200	5,200	129	5,200
125	12100	17,680	12104	17,770	12108	17,770
<b>SOCKET-OUTLET STRAIGHT WATER TIGHT IP-67</b>						
16/20	1372	1,400	1376	1,520	1382	1,520
32	13024	1,750	13028	2,000	1370	2,000
63	1396	5,520	13100	5,200	13104	5,200
125	13452	17,680	13447	17,770	13451	17,770



## INDUSTRIAL PLUGS & SOCKETS HSN-8536




### PANEL MOUNTING



Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SPLASH PROOF IP-44</b>						
16/20	71094	<b>560</b>	-	-	-	-
16/20	7370	<b>500</b>	-	-	-	-
16/20	231	<b>860</b>	-	-	-	-

### PLUG



Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SPLASH PROOF IP-44</b>						
16/20	21001	<b>550</b>	21005	<b>770</b>	203	<b>770</b>
32	21013	<b>930</b>	21017	<b>1,130</b>	204	<b>1,130</b>
63	2104	<b>4,780</b>	2151	<b>4,420</b>	21590	<b>4,420</b>
<b>WATER TIGHT IP-67</b>						
16/20	210576	<b>1,220</b>	21349	<b>1,650</b>	21239	<b>1,650</b>
32	210594	<b>1,880</b>	21351	<b>2,000</b>	210607	<b>2,000</b>
63	2181	<b>5,520</b>	2185	<b>5,100</b>	2189	<b>5,100</b>
125	2191	<b>16,250</b>	2195	<b>15,980</b>	2199	<b>15,980</b>
<b>SPLASH PROOF IP-44</b>						
16/20	31001	<b>830</b>	31005	<b>980</b>	303	<b>980</b>
32	31013	<b>1080</b>	31017	<b>1,350</b>	304	<b>1,350</b>
63	3104	<b>5,700</b>	3151	<b>5,690</b>	3112	<b>5,690</b>
<b>WATER TIGHT IP-67</b>						
16/20	310333	<b>1,760</b>	31241	<b>2,100</b>	31243	<b>2,100</b>
32	31244	<b>2,430</b>	31245	<b>2,730</b>	310364	<b>2,730</b>
63	3181	<b>6,050</b>	3185	<b>5,790</b>	3124	<b>5,790</b>
125	3191	<b>18,550</b>	3195	<b>18,910</b>	3199	<b>18,910</b>

## INDUSTRIAL PLUGS & SOCKETS HSN-8536

### SURFACE MOUNTING



Socket-outlet with MCB Provision



Socket-outlet interlocked

Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SPLASH PROOF IP-44</b>						
16/20	15019	<b>7,120</b>	-	<b>7,890</b>	15059	<b>7,890</b>
32	15030	<b>7,900</b>	-	<b>9,280</b>	1585	<b>9,280</b>
63	-	-	-	<b>18,900</b>	15036	<b>18,900</b>
<b>WATER TIGHT IP-67</b>						
16/20	15024	<b>7,300</b>	15098	<b>8,290</b>	15028	<b>8,290</b>
32	15352	<b>8,000</b>	15111	<b>9,890</b>	15112	<b>9,890</b>
63	-	-	15000	<b>20,800</b>	15001	<b>20,800</b>
125	-	-	15158	<b>58,140</b>	15160	<b>58,140</b>
<b>SPLASH PROOF IP-44</b>						
16/20	1619	<b>9,450</b>	1610	<b>13,230</b>	1611	<b>13,230</b>
32	16097	<b>12,340</b>	16596	<b>15,010</b>	16043	<b>15,010</b>
63	-	-	16605	<b>28,120</b>	16603	<b>28,120</b>
<b>WATER TIGHT IP-67</b>						
16/20	1600	<b>9,450</b>	1602	<b>13,430</b>	1604	<b>13,430</b>
32	16104	<b>13,100</b>	160178	<b>16,850</b>	160177	<b>16,850</b>
63	-	-	16604	<b>30,900</b>	16602	<b>30,900</b>
125	-	-	16621	<b>97,600</b>	16622	<b>97,600</b>

### DOMESTIC AC/ INDUSTRIAL OUTLET

Plug/Socket combined in metal enclosure



Plug/Socket combined in Polycarbonate enclosure



Appliance Inlet



Ampere	2P+⏏ 230V		3P+⏏ 415V		3P+N+⏏ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
<b>SPLASH PROOF IP-44</b>						
16/20	1201 SP/DP	<b>1,930/1,940</b>	-	<b>2,710</b>	3201	<b>2,710</b>
32	1202 SP/DP	<b>2,680</b>	-	<b>3,470</b>	3202	<b>3,470</b>
63	1203	<b>11,170</b>	-	<b>11,020</b>	3203	<b>11,020</b>
<b>PLUG SOCKET COMBINED IN POLYCARBONATE</b>						
16/20	901	<b>2,240</b>	-	<b>3,130</b>	903	<b>3,130</b>
32	911	<b>3,060</b>	-	<b>3,790</b>	913	<b>3,790</b>
<b>SPLASH PROOF IP-44</b>						
16/20	261	<b>1,650</b>	-	<b>1,700</b>	2612	<b>1,700</b>
32	2662	<b>2,410</b>	-	<b>3,320</b>	2600	<b>3,320</b>

## VARIABOX The new generation of distributors HSN-8537

The new VARIABOX from Bals meets all requirements for a modern distributor housing and can be individually configured in 5 different sizes with versions S, M, L, & XXL as surface mounting or mobile combination. We have the right distributor for every user. Configuration according to individual specifications on the basis of pre-defined, encoded flanges, which offer a maximum level of safety during the initial installation & /or maintenance. With their robust design in a high grade & durable, quality plastic, their good seal, the modular expansion option & many Innovative extra features, the new VARIABOX proves itself even under the most adverse conditions.



### Features

- > Ready wired for installation
- > Housing made of high-grade, impact-resistant plastic
- > Top and bottom can be sealed together
- > Permanently attached cover screws
- > All CEE socket outlets with screw less, maintenance-free QUICK-CONNECT connection technology
- > Colors, bottom-black. top-electro grey (Housing top optionally available in the colors yellow, red, blue or silver)
- > With high quality handle
- > Coded flange system for maximum safety during initial installation and maintenance
- > Fuse elements arranged below transparent, lockable operating window with user friendly OTC mechanics (one touch close)

Item Code	Dimensions	L.P. ₹
Variabox-Small	130 x 230 mm	<b>8,550/-</b>
Variabox-Medium	260 x 230 mm	<b>10,350/-</b>
Variabox-Large	390 x 230 mm	<b>13,950/-</b>
Variabox-Extra Large	520 x 230 mm	<b>17,550/-</b>
10 Way Window	-	<b>1,620/-</b>
4 Way Window	-	<b>1,575/-</b>



## ECO BOX ENCLOSURE & JUNCTION BOXES HSN-8538

### Modular Distribution Board – IP 65



Modular Distribution Board



Modular Enclosure



Junction Boxes

Dimensions LxWxH (mm)	Part No.	L.P. ₹
<b>MODULAR DISTRIBUTION BOARDS</b>		
150 x 300 x 210	9150	<b>2,550/-</b>
300 x 300 x 210	9300	<b>3,250/-</b>
450 x 300 x 210	9450	<b>4,890/-</b>
600 x 300 x 210	9600	<b>6,230/-</b>
<b>MODULAR ENCLOSURE</b>		
180 x 180 x 135	6180	<b>1,380/-</b>
180 x 240 x 135	6260	<b>1,620/-</b>
240 x 320 x 135	6320	<b>2,940/-</b>
320 x 420 x 135	6420	<b>4,050/-</b>
420 x 640 x 160	6520	<b>8,910/-</b>
<b>JUNCTION BOXES</b>		
90 x 90 x 50	1001	<b>300/-</b>
100 x 100 x 60	1002	<b>350/-</b>
110 x 140 x 70	1003	<b>600/-</b>
130 x 130 x 100	1004	<b>720/-</b>
130 x 170 x 80	1005	<b>790/-</b>
170 x 210 x 100	1006	<b>1,550/-</b>

## DESCRIPTION

### Modular Enclosure

- > Impact resistant modular polycarbonate distribution boards
- > Chemical resistant
- > Solid and Stable
- > Self-extinguishing
- > Weather Resistant
- > Corrosion free screws

### Eco Box Modular Distribution Boards

- > Impact resistant modular polycarbonate enclosures
- > Chemical resistant
- > Solid and stable
- > Self-extinguishing
- > Weather resistant
- > Corrosion free screws
- > Self internal fixing center / fixing center outside
- > Cable entry to client's specifications

**Mobile Distribution Rubber Boards** HSN-8537



**Customized IP 65 L.V. Distribution Panels & Feeder Pillar** HSN-8537



**Enclosures** HSN-8538 IP-65



Part No.	Rating	LxWxH (mm)	L.P. ₹
3004	4 Way	160 x 225 x 100	1,490/-
3008	8 Way	225 x 225 x 100	2,350/-
3304	12 Way	300 x 225 x 100	3,290/-
3308	24 Way	300 x 400 x 100	5,900/-
3312	36 Way	300 x 600x 100	8,700/-

Rubber distribution & IP 65 L.V. Distribution Panel- **Price as per specification on request**

**Windows** HSN-8538



No. of ways	Part No.	L.P. ₹
2 Way	5882	570/-
4 Way	5891	590/-
8 Way	58010	760/-
12 Way	58019	910/-

# Terms & Conditions

## Price Basis:

The prices mentioned are Unit Price and Ex-Works basis.  
Prices shall be applicable as per our Price List ruling at the time of despatch.

## Place of despatch:

The materials shall be despatched from Noida / Delhi works.

## GST :

Goods & Service Tax shall be charged extra as applicable at the time of despatch.

## Insurance:

Insurance shall be organized, paid, dealt by the customer directly. Damages or any shortages, if found shall be dealt by the customer directly.

## Forwarding & Freight Charges:

For all standard items, freight shall be charged extra @3%.  
For all other items, e.g. Block Reactors & Panels, freight shall be charged extra at actual.

## Terms of Payments:

For all authorized Business Partners, payment terms shall be applicable as per the Trade Policy except APFC Panels & other Panels.  
In case of Panels, advance payment & balance along with 100% taxes & duties levies etc. shall be released against PI before despatch.

**NOTE:** This Price List supersedes all previous Price Lists.

## Regional Contacts

### Ahmedabad

ahmedabad@neptuneindia.com

### Bengaluru

bangalore@neptuneindia.com

### Bhopal

bhopal@neptuneindia.com

### Chennai

chennai@neptuneindia.com

### Chandigarh

Chandigarh@neptuneindia.com

### Coimbatore

coimbatore@neptuneindia.com

### Haryana

haryana@neptuneindia.com

### Hyderabad

hyderabad@neptuneindia.com

### Indore

indore@neptuneindia.com

### Jaipur

jaipur@neptuneindia.com

### Kanpur

kanpur@neptuneindia.com

### Kolkata

kolkata@neptuneindia.com

### Ludhiana

ludhiana@neptuneindia.com

### Mumbai

mumbai@neptuneindia.com

### Nagpur

nagpur@neptuneindia.com

### Pune

pune@neptuneindia.com

### Raipur

raipur@neptuneindia.com

### Uttaranchal

uttaranchal@neptuneindia.com

### Vadodara

baroda@neptuneindia.com





## Neptune India Ltd.

A 11 - Sector 59, Noida - 201301, INDIA  
Tel: 0120 420 5900, 429 7900  
For Product enquiry: + 91 955 550 0300  
Email: [enquiry@neptuneindia.com](mailto:enquiry@neptuneindia.com)  
[www.neptuneindia.com](http://www.neptuneindia.com)

