

We touch your **electricity** everyday!



PRICE LIST

w.e.f 7th July, 2023

Retail & Agro Products



Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.


- This Pricelist supercedes all previous Price Lists.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All Prices are in Indian Rupees.

Warranty

All our listed products carry a warranty, against manufacturing defects for a period of 12 months from the date of invoicing subject to it's usages in normal recommended operating conditions. The company liability shall be limited to exchange or repair of the product, at its discretion, provided that such defective products are returned to billing address with all necessary documents.

POR - Price on request

Products have been classified as Stockable & Non Stockable items.

Non Stockable items has been marked as 

CENTRAL CUSTOMER CARE (CCC)

Single stop Customer Support for all service needs, please contact:

Toll Free Number: 1800 572 2012

E-mail: customercare@cselectric.co.in

Products	Page No.
MCBs & Isolators	5-9
RCCBs	10-12
ACCL	13
Distribution Boards	14-19
Wiring Accessories	20-39
Industrial Plugs & Sockets	40-41
Control and Signaling Devices	42-43
Motor Starters	44-67
MCCBs	68-71
Changeover Switches	72-73
Switch Disconnectors	74
Switch Disconnector Fuse Units	75
Fusegear	76
MCB Selection Chart	77



WiNtrip1

MCBs & Isolators



- Fast Tripping
- Line Load Reversibility
- Trip Free Mechanism
- Bi-Connect Terminals

MCB

■ SP | SPN | DP | TP | TPN | FP
■ 6A-40A

Isolator

■ SP | DP | TP | FP
■ 25A-125A

WNTrip1 Miniature Circuit Breaker

(HSN Code: 8536)



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
6	CSMBL1C6	220	12
10	CSMBL1C10	220	
16	CSMBL1C16	220	
20	CSMBL1C20	220	
25	CSMBL1C25	220	
32	CSMBL1C32	220	
40	CSMBL1C40	480	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole + N			
6	CSMBL1C6N	740	6
10	CSMBL1C10N	740	
16	CSMBL1C16N	740	
20	CSMBL1C20N	740	
25	CSMBL1C25N	740	
32	CSMBL1C32N	740	
40	CSMBL1C40N	1040	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
2 Pole			
6	CSMBL2C6	780	6
10	CSMBL2C10	780	
16	CSMBL2C16	780	
20	CSMBL2C20	780	
25	CSMBL2C25	780	
32	CSMBL2C32	780	
40	CSMBL2C40	1170	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
6	CSMBL3C6	1330	4
10	CSMBL3C10	1330	
16	CSMBL3C16	1330	
20	CSMBL3C20	1330	
25	CSMBL3C25	1330	
32	CSMBL3C32	1330	
40	CSMBL3C40	1810	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole + N			
6	CSMBL3C6N	1750	3
10	CSMBL3C10N	1750	
16	CSMBL3C16N	1750	
20	CSMBL3C20N	1750	
25	CSMBL3C25N	1750	
32	CSMBL3C32N	1750	
40	CSMBL3C40N	2200	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
4 Pole			
6	CSMBL4C6	1770	3
10	CSMBL4C10	1770	
16	CSMBL4C16	1770	
20	CSMBL4C20	1770	
25	CSMBL4C25	1770	
32	CSMBL4C32	1770	
40	CSMBL4C40	2400	

(HSN Code: 8536)

WNTrip1 Isolator



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
25	CSMBL1ISO25	270	12
40	CSMBL1ISO40	360	
63	CSMBL1ISO63	390	
80	CSMBL1ISO80	440	
100	CSMBL1ISO100	510	
125	CSMBL1ISO125	610	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
25	CSMBL3ISO25	830	6
40	CSMBL3ISO40	900	
63	CSMBL3ISO63	1000	
80	CSMBL3ISO80	1220	
100	CSMBL3ISO100	1250	
125	CSMBL3ISO125	1310	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
2 Pole			
25	CSMBL2ISO25	460	6
40	CSMBL2ISO40	500	
63	CSMBL2ISO63	640	
80	CSMBL2ISO80	790	
100	CSMBL2ISO100	850	
125	CSMBL2ISO125	940	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
4 Pole			
25	CSMBL4ISO25	880	6
40	CSMBL4ISO40	1080	
63	CSMBL4ISO63	1170	
80	CSMBL4ISO80	1420	
100	CSMBL4ISO100	1550	
125	CSMBL4ISO125	1590	

Wintrip2 Miniature Circuit Breaker

B-Connect Terminals for Cable & Busbar



Test Stage Easy Snapping for On-Off Monitoring



B-Series
Lighting & Distribution with no Surge Current

[HSN Code: 8536]



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
6	CSMBS1B6	260	12
10	CSMBS1B10	260	
16	CSMBS1B16	280	
20	CSMBS1B20	280	
25	CSMBS1B25	280	
32	CSMBS1B32	280	
40	CSMBS1B40	650	
50	CSMBS1B50	730	
63	CSMBS1B63	730	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole + N			
6	CSMBS1B6N	910	6
10	CSMBS1B10N	910	
16	CSMBS1B16N	910	
20	CSMBS1B20N	910	
25	CSMBS1B25N	910	
32	CSMBS1B32N	910	
40	CSMBS1B40N	1320	
50	CSMBS1B50N	1490	
63	CSMBS1B63N	1490	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
2 Pole			
6	CSMBS2B6	1010	6
10	CSMBS2B10	1010	
16	CSMBS2B16	1010	
20	CSMBS2B20	1010	
25	CSMBS2B25	1010	
32	CSMBS2B32	1010	
40	CSMBS2B40	1430	
50	CSMBS2B50	1650	
63	CSMBS2B63	1650	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
6	CSMBS3B6	1510	4
10	CSMBS3B10	1510	
16	CSMBS3B16	1510	
20	CSMBS3B20	1510	
25	CSMBS3B25	1510	
32	CSMBS3B32	1510	
40	CSMBS3B40	2250	
50	CSMBS3B50	2250	
63	CSMBS3B63	2250	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole + N			
6	CSMBS3B6N	1980	3
10	CSMBS3B10N	1980	
16	CSMBS3B16N	1980	
20	CSMBS3B20N	1980	
25	CSMBS3B25N	1980	
32	CSMBS3B32N	1980	
40	CSMBS3B40N	2940	
50	CSMBS3B50N	2930	
63	CSMBS3B63N	2930	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
4 Pole			
6	CSMBS4B6	2190	3
10	CSMBS4B10	2190	
16	CSMBS4B16	2190	
20	CSMBS4B20	2190	
25	CSMBS4B25	2190	
32	CSMBS4B32	2190	
40	CSMBS4B40	2860	
50	CSMBS4B50	3050	
63	CSMBS4B63	3050	

CSMBS1B50, CSMBS1B50N, CSMBS2B50, CSMBS3B50, CSMBS3B50N, CSMBS4B50, CSMBS4B50N: Non Stockable Item

WINtrip2 Miniature Circuit Breaker

C-Series

Inductive load with surge current - Motor Circuit Applications

[HSN Code: 8536]



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
0.5	CSMBS1C0.5	490	12
1	CSMBS1C1	490	
2	CSMBS1C2	490	
3	CSMBS1C3	490	
4	CSMBS1C4	490	
5	CSMBS1C5	490	
6	CSMBS1C6	290	
10	CSMBS1C10	290	
16	CSMBS1C16	290	
20	CSMBS1C20	290	
25	CSMBS1C25	290	
32	CSMBS1C32	290	
40	CSMBS1C40	690	
50	CSMBS1C50	740	
63	CSMBS1C63	740	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole + N			
0.5	CSMBS1C0.5N	1370	6
1	CSMBS1C1N	1370	
2	CSMBS1C2N	1370	
3	CSMBS1C3N	1370	
4	CSMBS1C4N	1370	
5	CSMBS1C5N	1370	
6	CSMBS1C6N	970	
10	CSMBS1C10N	970	
16	CSMBS1C16N	970	
20	CSMBS1C20N	970	
25	CSMBS1C25N	970	
32	CSMBS1C32N	970	
40	CSMBS1C40N	1410	
50	CSMBS1C50N	1590	
63	CSMBS1C63N	1590	



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
2 Pole			
0.5	CSMBS2C0.5	1420	6
1	CSMBS2C1	1420	
2	CSMBS2C2	1420	
3	CSMBS2C3	1420	
4	CSMBS2C4	1420	
5	CSMBS2C5	1420	
6	CSMBS2C6	1010	
10	CSMBS2C10	1010	
16	CSMBS2C16	1010	
20	CSMBS2C20	1010	
25	CSMBS2C25	1010	
32	CSMBS2C32	1010	
40	CSMBS2C40	1490	
50	CSMBS2C50	1690	
63	CSMBS2C63	1690	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
0.5	CSMBS3C0.5	2000	4
1	CSMBS3C1	2000	
2	CSMBS3C2	2000	
3	CSMBS3C3	2000	
4	CSMBS3C4	2000	
5	CSMBS3C5	2000	
6	CSMBS3C6	1600	
10	CSMBS3C10	1600	
16	CSMBS3C16	1600	
20	CSMBS3C20	1600	
25	CSMBS3C25	1600	
32	CSMBS3C32	1600	
40	CSMBS3C40	2370	
50	CSMBS3C50	2470	
63	CSMBS3C63	2470	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole + N			
0.5	CSMBS3C0.5N	2590	3
1	CSMBS3C1N	2590	
2	CSMBS3C2N	2590	
3	CSMBS3C3N	2590	
4	CSMBS3C4N	2590	
5	CSMBS3C5N	2590	
6	CSMBS3C6N	2030	
10	CSMBS3C10N	2030	
16	CSMBS3C16N	2030	
20	CSMBS3C20N	2030	
25	CSMBS3C25N	2030	
32	CSMBS3C32N	2030	
40	CSMBS3C40N	2770	
50	CSMBS3C50N	2940	
63	CSMBS3C63N	2940	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
4 Pole			
0.5	CSMBS4C0.5	2760	3
1	CSMBS4C1	2760	
2	CSMBS4C2	2760	
3	CSMBS4C3	2760	
4	CSMBS4C4	2760	
5	CSMBS4C5	2760	
6	CSMBS4C6	2250	
10	CSMBS4C10	2250	
16	CSMBS4C16	2250	
20	CSMBS4C20	2250	
25	CSMBS4C25	2250	
32	CSMBS4C32	2250	
40	CSMBS4C40	3090	
50	CSMBS4C50	3190	
63	CSMBS4C63	3190	

WIntrip2 Miniature Circuit Breaker

Accessories (Site fit-able)							(HSN Code: 8536)
Description	Product Code	Configuration	Type of contact	Fitment	Module Size	Suitable MCB Rating (A)	MRP (₹)
Auxiliary Contact	CSMBAXSF1	1NO-1NC	Changeover	Right	8 mm	WIntrip2 0.5-63	1110
Auxiliary Contact	CSMBAXSF2	2NO-2NC	Changeover	Right	9 mm	WIntrip2 0.5-63	1160
Auxiliary Contact	CSMBAXSF11	1NO-1NC	Potential free	Left	18 mm	WIntrip2 0.5-63	1110
Alarm Contact	CSMBALSF1	1 Changeover	Changeover	Right	8 mm	WIntrip2 0.5-63	960
Shunt Trip	CSMBS012DCSF	-	-	Left	18 mm	WIntrip2 0.5-63	1320
Shunt Trip	CSMBS024DCSF	-	-	Left	18 mm	WIntrip2 0.5-63	1320
Shunt Trip	CSMBS048DCSF	-	-	Left	18 mm	WIntrip2 0.5-63	1320
Shunt Trip	CSMBS220ACSF	-	-	Left	18 mm	WIntrip2 0.5-63	1320



Double Break

(HSN Code: 8536)

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
1 Pole			
25	CSMBS1SD25	360	12
40	CSMBS1SD40	500	
63	CSMBS1SD63	550	
80	CSMBS1SD80	620	
100	CSMBS1SD100	720	
125	CSMBS1SD125	840	
2 Pole			
25	CSMBS2SD25	630	6
40	CSMBS2SD40	700	
63	CSMBS2SD63	880	
80	CSMBS2SD80	1110	
100	CSMBS2SD100	1140	
125	CSMBS2SD125	1270	

Current rating (Amps.)	Product Code	MRP (₹)	Std. Pkg. (Nos.)
3 Pole			
25	CSMBS3SD25	1190	4
40	CSMBS3SD40	1360	
63	CSMBS3SD63	1520	
80	CSMBS3SD80	1740	
100	CSMBS3SD100	1800	
125	CSMBS3SD125	1900	
4 Pole			
25	CSMBS4SD25	1250	3
40	CSMBS4SD40	1550	
63	CSMBS4SD63	1700	
80	CSMBS4SD80	2100	
100	CSMBS4SD100	2130	
125	CSMBS4SD125	2350	

WIntrip2 Isolator

(HSN Code: 8536)

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
25	CSMBS1ISO25	340	12
40	CSMBS1ISO40	450	
63	CSMBS1ISO63	600	
80	CSMBS1ISO80	560	
100	CSMBS1ISO100	650	
125	CSMBS1ISO125	750	
2 Pole			
25	CSMBS2ISO25	570	6
40	CSMBS2ISO40	630	
63	CSMBS2ISO63	790	
80	CSMBS2ISO80	1000	
100	CSMBS2ISO100	1020	
125	CSMBS2ISO125	1140	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
25	CSMBS3ISO25	1050	4
40	CSMBS3ISO40	1200	
63	CSMBS3ISO63	1350	
80	CSMBS3ISO80	1540	
100	CSMBS3ISO100	1590	
125	CSMBS3ISO125	1680	
4 Pole			
25	CSMBS4ISO25	1110	3
40	CSMBS4ISO40	1370	
63	CSMBS4ISO63	1510	
80	CSMBS4ISO80	1860	
100	CSMBS4ISO100	1890	
125	CSMBS4ISO125	2090	


 Non Stockable item

Available till the stock last

WINtrip2 Miniature Circuit Breaker

[HSN Code: 8536]



Current rating (Amps.)	Product Code	MRP (₹)	MOQ
1 Pole			
80	CSMBH1C80	2700	3
100	CSMBH1C100	3030	
125	CSMBH1C125	3080	
2 Pole			
80	CSMBH2C80	6000	3
100	CSMBH2C100	6410	
125	CSMBH2C125	7050	

Current rating (Amps.)	Product Code	MRP (₹)	MOQ
3 Pole			
80	CSMBH3C80	9470	1
100	CSMBH3C100	10090	
125	CSMBH3C125	11200	
4 Pole			
80	CSMBH4C80	12050	1
100	CSMBH4C100	12570	
125	CSMBH4C125	14190	

Accessories (Site fit-able)							[HSN Code: 8538]
Description	Product Code	Configuration	Type of contact	Fitment	Module Size	Suitable MCB Rating (A)	MRP (₹)
Auxiliary Contact	CSMBAXHSF1	1NO-1NC	Changeover	Right	9 mm	Wintrip2 80-100	1210
Auxiliary Contact	CSMBAXHSF2	2NO-2NC	Changeover	Right	9 mm	Wintrip2 80-100	1260
Alarm Contact	CSMBALHSF1	1 Changeover	Changeover	Right	9 mm	Wintrip2 80-100	1210
Shunt Trip	CSMBHS0120CSF	-	-	Left	18 mm	Wintrip2 80-100	1420
Shunt Trip	CSMBHS0240CSF	-	-	Left	18 mm	Wintrip2 80-100	1420
Shunt Trip	CSMBHS0480CSF	-	-	Left	18 mm	Wintrip2 80-100	1420
Shunt Trip	CSMBHS220ACSF	-	-	Left	18 mm	Wintrip2 80-100	1420

WINtrip MCB Type Changeover Switch						[HSN Code: 8536]
Description	Pole	Rating (Amps.)	Product Code	MRP (₹)	MOQ	
2 Pole						
Two way centre OFF Changeover Switch	2	25	CSCOS2P25A	1940	6	
Two way centre OFF Changeover Switch	2	40	CSCOS2P40A	2870		
Two way centre OFF Changeover Switch	2	63	CSCOS2P63A	3330		


[HSN Code: 8536]

Description	Pole	Rating (Amps.)	Product Code	MRP (₹)	MOQ
4 Pole					
Two way centre OFF Changeover Switch	4	25	CSCOS4P25A	3660	3
Two way centre OFF Changeover Switch	4	40	CSCOS4P40A	5490	
Two way centre OFF Changeover Switch	4	63	CSCOS4P63A	5890	

SmartSol Mini MCB DP

[HSN Code: 8536]

Description	Current rating (Amps.)	Reference	MRP (₹)
DP 1C 6-32A Mini MCB with Enclosure	6-32	CSMBSS2C6-32	650
SPN 1C 6-32A Mini MCB with Enclosure	6-32	CSMBSS1C6-32*N	650

 Non Stockable Item




Safety isn't expensive,
it's **PRICELESS!**

C&S RCCBs
10kA



WiNtrip
MCBs & RCCBs

- WIDE RANGE
10A-100A | 30mA, 100mA, 300mA | 2P, 4P | 10kA
- SAFE
IP20 | Isolation | Fire Retardant Molded-case
- CONVENIENT
Dual Termination
- FAST RESPONSE
Instantaneous Trip < 40ms
- HIGH PERFORMANCE
Voltage Independent | No Nuisance Tripping

IS 12545-1:2008



CML 3148502



KEMA


RoHS
Compliant

IEC/EN 61008-1

Wintrip2 Residual Current Circuit Breaker



2 Pole, 30mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB2P10A30-10kA	3630	8
16	CSRB2P16A30-10kA	3630	
20	CSRB2P20A30-10kA	3630	
25	CSRB2P25A30-10kA	3740	
32	CSRB2P32A30-10kA	3820	
40	CSRB2P40A30-10kA	3850	
63	CSRB2P63A30-10kA	5140	
80	CSRB2P80A30-10kA	7670	
100	CSRB2P100A30-10kA	7710	



2 Pole, 100mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB2P10A100-10kA	3630	8
16	CSRB2P16A100-10kA	3630	
20	CSRB2P20A100-10kA	3630	
25	CSRB2P25A100-10kA	3740	
32	CSRB2P32A100-10kA	3820	
40	CSRB2P40A100-10kA	3850	
63	CSRB2P63A100-10kA	5140	
80	CSRB2P80A100-10kA	7670	
100	CSRB2P100A100-10kA	7710	



Test Button




Bi-connect Terminals

2 Pole, 300mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB2P10A300-10kA	3640	8
16	CSRB2P16A300-10kA	3640	
20	CSRB2P20A300-10kA	3650	
25	CSRB2P25A300-10kA	3940	
32	CSRB2P32A300-10kA	3980	
40	CSRB2P40A300-10kA	4220	
63	CSRB2P63A300-10kA	5290	
80	CSRB2P80A300-10kA	7710	
100	CSRB2P100A300-10kA	7750	

CSRB2P100A300-10kA Non Stockable item



4 Pole, 30mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB4P10A30-10kA	4520	3
16	CSRB4P16A30-10kA	4540	
20	CSRB4P20A30-10kA	4580	
25	CSRB4P25A30-10kA	4800	
32	CSRB4P32A30-10kA	4810	
40	CSRB4P40A30-10kA	4920	
63	CSRB4P63A30-10kA	5590	
80	CSRB4P80A30-10kA	8450	
100	CSRB4P100A30-10kA	8680	



4 Pole, 100mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB4P10A100-10kA	4520	3
16	CSRB4P16A100-10kA	4540	
20	CSRB4P20A100-10kA	4580	
25	CSRB4P25A100-10kA	4800	
32	CSRB4P32A100-10kA	4810	
40	CSRB4P40A100-10kA	4920	
63	CSRB4P63A100-10kA	5590	
80	CSRB4P80A100-10kA	8450	
100	CSRB4P100A100-10kA	8680	



Test Button



Bi-correct Terminals

4 Pole, 300mA 10kA			[HSN Code: 8536]
Current rating (Amps.)	Product Code	MRP (₹)	MOQ
10	CSRB4P10A300-10kA	4540	3
16	CSRB4P16A300-10kA	4570	
20	CSRB4P20A300-10kA	4600	
25	CSRB4P25A300-10kA	5020	
32	CSRB4P32A300-10kA	5020	
40	CSRB4P40A300-10kA	5240	
63	CSRB4P63A300-10kA	5630	
80	CSRB4P80A300-10kA	8510	
100	CSRB4P100A300-10kA	8720	

ACCL

Automatic Changeover with Current Limiter

- Complying to IEC 60947-6 & IEC 60947-3
- Utilization Category AC 32A
- Rating : Mains - 30A, DG - 0.5A-30A
- Individual LED for Mains & DG
- Quick Transfer Time
- Fault Annunciation
- Higher Electrical Life
- Low Blackout Time
- Din Rail Mounting
- Auto Reset Facility
- Can be used for New Installations as Well as for Retrofits



ACCL			[HSN Code: 8536]
Product Code	Mains Rating (Amps.)	Genset Rating (Amps.)	MRP (₹)
TCALSS005	30	0.5	4120
TCALSS010	30	1	4120
TCALSS015	30	1.5	4120
TCALSS025	30	2.5	4120
TCALSS030	30	3	4120
TCALSS040	30	4	4120
TCALSS050	30	5	4120
TCALSS060	30	6	4120
TCALSS080	30	8	4120
TCALSS090	30	9	4120
TCALSS100	30	10	4120
TCALSS150	30	15	4120
TCALSS200	30	20	4120
TCALSS250	30	25	4120
TCALSS300	30	30	4120



EPiC

Distribution Boards



- **SPN** Single Door Distribution Board
- **SPN** Double Door Distribution Board
- **TPN** Horizontal Single Door Distribution Board
- **TPN** Horizontal Double Door Distribution Board
- **TPN** Vertical Double Door Distribution Board

EPIC Distribution Boards

[HSN Code: 8537]

Description	Product Code	Modules	MRP (₹)
SPN Distribution Board			
04 Way SPN Single Door	CSDBSPNPESD04	4	1120
06 Way SPN Single Door	CSDBSPNPESD06	6	1220
08 Way SPN Single Door	CSDBSPNPESD08	8	1430
12 Way SPN Single Door	CSDBSPNPESD12	12	1630
16 Way SPN Single Door	CSDBSPNPESD16	16	2340
SPN Distribution Board			
04 Way SPN Double Door	CSDBSPNPESDD04	4	1860
06 Way SPN Double Door	CSDBSPNPESDD06	6	2010
08 Way SPN Double Door	CSDBSPNPESDD08	8	2320
10 Way SPN Double Door	CSDBSPNPESDD10	10	2810
12 Way SPN Double Door	CSDBSPNPESDD12	12	3090
16 Way SPN Double Door	CSDBSPNPESDD16	16	3800
TPN-Horizontal Distribution Board			
04 Way TPNH Single Door	CSDBTPNHPESD04	20	3520
06 Way TPNH Single Door	CSDBTPNHPESD06	26	4410
08 Way TPNH Single Door	CSDBTPNHPESD08	32	5170
12 Way TPNH Single Door	CSDBTPNHPESD12	44	6970
TPN-Horizontal Distribution Board			
04 Way TPNH Double Door	CSDBTPNHPEDD04	20	5100
06 Way TPNH Double Door	CSDBTPNHPEDD06	26	6290
08 Way TPNH Double Door	CSDBTPNHPEDD08	32	7520
12 Way TPNH Double Door	CSDBTPNHPEDD12	44	10240
TPN-Vertical Distribution Board			
04 Way TPNH Double Door	CSDBTPNHPECGDD04	20	9280
06 Way TPNH Double Door	CSDBTPNHPECGDD06	26	10940
08 Way TPNH Double Door	CSDBTPNHPECGDD08	32	12720
12 Way TPNH Double Door	CSDBTPNHPECGDD12	44	16210

C&S Distribution Board			[HSN Code: 8537]
Description	Product Code	Modules (Incomer+Outgoing)	MRP (₹)
SPN Distribution Board			
04 Way SPN Single Door	CSDBSPNPSD04	4	1160
06 Way SPN Single Door	CSDBSPNPSD06	6	1270
08 Way SPN Single Door	CSDBSPNPSD08	8	1470
12 Way SPN Single Door	CSDBSPNPSD12	12	1930
16 Way SPN Single Door	CSDBSPNPSD16	16	2520
SPN Distribution Board			
04 Way SPN Double Door	CSDBSPNPGDD04	4	1890
06 Way SPN Double Door	CSDBSPNPGDD06	6	2120
08 Way SPN Double Door	CSDBSPNPGDD08	8	2370
10 Way SPN Double Door	CSDBSPNPGDD10	10	2870
12 Way SPN Double Door	CSDBSPNPGDD12	12	3120
16 Way SPN Double Door	CSDBSPNPGDD16	16	3890
TPN-Horizontal Distribution Board			
04 Way TPNH Single Door	CSDBTPNHPSD04	8+12	3750
06 Way TPNH Single Door	CSDBTPNHPSD06	8+16	4670
08 Way TPNH Single Door	CSDBTPNHPSD08	8+24	5440
12 Way TPNH Single Door	CSDBTPNHPSD12	8+36	7340
TPN-Horizontal Distribution Board			
04 Way TPNH Double Door	CSDBTPNHPCGDD04	8+12	5090
06 Way TPNH Double Door	CSDBTPNHPCGDD06	8+18	6340
08 Way TPNH Double Door	CSDBTPNHPCGDD08	8+24	7720
12 Way TPNH Double Door	CSDBTPNHPCGDD12	8+36	10800

CSDBTPNHPSD06, CSDBTPNHPSD08, CSDBTPNHPSD12, CSDBTPNHPCGDD06, CSDBTPNHPCGDD08, CSDBTPNHPCGDD12 are non stockable items.

C&S WINclass Distribution Boards (Deepdrawn)

SPN WINclass Distribution Boards

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
2+04 Way Single Door	CSDBSPNSD04S	2+04	1480
2+08 Way Single Door	CSDBSPNSD08S	2+08	1850
2+12 Way Single Door	CSDBSPNSD12S	2+12	2540
2+14 Way Single Door	CSDBSPNSD16S	2+14	3160
2+04 Way Double Door	CSDBSPND004S	2+04	2400
2+08 Way Double Door	CSDBSPND008S	2+08	2990
2+12 Way Double Door	CSDBSPND012S	2+12	3910
2+14 Way Double Door	CSDBSPND016S	2+14	5120

TPN WINclass Distribution Boards

04 Way Single Door DB	CSDBTPNHSD04S	8+12	4820
06 Way Single Door DB	CSDBTPNHSD06S	8+18	5780
08 Way Single Door DB	CSDBTPNHSD08S	8+24	6340
12 Way Single Door DB	CSDBTPNHSD12S	8+36	8390
16 Way Single Door DB	CSDBTPNHSD16S	8+48	10490
04 Way Double Door DB	CSDBTPNHDD04SN	4+12	6330
04 Way Double Door DB	CSDBTPNHDD04S	8+12	6400
06 Way Double Door DB	CSDBTPNHDD06S	8+18	8010
08 Way Double Door DB	CSDBTPNHDD08S	8+24	10090
12 Way Double Door DB	CSDBTPNHDD12S	8+36	14360
16 Way Double Door DB	CSDBTPNHDD16S	8+48	18120

Polycarbonate Cover Consumer Unit DBs

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
SPN WC 06 WAY SD WITH ACRYLIC DOOR	CSDBSPNSDCA06	6	2150
SPN WC 08 WAY SD WITH ACRYLIC DOOR	CSDBSPNSDCA08	8	2400
SPN WC 12 WAY SD WITH ACRYLIC DOOR	CSDBSPNSDCA12	12	3100
SPN WC 16 WAY SD WITH ACRYLIC DOOR	CSDBSPNSDCA16	16	3950

Non stockable items.

Phase Selector Distribution Boards - TPN Phase Selector DD DB for incorporating MCB / Isolator / RCCB, equipped with 3 Nos 63A Phase Selector Switches & 3 No Plano Switches

[HSN Code: 8537]

Description	Product Code	MRP (₹)
4 Way DD with 63A Rotary Switch	CSDBPHSCDD04RS63	18450
6 Way DD with 63A Rotary Switch	CSDBPHSCDD06RS63	18880
8 Way DD with 63A Rotary Switch	CSDBPHSCDD08RS63	20830
12 Way DD with 63A Rotary Switch	CSDBPHSCDD12RS63	23080
4 Way DD with 40A Rotary Switch	CSDBPHSCDD04RS40	18340
6 Way DD with 40A Rotary Switch	CSDBPHSCDD06RS40	18550
8 Way DD with 40A Rotary Switch	CSDBPHSCDD08RS40	20640
12Way DD with 40A Rotary Switch	CSDBPHSCDD12RS40	22690
4 Way DD without Rotary Switch	CSDBPHSCDD04	15770
6 Way DD without Rotary Switch	CSDBPHSCDD06	16170
8 Way DD without Rotary Switch	CSDBPHSCDD08	17790
12 Way DD without Rotary Switch	CSDBPHSCDD12	20330

VTPN Distribution Boards (with provision for WINtrip2 MCB)

[HSN Code: 8537]

Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
4 way Double Door	CSDBTPNVDD04S	8+12	16400
6 way Double Door	CSDBTPNVDD06S	8+18	18800
8 way Double Door	CSDBTPNVDD08S	8+24	20780
12 way Double Door	CSDBTPNVDD12S	8+36	27830



W/Ntrip Distribution Boards



VTPN Distribution Boards (with provision for MCCB W/Ntrip1 as incomer & W/Ntrip2 MCB as outgoing) [HSN Code: 8537]		
Description	Product Code	MRP (₹)
DB MCCB AS I/C 100A DD04 WAY IP43	CSDBMCCB125PDD04S	15970
DB MCCB AS I/C 100A DD08 WAY IP43	CSDBMCCB125PDD08S	17000
DB MCCB AS I/C 100A DD12 WAY IP43	CSDBMCCB125PDD12S	24870
DB MCCB AS I/C 250A DD04 WAY IP43	CSDBMCCB250PDD04S	19170
DB MCCB AS I/C 250A DD08 WAY IP43	CSDBMCCB250PDD08S	24900
DB MCCB AS I/C 250A DD12 WAY IP43	CSDBMCCB250PDD12S	31190



Selection Table for MCCB as incomer VTPN Distribution Boards

W/Ntrip1 MCCB	Description	Product Code	Type/ Breaking Capacity Ics=100%Icu	MCCB Rating
	CSE1M125ATM3P-*, CSE1M125ATM4P-*, CSE1NN125ATM3P-*, CSE1NN125ATM4P-*, CSE1NN125ETM3P-*, CSE1NN125ETM4P-*, CSE1S125ETM3P-*, CSE1S125ETM4P-*	CSDBMCCB125PDD04S CSDBMCCB125PDD08S CSDBMCCB125PDD12S	25kA, 36kA & 50kA	15, 20, 30, 40, 50, 60, 75 & 100A
CSE2M250ATM3P-*, CSE2M250A M4P-*, CSE2NN250ATM3P-*, CSE2NN250ATM4P-*, CSE2NN250ETM3P-*, CSE2NN250ETM4P-*, CSE2SX250ETM3P-*, CSE2SX250ETM4P-*, CSE2SX250ATM3P-*, CSE2SX250ATM4P-*	CSDBMCCB250PDD04S CSDBMCCB250PDD08S CSDBMCCB250PDD12S	25kA, 36kA & 50kA	160, 200, 250 & 63-160 80-100, 100-250	

NOTE: While Ordering, Replace*** by current Rating.



7 Segment Distribution Board [HSN Code: 8537]			
Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
7 Segment TPN DD DB With Provision for FP MCB/Isolator/RCCB as incomer, DP MCB/Isolator/RCCB as sub incomer and SP MCBs as outgoing	CSDB7SEGDD04	8+12+12	14460
	CSDB7SEGDD06	8+12+18	16290
	CSDB7SEGDD08	8+12+24	18200
	CSDB7SEGDD12	8+12+36	23110

Price on request - Pre-wired Distribution Board fitted with Busbar, Terminal Block for incoming/outgoing phase neutral & Earth duly wired with Provision for ISD/RCCB/MCB as incomer and SP outgoing (without MCBs)



*FLEXI (Tier) DBs (with Metal Door) [HSN Code: 8537]		
Description	Product Code	MRP (₹)
Flexi DD DB 2 Row 13 Modules	CSDBFLDD2R13	7940
Flexi DD DB 3 Row 13 Modules	CSDBFLDD3R13	9360
Flexi DD DB 4 Row 13 Modules	CSDBFLDD4R13	10340

*Without Wire bunch



PPI Distribution Board [HSN Code: 8537]			
Description	Product Code	No. of Modules (Incomer+Outgoing)	MRP (₹)
4 Way Double Door	CSDBTPNPPIDD04	8+6+12	8270
6 Way Double Door	CSDBTPNPPIDD06	8+6+18	10250
8 Way Double Door	CSDBTPNPPIDD08	8+6+24	12440
12 Way Double Door	CSDBTPNPPIDD12	8+6+36	14390

Wintrip Distribution Boards

Wintrip Telephone & Television Socket Distribution Board		[HSN Code: 8537]
Description	Product Code	MRP (₹)
SPN 04 Way Tel & TV Socket DB (2+4)	CSDBSPND0TELV04	4950
SPN 06 Way Tel & TV Socket DB (2+6)	CSDBSPND0TELV06	5250
SPN 08 Way Tel & TV Socket DB (2+8)	CSDBSPND0TELV08	5570
SPN 10 Way Tel & TV Socket DB (2+10)	CSDBSPND0TELV10	5940
SPN 12 Way Tel & TV Socket DB (2+12)	CSDBSPND0TELV12	6610
SPN 14 Way Tel & TV Socket DB (2+14)	CSDBSPND0TELV14	6820
TPN 04 Way Tel & TV Socket DB (8+12)	CSDBTPND0TELV04	8220
TPN 06 Way Tel & TV Socket DB (8+18)	CSDBTPND0TELV06	9440
TPN 08 Way Tel & TV Socket DB (8+24)	CSDBTPND0TELV08	10880
TPN 12 Way Tel & TV Socket DB (8+36)	CSDBTPND0TELV12	14160



Cable End Box

Winclass Cable End Box		
Description	Product Code	MRP (₹)
SPN Cable End Box		
SPN 4 Way	CSDBCSPND004S	1100
SPN 8 Way	CSDBCSPND008S	1360
SPN 12 Way	CSDBCSPND012S	1600
SPN 16 Way	CSDBCSPND016S	1920
TPNH Cable End Box		
TPNH 4 Way	CSDBCCTPNHDD04SN	1430
TPNH 6 Way	CSDBCCTPNHDD06S	1700
TPNH 8 Way	CSDBCCTPNHDD08S	1980
TPNH 12 Way	CSDBCCTPNHDD12S	2490
TPNH 16 Way	CSDBCCTPNHDD16S	2970



New C&S / Epic Cable End Box		[HSN Code: 8537]
Description	Product Code	MRP (₹)
SPN Cable End Box		
SPN 4 Way	CSOBCSPNPDD04	910
TPNH 6 Way	CSOBCSPNPDD06	1020
SPN 8 Way	CSOBCSPNPDD08	1150
SPN 12 Way	CSOBCSPNPDD12	1420
SPN 16 Way	CSOBCSPNPDD16	1740
TPNH Cable End Box		
TPNH 4 Way	CSOBCCTPNHPDD04	1480
TPNH 6 Way	CSOBCCTPNHPDD06	1710
TPNH 8 Way	CSOBCCTPNHPDD08	1940
TPNH 12 Way	CSOBCCTPNHPDD12	2480



EPI C TPNV Cable End Box		
Description	Product Code	MRP (₹)
CABLE END BOX FOR CSDBTPN/PEDD 04-12 WAY DB	CSOBCCTPN/PEDD	2100

PPI Kit		[HSN Code: 8537]
Description	Product Code	MRP (₹)
PPI KIT TO CONVERT TPNHP/TPNHPE DD 04 TO DD 02 WAY	CSDBPPPKT01	2940
PPI KIT TO CONVERT TPNHP/TPNHPE DD 06 TO DD 04 WAY	CSDBPPPKT02	3310
PPI KIT TO CONVERT TPNHP/TPNHPE DD 08 TO DD 06 WAY	CSDBPPPKT03	3720
PPI KIT TO CONVERT TPNHP/TPNHPE DD 12 TO DD 10 WAY	CSDBPPPKT04	4470

☐ Non Stockable Item



Plug & Socket, Distribution Boards



Wintrip Plug and Socket DBs (without MCB)			[HSN Code: 8537]
Powder Coated Sheet Metal Deep Drawn DBs with Plug & Socket including insulated Neutral link, adjustable Din Rail and connecting links.			
Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
10Amp SPN	CSDBPSSPN010	1670	12
20Amp SPN	CSDBPSSPN020	1670	12
20Amp SPN (SP Outout)	CSDBPSSPN020SP	1670	12
20Amp TPN	CSDBPSTPN020	4030	6
30Amp TPN	CSDBPSTPN030	4430	6



Wintrip Plug and Sockets (Metal Clad)			[HSN Code: 8537]
Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
10Amp SPN Plug	CSDBPSPN010	340	36
10Amp SPN Socket	CSDBSSPN010	330	36
20Amp SPN Plug	CSDBPSPN020	360	36
20Amp SPN Socket	CSDBSSPN020	430	36
20Amp TPN Plug	CSDBPTPN020	440	36
20Amp TPN Socket	CSDBSTPN020	440	36
30Amp TPN Plug	CSDBPTPN030	690	36
30Amp TPN Socket	CSDBSTPN030	690	36



Wintrip Metal Enclosures (with Din Rail)			[HSN Code: 8537]
For Mounting Wintrip MCBs / RCCBs / Isolators			
Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
SP Enclosure	CSDBMCBESP	580	24
DP Enclosure	CSDBMCBEDP	580	24
TP Enclosure	CSDBMCBETP	680	12
FP Enclosure	CSDBMCBEFP	680	12




Wintrip Plastic Enclosure without MCB			[HSN Code: 8537]
Description	Product Code	MRP (₹)	
Plastic MCB Enclosure SP&DP/STD	CSDBMCBEPCP	230	
Plastic MCB Enclosure TP&FP/STD	CSDBMCBEFPF	310	

MCB Enclosure IP55			[HSN Code: 8537]
4 Pole Enclosure			
Description	Product Code	MRP (₹)	Std. Pkg. (No.s)
MCB Enclosure IP55 64 Way	CSDBEP04	2300	1

elusio
SWITCHES

Born Green



*T&C Apply

Stylish and eco-friendly.
30% more switch.
upto 3 times more switching.



FRONT MOUNT
& REMOVAL OPTION



SLEEK
DESIGN



UNBREAKABLE
DESIGNS



SMOOTH
TO TOUCH

Colors available in White, Elusio Green, Champagne, Dark Grey & Charcoal Black

Switches								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20113	85361010	6AX Switch SP 1 way	6AX	1M	125	164	189	20
CE20114	85361010	6AX Switch SP 1 way with Indicator	6AX	1M	162	186	214	
CE20123	85361010	6AX Switch SP 2 way	6AX	1M	178	202	232	
CE20568	85361010	10AX Switch SP 1 way	10AX	1M	144	189	217	
CE20569	85361010	10AX Switch SP 1 way with Indicator	10AX	1M	186	214	246	
CE20571	85361010	10AX Switch SP 2 way	10AX	1M	205	232	267	
CE20573	85361020	16AX Switch SP 1 way	16AX	1M	170	194	223	
CE20574	85361020	16AX Switch SP 1 way with Indicator	16AX	1M	224	240	276	
CE20578	85361020	16AX Switch SP 2 way	16AX	1M	250	274	315	
CE20580	85361020	20AX Switch SP 1 way	20AX	1M	196	223	256	
CE20581	85361020	20AX Switch SP 2 way	20AX	1M	268	315	362	
CE20584	85361020	20AX Switch SP 1 way with Indicator	20AX	1M	258	276	317	
CE20115	85361010	6AX Switch SP 1 way with Indicator	6AX	2M	210	225	259	10
CE20124	85361010	6AX Switch SP 2 way	6AX	2M	203	243	280	
CE20570	85361010	10AX Switch SP 1 way with Indicator	10AX	2M	242	259	298	
CE20572	85361010	10AX Switch SP 2 way	10AX	2M	233	279	322	
CE20575	85361020	16AX Switch SP 1 way with Indicator	16AX	2M	221	261	300	
CE20579	85361020	16AX Switch SP 2 way	16AX	2M	256	296	343	
CE20582	85361020	20AX Switch SP 1 way	20AX	2M	240	270	340	
CE20583	85361020	20AX Switch SP 2 way	20AX	2M	297	343	394	
CE20121	85361020	32A DP Switch with Indicator	32A	2M	615	797	916	



Bell Push Switches								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20509	85361010	6A Bell Push Switch	6A	1M	137	160	184	20
CE20508	85361010	6A Bell Push Switch with Indicator	6A	1M	164	186	216	
CE20510	85361010	6A Bell Push Switch	6A	2M	160	199	229	10
CE20511	85361010	6A Bell Push Switch with Indicator	6A	2M	188	227	261	



Blanking / Phase Indicator								
Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)	
				White	Colour	Jungle Green		
CE20066	85361010	Blanking Plate	1M	44	54	62	40	
CE20631	85361010	Phase Indicator Red	1M	429	450	518	20	



Fan Regulator / Dimmer								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20827	85361010	4 Step Fan Regulator	100W	1M	446	466	535	20
CE20828	85361010	5 Step Fan Regulator	120W	2M	749	794	887	10
CE20826	85361010	5 Step Fan Regulator	100W	2M	570	615	708	
CE20804	85361010	Rosary Dimmer	300W	1M	618	664	763	20
CE20801	85361010	Rotary Dimmer	500W	2M	715	795	915	10

Sockets								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20370	85361020	6A 3 Pin Socket	6A	2M	175	267	330	10
CE20352	85361050	6/16A 3 Pin Socket	6/16A	2M	289	345	396	
CE20354	85361020	6/16A 3 Pin Socket- Protected	6/16A	2M	305	362	416	
CE20358	85361020	13A Universal Socket	13A	2M	175	287	330	



TV / Telephone / Computer / HDMI / VGA / USB / Night Lamp / Skirt Light								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20228	85361010	TV Socket		1M	107	129	148	20
CE20251	85361010	RJ 11 Telephone Socket		1M	101	124	142	
CE20272	85361010	RJ 45 Cat 6 Computer Socket	Cat 6	1M	1001	1080	1219	
CE20273	85361010	RJ 45 Cat 6a Computer Socket	Cat6a	1M	2005	2039	2345	
CE20276	85361010	HDMI Socket		1M	1228	1410	1622	10
CE20277	85361010	VGA Socket		1M	1223	1350	1553	
CE20275	85044030	USB Charger Socket (Fast Charging)	2.1A, A type	1M	1109	1404	1615	20
CE20633	94051090	Night Lamp		2M	450	490	564	10
CE20632	94051090	Skirt Light with LED		2M	623	680	782	



CE20364

Single Phase Motor Starter								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20364	85361020	Motor Starter 16A	16A	2M	671	726	835	10
CE20366	85361020	Motor Starter 25A	25A	2M	671	726	835	
Hospitality Range								
Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)	
				White	Colour	Jungle Green		
CE20611	85361010	DND/CMR internal unit	1M	366	390	449	10	
CE20610	85361010	DND/CMR external unit	1M	586	599	689		
CE20609	85361010	DND/MMR Indicator	1M	419	450	518	20	
CE20116	85361010	6AX Switch SP 1 way MMR	1M	160	165	190		
CE20125	85361010	6AX Switch SP 2 way DND	1M	210	215	247		
CE20636	85361010	Buzzer	1M	605	680	782		
CE20825	85361010	16A Electronic Key Card Switch	2M	12750	14500	16675	3	
Modular - Miniature Circuit Breakers								
Product Code	HSN Code	Description	Rating	Module	MRP (₹)			Std. Pkg. (Nos.)
					White	Colour	Jungle Green	
CE20431	85361010	MCB 6A Single Pole 4.5kA	6A, C Curve	1M	398	433	498	12
CE20432	85361010	MCB 10A Single Pole 4.5kA	10A, C Curve	1M	398	433	498	
CE20433	85361010	MCB 16A Single Pole 4.5kA	16A, C Curve	1M	398	433	498	
CE20437	85361010	MCB 20A Single Pole 4.5kA	20A, C Curve	1M	398	433	498	
CE20435	85361010	MCB 25A Single Pole 4.5kA	25A, C Curve	1M	398	433	498	
CE20436	85361010	MCB 32A Single Pole 4.5kA	32A, C Curve	1M	398	433	498	
CE20438	85361010	MCB 6A Double Pole 4.5kA	6A, C Curve	2M	819	875	1006	6
CE20439	85361010	MCB 10A Double Pole 4.5kA	10A, C Curve	2M	819	875	1006	
CE20440	85361010	MCB 16A Double Pole 4.5kA	16A, C Curve	2M	819	875	1006	
CE20441	85361010	MCB 20A Double Pole 4.5kA	20A, C Curve	2M	819	875	1006	
CE20442	85361010	MCB 25A Double Pole 4.5kA	25A, C Curve	2M	819	875	1006	
CE20443	85361010	MCB 32A Double Pole 4.5kA	32A, C Curve	2M	819	875	1006	
Cover Plate with Support Plate								
Product Code	HSN Code	Description	Module	MRP (₹)			Std. Pkg. (Nos.)	
				White	Colour	Jungle Green		
CE25801WH	85381010	Cover & Support Plate	1M	119	239	275	10	
CE25802WH	85381010	Cover & Support Plate	2M	123	234	269		
CE25803WH	85381010	Cover & Support Plate	3M	153	296	339		
CE25804WH	85381010	Cover & Support Plate	4M	181	352	405		
CE25806WH	85381010	Cover & Support Plate	6M	251	553	635		
CE25808WH	85381010	Cover & Support Plate-Horizontal	8M	307	621	714		
CE25809WH	85381010	Cover & Support Plate-Vertical	8MV	316	630	725	5	
CE25812WH	85381010	Cover & Support Plate	12M	528	1125	1294		
CE25816WH	85381010	Cover & Support Plate	16M	540	1212	1394		
CE25818WH	85381010	Cover & Support Plate	18M	682	1284	1477		

NOTE: For ordering color accessories suffix CB for Charcoal Black, DG for Dark Gray, CZ for Champagne, JG for Jungle Green e.g. for ordering one module Charcoal Black plate, the code would be CE25801CB



YOUR SAFETY MATTERS US

C&S Primo Plus Antibacterial Switches protects from Germs & Bacterial Infections



Primo Plus SWITCHES

- Available with Anti Bacterial features*
- Sleek design, compatible with PRIMO range of switches
- Highly aesthetic break free design
- Compatible to market boxes
- High gloss design
- Designed with front mounting and removable feature
- Ease of mounting
- Available in 1M -18M

DIVINO
SWITCHES

Primo Plus
SWITCHES

COMBI
WEATHER-PROOF ENCLOSURES

primo
SWITCHES



CG20114PW



CG23114



CG20123PW



CG23123



CG20509PW



CG23509



CG20058PW



CG23058



CG20634PW



CG23634



CG20826PW



CG23826



CG20801PW



CG23801



CG20636PW

Switches						
Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
One-Way Switches						
CG20113PW / CG23113	85361010	1P-6A	General	1	107	20
CG20114PW / CG23114	85361010	1P-6A	Luminous	1	151	
CG20573PW / CG23573	85361020	1P-16A	General	1	174	
CG20574PW / CG23574	85361020	1P-16A	Luminous	1	200	
CG20117PW / CG23117	85361020	1P-25A	General	1	225	
CG20118PW / CG23118	85361020	1P-25A	Luminous	1	276	10
CG20129PW / CG23120	85361020	2P-32A	Luminous	2	407	
Two-Way Switches						
CG20123PW / CG23123	85361010	1P-6A	General	1	147	20
CG20578PW / CG23578	85361020	1P-16A	General	1	217	

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
Bell Push Switches						
CG20508PW / CG23508	85361010	1P-6A	Luminous	1	191	20
CG20509PW / CG23509	85361010	1P-6A	With Symbol	1	151	

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
Blanking Modules						
CG20056PW / CG23056	85381010	1 Gang	-	1	35	40
CG20073PW / CG23073	85381010	2 Gang	-	2	61	20

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
Neon Indicators						
CG20634PW / CG23634	85361010	Red Color	-	1	100	20

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
Fan Regulator						
CG20826PW / CG23826	85361010	5 Step (100W)	Rotary	2	464	10
CG20827PW / CG23827	85361010	4 Step (100W)	Rotary	1	369	20

Product Code - Pure White / Grey	HSN Code	Description	Type	No. of Modules	MRP (₹)	MOQ
Dimmer						
CG20801PW / CG23801	85361010	500W	Rotary (Stepless)	2	461	10
CG20804PW / CG23804	85361010	300W	Rotary (Stepless)	1	407	20

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Buzzer					
CG20636PW / CG23636	85361010	Buzzer	1	560	20



CG20370PW

CG23370



CG20353PW

CG23353



CG20228PW

CG23228



CG20275PW



CG20815PW



CG20608PW

CG23608



CG20610PW

CG23610



CG20611PW

CG23611

Socket

Product Code - Pure White / Grey	HSN Code	Description	For Plug Pin	No. of Modules	MRP (₹)	MOQ
Sockets With Safety Shutters						
CG20370PW / CG23370	85361010	6A Socket 3 Pin (Flushed)	Round	2	144	10
*CG20353PW / CG23353	85361010	6A Multi Socket 5 Pin (Flushed)	Round	2	166	10
CG20352PW / CG23352	85361020	6/16A Twin Socket 3 Pin (Projected)	Round	2	263	10
CG20354PW / CG23354	85361020	6/16A Twin Socket 3 Pin (Flushed)	Round	3	277	6
*CG20355PW / CG23355	85361020	25A Socket (Flushed)	Round	3	289	6
*CG20356PW / CG23356	85361020	25A Socket (Projected)	Round	2	263	10
*CG20358PW / CG23358	85361010	6A 2 Pin Socket	Round	1	106	20

* Material available till stock last.

Product Code - Pure White / Grey	HSN Code	Description	Nos. Pairs	For Plug Pin	No. of Modules	MRP (₹)	MOQ
Telephone / Computer / TV Socket							
CG20251PW / CG23251	85361010	RJ11	2	Twisted pair	1	121	20
CG20271PW / CG23271	85361010	RJ45 CAT5e	4	UTP		468	
CG20228PW / CG23228	85361010	TV Socket	-	-		114	
CG20272PW / CG23272	85361010	RJ45 CAT6	4	UTP		553	
CG20273PW / CG23273	85361010	RJ45 CAT6a		UTP	1216		

USB Charger Socket

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CG20275PW / CG23275	85044030	USB Charger Socket 2.1A (Fast Charging)	1	945	20

Hospitality Range

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Energy Key Tag					
CG20815PW / CG23815	85361020	1P-25A, 230V-Energy Key Switch With Tag	2	606	1
CG20434PW / CG23434	85361010	Tag For Energy Key Tag	-	125	-

Application activation of functions service inside hotel rooms (e.g.m light, air-conditioner, minibar) when the room is occupied (with badge inserted)

Do Not Disturb

CG20608PW / CG23608	85361010	Indicator	1	110	20
CG20124PW / CG23124	85361010	6A-230V, IW, SP Luminous Switch		156	
CG20612PW / CG23612	85361010	Unit (Indicator-Switch)	1+1	261	10

Room Occupied

CG20610PW / CG23610	85361010	Indicator	1	110	20
CG20125PW / CG23125	85361010	6A-230V, IW, SP Luminous Switch		156	
CG20613PW / CG23613	85361010	Unit (Indicator-Switch)	1+1	261	10

Make My Room

CG20611PW / CG23611	85361010	Indicator	1	110	20
CG20126PW / CG23126	85361010	6A-230V, IW, SP Luminous Switch		156	
CG20614PW / CG23614	85361010	Unit (Indicator-Switch)	1+1	261	10



CG20825PW



CG20632



CG20438PW



CG20443PW



CG26401PW



CG20362PW



CG25700PW



CG25803PW

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Time Delay Electronic Switch (Card Operated)					
CG20825PW / CG23825	85361020	25A	3	1356	6
Foot Lamp					
CG20631	94051090	230V-LED Yellow Night Lamp	3	379	6
CG20632	94051090	230V-LED Blue Night Lamp			
CG20633	94051090	230V-LED White Night Lamp			

Modular Miniature Case Circuit Breaker - W/Ntrip 'S'					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Single Pole					
CG20431PW	85361010	6A Single Pole 4.5kA - Tripping Curve 'C'	1	221	12
CG20432PW	85361010	10A Single Pole 4.5kA - Tripping Curve 'C'			
CG20433PW	85361020	16A Single Pole 4.5kA - Tripping Curve 'C'			
CG20437PW	85361020	20A Single Pole 4.5kA - Tripping Curve 'C'			
CG20435PW	85361020	25A Single Pole 4.5kA - Tripping Curve 'C'			
CG20436PW	85361020	32A Single Pole 4.5kA - Tripping Curve 'C'			
Double Pole					
CG20438PW	85361010	6A Double Pole 4.5kA - Tripping Curve 'C'	2	528	6
CG20439PW	85361010	10A Double Pole 4.5kA - Tripping Curve 'C'			
CG20440PW	85361020	16A Double Pole 4.5kA - Tripping Curve 'C'			
CG20441PW	85361020	20A Double Pole 4.5kA - Tripping Curve 'C'			
CG20442PW	85361020	25A Double Pole 4.5kA - Tripping Curve 'C'			
CG20443PW	85361020	32A Double Pole 4.5kA - Tripping Curve 'C'			

Power Unit					
Product Code - Pure White	HSN Code	Description		MRP (₹)	MOQ
CG26401PW	85371000	16Amp Power Unit		968	1
CG26402PW	85371000	20Amp Power Unit		1126	1
CG26403PW	85371000	25Amp Power Unit		1126	1
Power Unit with PVC					
CG26404PW	85371000	16Amp Power Unit		843	1
CG26405PW	85371000	20Amp Power Unit		1121	1
CG26406PW	85371000	25Amp Power Unit		1121	1

* Material available till stock last.

Motor Starter					
Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CG20362PW / CG23362	85361020	Motor Starter 16A	2	452	1
CG20364PW / CG23364	85361020	Motor Starter 25A	2	575	

Pure White Cover Plates With Support Plate					
Product Code - Vera / Vima	HSN Code	Description		MRP (₹)	MOQ
CG25701PW / CG25801PW	85381010	1 Module Plate		124	10
CG25702PW / CG25802PW	85381010	2 Module Plate		162	
CG25703PW / CG25803PW	85381010	3 Module Plate		197	
CG25704PW / CG25804PW	85381010	4 Module Plate		264	
CG25706PW / CG25806PW	85381010	6 Module Plate		341	5
CG25708PW / CG25808PW	85381010	8 Module Plate - Vertical			
CG25709PW / CG25809PW	85381010	8 Module Plate - Horizontal			
CG25712PW / CG25812PW	85381010	12 Module Plate		428	
CG25716PW / CG25816PW	85381010	16 Module Plate		649	



CG25803GR



CG25803BG



CG25803COR



CG25703BW



CG25803EW

Glossy Grey Cover Plates With Support Plate

Product Code - Vera / Vima	HSN Code	Description	MRP (₹)	MOQ
CG25701GR / CG25801GR	85381010	1 Module Plate	178	10
CG25702GR / CG25802GR	85381010	2 Module Plate		
CG25703GR / CG25803GR	85381010	3 Module Plate	243	
CG25704GR / CG25804GR	85381010	4 Module Plate	261	
CG25705GR / CG25805GR	85381010	6 Module Plate	328	5
CG25708GR / CG25808GR	85381010	8 Module Plate - Vertical	383	
CG25709GR / CG25809GR	85381010	8 Module Plate - Horizontal		
CG25712GR / CG25812GR	85381010	12 Module Top Plate	507	
CG25718GR / CG25818GR	85381010	18 Module Plate	800	

Cover Plates With Support Plate

Product Code - Vera / Vima	HSN Code	Description	MRP (₹)	MOQ
Cadet Grey / Black Olive / Argent Grey / Charcoal Black / Arsenic Black / Champagne / Candy Red / Coral Red / British Green Plates				
CG25701 / CG25801	85381010	1 Module Plate	267	10
CG25702 / CG25802	85381010	2 Module Plate		
CG25703 / CG25803	85381010	3 Module Plate	318	
CG25704 / CG25804	85381010	4 Module Plate	396	
CG25705 / CG25805	85381010	6 Module Plate	549	5
CG25708 / CG25808	85381010	8 Module - Vertical	592	
CG25709 / CG25809	85381010	8 Module - Horizontal		
CG25712 / CG25812	85381010	12 Module Plate	755	
CG25718 / CG25818	85381010	18 Module Plate	986	


Please add codes CG for Cadet Grey, BO for Black Olive, AG for Argent Grey, CB for Charcoal Black, AB for Arsenic Black, CH for Champagne, CAR for Candy Red, COR for Coral Red, BG for British Green Plates e.g. for ordering one module Vera Cadet Grey plate code would be CG25701CG

English Walnut & Burly Wood Cover Plates With Support Plate

Product Code Vera / Vima	HSN Code	Description	MRP (₹)	MOQ
CG25701 / CG25801	85381010	1 Module Plate	334	10
CG25702 / CG25802	85381010	2 Module Plate		
CG25703 / CG25803	85381010	3 Module Plate	409	
CG25704 / CG25804	85381010	4 Module Plate	522	
CG25705 / CG25805	85381010	6 Module Plate	721	5
CG25708 / CG25808	85381010	8 Module Plate - Vertical	743	
CG25709 / CG25809	85381010	8 Module Plate - Horizontal		
CG25712 / CG25812	85381010	12 Module Top Plate	970	
CG25718 / CG25818	85381010	18 Module Plate	1104	

Please add codes EW for English Walnut and BW for Burly Wood e.g. for ordering one module Vera English Walnut plate code would be CG25701EW

Divino Cover Plate Sizes (All dimensions in mm)





CG26000W

CG26400W



CG26016W

CG26018W



CG26012W

IP55 Enclosures						
Product Code	HSN Code	Description	Configuration	MRP (₹)	MOQ	
Watertight And Dust Proof Enclosures IP55-Surface Mounting						
CG26000W	85371000	Bell Push	1 Module	796	1	
CG26400W	85371000	16A Switch, 6/16A Socket	3 Module	1202		
CG26016W	85371000	6A Switch	1 Module	632		
IP55 Motor Starter						
CG26018W	85381010	IP55 2M Enclosure With 16A Motor Starter		1176	1	
CG26019W	85381010	IP55 2M Enclosure With 25A Motor Starter		1382		
Watertight Plates For Flush Mounting Installations IP55 (Compatible with 3M concealed box)						
CG24025W	85381010	3 Gang		748	10	
Product Code	HSN Code	Description	Configuration	External Dim. LxHxD (mm)	MRP (₹)	MOQ
Watertight Enclosures For Fixed Or Movable Applications						
CG26010W	85381010	1 Gang	Module 1	80x64x59	595	10
CG26011W	85381010	2 Gang	Module 2	80x64x59	524	
CG26012W	85381010	3 Gang	Module 3	80x96x59	633	
CG26013W	85381010	4 Gang	Module 4x1	80x128x59	829	
CG26014W	85381010	6 Gang	Module 4x2	160x128x59	1415	5
CG26015W	85381010	12 Gang	Module 4x3	240x128x59	1865	3

COMBI

WEATHER PROOF ENCLOSURES



DUST PROOF WATER PROOF

A Switch designed to win the biggest test.
Nature...



CG28015



CG28017



CG28023



CG28020



ACBH001 ACBH004



ACBH005



ACBH006



ACBH008



ACCR001



ACSMB001

Top Plug				
Product Code	HSN Code	Description	MRP (₹)	MOQ
CG28014	85381010	6A Plug Top	72	10
CG28015	85381020	16A Plug Top	107	
CG28018	85381020	25A Plug Top	138	

Top Plug with Indicator				
Product Code	HSN Code	Description	MRP (₹)	MOQ
CG28017	85381010	16A Plug Top	114	10
CG28019	85381010	25A Plug Top	168	

Two Pin Socket				
Product Code	HSN Code	Description	MRP (₹)	MOQ
CG28021	85381010	6A 2 Pin Plug Top - Male	26	30
CG28023	85381010	6A 2 Pin Plug Top Combined Unit (Male & Female)	54	

Multi Plug Socket				
Product Code	HSN Code	Description	MRP (₹)	MOQ
CG28020	85381020	6A Multi Plug Socket	97	20

Batten Holder				
Product Code	HSN Code	Description	MRP (₹)	MOQ
ACBH001	85381010	Straight Batten Holder (Plain)	57	20
ACBH003	85381010	Angular Batten Holder (Plain)		
ACBH002	85381010	Straight Batten Holder (Fancy)	68	
ACBH004	85381010	Angular Batten Holder (Fancy)		
ACBH005	85381010	Batten Holder common (2 in 1)	79	
ACBH006	85381010	Square Batten Holder (Plain)	90	
ACBH007	85381010	Square angle Batten Holder (Plain)		
ACBH008	85381010	Slim Batten Holder (Fancy)	99	
ACBH009	85381010	Slim angle Batten Holder (Fancy)		

Ceiling Rose				
Product Code	HSN Code	Description	MRP (₹)	MOQ
ACCR001	85381010	Ceiling rose	47	20

Surface Plastic Box				
Product Code	HSN Code	Description	MRP (₹)	MOQ
ACSMB001	85381010	1 Module	68	10
ACSMB001	85381010	2 Module	68	
ACSMB003	85381010	3 Module	88	
ACSMB004	85381010	4 Module	95	
ACSMB006	85381010	6 Module	128	
ACSMB008	85381010	8 Module (Horizontal)	176	
ACSMB009	85381010	8 Module (Vertical)	176	
ACSMB012	85381010	12 Module	223	
ACSMB018	85381010	18 Module	258	

* Material available till stock last.

A Piece of Art with Complete
Safety, Comfort & Aesthetics
for your Walls



- Available in 1 Module to 18 Module*
- Sleek Design & Compatible with Primo Range of Switches
- Highly Aesthetic Break Free Design
- Compatible to Market Boxes
- Designed with Front Mount & Removal Option

*The Antibacterial feature are available only in White & Gray top plates & accessories.



CS20114P



CS20123P



CS20511P



CS20056P



CS20631P



CS20801P



CS20636P


Switches						
Product Code - Pure White / Grey	HSN Code	Description	Type	No. Modules	MRP (₹)	MOQ
One-Way Switches						
CS20113P / CS23113P	85361010	6A, 250V	General	1	94	20
CS20114P / CS23114P	85361010	6A, 250V	Luminous	1	122	
CS20115P / CS23115P	85361010	6A, 250V	Luminous	2	135	10
CS20573P / CS23573P	85361020	16A, 250V	General	1	141	20
CS20574P / CS23574P	85361020	16A, 250V	Luminous	1	177	
CS20575P / CS23575P	85361020	16A, 250V	Luminous	2	185	10
CS20117P / CS23117P	85361020	25A, 250V	General	1	186	20
CS20118P / CS23118P	85361020	25A, 250V	Luminous	1	229	
CS20119P / CS23119P	85361020	25A, 250V	General	2	222	10
CS20120P / CS23120P	85361020	25A, 250V	Luminous	2	248	
Two-Way Switches						
CS20123P / CS23123P	85361010	6A, 250V	General	1	134	20
CS20124P / CS23124P	85361010	6A, 250V	General	2	138	10
CS20578P / CS23578P	85361020	16A, 250V	General	1	210	20
CS20579P / CS23579P	85361020	16A, 250V	General	2	232	10

Product Code - Pure White / Grey	HSN Code	Description	Type	No. Modules	MRP (₹)	MOQ
Bell Push Switches						
CS20508P / CS23508P	85361010	6A, Bell Push	General	1	130	20
CS20509P / CS23509P	85361010	6A, Bell Push	Luminous	1	150	
CS20510P / CS23510P	85361010	6A, Bell Push	General	2	144	10
CS20511P / CS23511P	85361010	6A, Bell Push	Luminous	2	151	
Blanking Module						
CS20056P / CS23056P	85381010	1M Blank	General	1	34	50

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Neon Indicator					
CS20631P / CS23631P	85361010	Neon Indicator Red	1	79	20

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Fan Regulator / Dimmer					
CS20828P / CS23828P	85361010	5 Step Fan Regulator 120W	2	480	10
CS20826P / CS23826P	85361010	5-Step Fan Regulator 100W	2	417	10
CS20827P / CS23827P	85361010	4-Step Fan Regulator 100W	1	336	20
CS20801P / CS23801P	85361010	Rotary Type Dimmer 500W	2	446	10
CS20804P / CS23804P	85361010	Rotary Type Dimmer 300W	1	327	20

Product Code - White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Buzzer					
CS20636P / CS23636P	85361010	Buzzer	1	550	20



CS20354P

CS20370P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Sockets with Safety Shutters					
CS20370P / CS23370P	85361010	6A, 3 Pin	2	122	10
CS20353P / CS23353P	85361010	6A, 5 Pin	2	141	
CS20362P / CS23362P	85361020	6/16A, 6 Pin	3	226	
CS20364P / CS23364P	85361020	6/16A, Socket Projected	2	212	
CS20355P / CS23355P	85361020	6/25A, 6 Pin	3	261	
CS20356P / CS23356P	85361020	6/16/25A, 6 Pin Socket Projected	2	212	
CS20358P / CS23358P	85361020	13A Universal Socket	2	232	



CS20359P

CS20228P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
2 Pin Socket					
CS20359P / CS23359P	85361010	6A, 2 Pin Socket	1	100	20
TV Socket / Flex Outlet					
CS20228P / CS23228P	85361010	TV Socket	1	110	20
CS20237P / CS23237P	85361010	Flex Outlet	1	77	



CS20251P

Product Code - Pure White / Grey	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Telephone / Computer Socket					
CS20251P / CS23251P	85361010	RJ 11, Telephone Jack	1	110	20
CS20271P / CS23271P	85361010	RJ 45, Computer Jack CAT5e	1	348	
CS20272P / CS23272P	85361010	RJ 45, Computer Jack CAT6	1	541	
CS20273P / CS23273P	85361010	RJ 45, Computer Jack CAT6a	1	1035	



CS20275P

USB Charger Socket					
Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS20275P / CS23275P	85044030	USB Charger Socket 2.1A (Fast Charging)	1	905	20



CS20816P

Hospitality Range					
Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Energy Saving Switch					
CS20816P / CS23816P	85361020	25A, Energy Saving Switch With Key Tag & Indicator	2	497	1
APPLICATION: activation of functions and service inside hotel rooms (e.g. light, air-conditioner, minibar) when the room is occupied (with badge inserted).					



CS20609P

CS20611P

Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
DND MMR Switches					
CS20609P / CS23609P	85361010	Indicator	1	100	20
CS20610P / CS23610P	85361010	DND/MMR External Indicator Unit	1+1	235	10
CS20611P / CS23611P	85361010	DND/MMR Internal Switch Unit	1+1	228	10



CS20633P

CS20632P

Skirt Light / Night Lamp					
Product Code - Pure White / Grey	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS20632P / CS23632P	94051090	Skirt light 2M	2	372	10
CS20633P / CS23633P	94051090	Night Lamp 2M	2	390	10

* Material available till stock last.



CS26404PW

Primo Plus Power Unit with PVC					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS26404PW	85371000	Power Unit Combo 16A MCB Protected Socket	4	796	1
*CS26406PW	85371000	Power Unit Combo 20A MCB Protected Socket		991	
*CS26406PW	85371000	Power Unit Combo 25A MCB Protected Socket		1121	
CS26408PW	85371000	Power Unit Combo Heavy Duty with 25Amp MCB			
Primo Plus Power Unit with Metal Enclosure					
CS26407PW	85371000	Power Unit Combo Heavy Duty with 25Amp MCB	4	1126	1
CS26401P	85371000	Power Unit Combo 16A MCB		968	

* Material available till stock last.



CS25803WH



CS25803GR

Product Code	HSN Code	Description	MRP (₹)	MOQ
Swan White (Cover Plates with Support Plate)				
CS25801WH	85381010	1 Module Plate	96	10
CS25802WH	85381010	2 Module Plate		
CS25803WH	85381010	3 Module Plate	134	
CS25804WH	85381010	4 Module Plate	140	
CS25806WH	85381010	6 Module Plate	204	
CS25808WH	85381010	8 Module Plate (Horizontal)	256	
CS25809WH	85381010	8 Module Plate (Vertical)		
CS25812WH	85381010	12 Module Plate	345	5
CS25816WH	85381010	16 Module Plate	399	
CS25818WH	85381010	18 Module Plate	423	
Glossy Grey (Cover Plates with Support Plate)				
CS25801GR	85381010	1 Module Plate	101	10
CS25802GR	85381010	2 Module Plate		
CS25803GR	85381010	3 Module Plate	130	
CS25804GR	85381010	4 Module Plate	145	
CS25806GR	85381010	6 Module Plate	208	
CS25808GR	85381010	8 Module Plate (Horizontal)	265	
CS25809GR	85381010	8 Module Plate (Vertical)		
CS25812GR	85381010	12 Module Plate	350	5
CS25816GR	85381010	16 Module Plate	432	
CS25818GR	85381010	18 Module Plate	460	

Cover Plates with Support Plate



Product Code	HSN Code	Description	MRP (₹)	MOQ
Cadet Grey / Black Olive / Argnet Grey / Charcol Black / Arsenic Black / Champagne / Candy Red / Corel Red / British Green Plates				
CS25801	85381010	1 Module Plate	197	10
CS25802	85381010	2 Module Plate		
CS25803	85381010	3 Module Plate	233	
CS25804	85381010	4 Module Plate	261	5
CS25806	85381010	6 Module Plate	394	
CS25808	85381010	8 Module - Horizontal	441	
CS25809	85381010	8 Module - Vertical		
CS25812	85381010	12 Module Plate	571	
CS25816	85381010	16 Module Plate	610	
CS25818	85381010	18 Module Plate	739	

Please add codes CS for Cadet Grey, BO for Black Olive, AG for Argnet Grey, CB for Charcol Black, AB for Arsenic Black, CH for Champagne, CAR for Candy Red, COR for Corel Red, BG for British Green Plates e.g. for ordering one module Cadet Grey plate code would be CS25801




CS25803BW



CS25803EW

English Walnut & Burly Wood Cover Plates with Support Plate				
Product Code	HSN Code	Description	MRP (₹)	MOQ
CS25801	85381010	1 Module Plate	258	10
CS25802	85381010	2 Module Plate		
CS25803	85381010	3 Module Plate	282	
CS25804	85381010	4 Module Plate	297	
CS25806	85381010	6 Module Plate	508	5
CS25808	85381010	8 Module Plate - Horizontal		
CS25809	85381010	8 Module Plate - Vertical	586	
CS25812	85381010	12 Module Top Plate	759	
CS25816	85381010	16 Module Top Plate	847	
CS25818	85381010	18 Module Plate	901	

Please add codes EW for English Walnut and BW for Burly Wood e.g. for ordering one module English Walnut plate code would be CS25801EW.



A Piece of **Art**
for your **Walls**





CS20114



CS20123



CS20511



CS20056



CS20631



CS20801



CS20370



CS20369



CS20228



CS20251

Switches						
Product Code - Pure White	HSN Code	Description	Type	No. Modules	MRP (₹)	MOQ
One-Way Switches						
CS20113	85361010	6A, 250V	General	1	80	20
CS20114	85361010	6A, 250V	Luminous	1	112	
CS20115	85361010	6A, 250V	Luminous	2	125	10
CS20573	85361020	16A, 250V	General	1	131	20
CS20574	85361020	16A, 250V	Luminous	1	162	
CS20575	85361020	16A, 250V	Luminous	2	172	10
CS20117	85361020	25A, 250V	General	1	173	20
CS20118	85361020	25A, 250V	Luminous	1	205	
CS20119	85361020	25A, 250V	General	2	205	10
CS20120	85361020	25A, 250V	Luminous	2	229	
Two-Way Switches						
CS20123	85361010	6A, 250V	General	1	127	20
CS20124	85361010	6A, 250V	General	2	131	10
CS20578	85361020	16A, 250V	General	1	181	20
CS20579	85361020	16A, 250V	General	2	185	10

Product Code - Pure White	HSN Code	Description	Type	No. Modules	MRP (₹)	MOQ
Bell Push Switches						
CS20509	85361010	6A, Bell Push	General	1	108	20
CS20508	85361010	6A, Bell Push	Luminous	1	126	
CS20510	85361010	6A, Bell Push	General	2	134	10
CS20511	85361010	6A, Bell Push	Luminous	2	141	
Blanking Module						
CS20056	85361010	1M Blank	General	1	29	50

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Neon Indicator					
CS20631	85361010	Neon Indicator Red	1	74	20

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Fan Regulator / Dimmer					
CS20826	85361010	5-Step Fan Regulator 100W	2	405	10
CS20828	85361010	5 Step Fan Regulator 120W	2	465	10
CS20827	85361010	4-Step Fan Regulator 100W	1	314	20
CS20801	85361010	Rotary Type Dimmer 500W	2	410	10
CS20804	85361010	Rotary Type Dimmer 300W	1	310	20

Sockets with Safety Shutters						
CS20370	85361010	6A, 3 Pin	2	110	10	
*CS20353	85361010	6A, 5 Pin	2	129		
CS20352	85361020	6/15A, 6 Pin	3	218		
CS20354	85361020	6/15A, Socket Projected	2	202		
*CS20355	85361020	6/25A, 6 Pin	3	250		
*CS20356	85361020	6/15/25A, 6 Pin Socket Projected	2	202		
*CS20358	85361020	13A Universal Socket	2	228		

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	MOQ
2 Pin Socket					
*CS20359	85361010	6A, 2 Pin Socket	1	94	20
TV Socket / Flex Outlet					
CS20228	85361010	TV Socket	1	103	20
CS20237	85361010	Flex Outlet	1	65	

Product Code - Pure White	HSN Code	Description	No. Modules	MRP (₹)	MOQ
Telephone / Computer Socket					
CS20251	85361010	RJ 11, Telephone Jack	1	103	20
CS20271	85361010	RJ 45, Computer Jack CAT5e	1	332	
CS20272	85361010	RJ 45, Computer Jack CAT6	1	513	
CS20273	85361010	RJ 45, Computer Jack CAT6a	1	985	

*Material available till stock last.



CS20275

USB Charger Socket					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS20275	85044030	USB Charger Socket 2.1A (Fast Charging)	1	919	20



CS20815

Hospitality Range					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Energy Saving Switch					
CS20815	85361020	25A, Energy Saving Switch With Key Tag & Indicator	2	480	1
APPLICATION: activation of functions and service inside hotel rooms (e.g. light, air-conditioner, minibar) when the room is occupied (with badge inserted).					



CS20609

CS20611

Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
DND/MMR Switches					
CS20609	85361010	Indicator	1	90	20
CS20610	85361010	DND/MMR External Indicator Unit	1+1	221	10
CS20611	85361010	DND/MMR Internal Switch Unit	1+1	210	10



CS20636

Product Code	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Buzzer					
CS20636	85361010	Buzzer	1	540	20



CS20633

CS20632

Skirt Light / Night Lamp					
Product Code	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS20632	94051090	Skirt light 2M	2	358	10
CS20633	94051090	Night Lamp 2M	2	375	10



CS20431

CS20443

Modular Miniature Case Circuit Breaker - WINtrip 'S'					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Single & Double Pole					
CS20431	85361010	6A Single Pole 4.5kA - Tripping Curve 'C'	1	221	12
CS20432	85361010	10A Single Pole 4.5kA - Tripping Curve 'C'			
CS20433	85361020	16A Single Pole 4.5kA - Tripping Curve 'C'			
CS20437	85361020	20A Single Pole 4.5kA - Tripping Curve 'C'			
CS20435	85361020	25A Single Pole 4.5kA - Tripping Curve 'C'			
CS20436	85361020	32A Single Pole 4.5kA - Tripping Curve 'C'			
CS20438	85361010	6A Double Pole 4.5kA - Tripping Curve 'C'	2	528	6
CS20439	85361010	10A Double Pole 4.5kA - Tripping Curve 'C'			
CS20440	85361020	16A Double Pole 4.5kA - Tripping Curve 'C'			
CS20441	85361020	20A Double Pole 4.5kA - Tripping Curve 'C'			
CS20442	85361020	25A Double Pole 4.5kA - Tripping Curve 'C'			
CS20443	85361020	32A Double Pole 4.5kA - Tripping Curve 'C'			



CS26401W

Power Unit					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
CS26401W	85371000	Power Unit Combo 16A MCB Protected Socket	4	797	1
CS26402W	85371000	Power Unit Combo 20A MCB Protected Socket		917	
CS26403W	85371000	Power Unit Combo 25A MCB Protected Socket			

* Material available @ stock list.



CS20364



Single Phase Motor Starter

Product Code	HSN Code	Description	MRP (₹)	MOQ
CS20364	85381020	Motor Starter 16A Primo	593	10
CS20366	85381020	Motor Starter 25A Primo		



Top Plates with Support Plate

Product Code-Pure White	HSN Code	Description	MRP (₹)	MOQ
CS25701WH	85381010	1 Module Plate	83	10
CS25702WH	85381010	2 Module Plate		
CS25703WH	85381010	3 Module Plate	129	
CS25704WH	85381010	4 Module Plate	135	
CS25705WH	85381010	5 Module Plate (Compatible with 4M Metal Box)	135	
CS25706WH	85381010	6 Module Plate	183	
CS25707WH	85381010	8 Module Horizontal	242	5
CS25708WH	85381010	8 Module Plate Horizontal (Compatible with 6M Metal Box)		
CS25710WH	85381010	10 Module-Vertical (Compatible With 8M (H+4) Metal Box)		
CS25711WH	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)	304	
CS25712WH	85381010	12 Module Plate		
CS25716WH	85381010	16 Module Plate (Compatible With 12M Metal Box)	385	
CS25718WH	85381010	18 Module Plate	396	

Red / Yellow/ Green/ Blue / Grey Plates

CS25701	85381010	1 Module Plate	83	10
CS25702	85381010	2 Module Plate		
CS25703	85381010	3 Module Plate	136	
CS25704	85381010	4 Module Plate	141	
CS25705	85381010	5 Module Plate (Compatible With 4M Metal Box)	191	
CS25706	85381010	6 Module Plate	245	
CS25707	85381010	8 Module Horizontal		
CS25709	85381010	8 Module Plate Horizontal (Compatible with 6M Metal Box)		
CS25710	85381010	10 Module-Vertical (Compatible With 8M (H+4) Metal Box)	328	5
CS25711	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)		
CS25712	85381010	12 Module Plate	399	
CS25716	85381010	16 Module Plate (Compatible With 12M Metal Box)	458	
CS25718	85381010	18 Module Plate		

Please add following to codes for color selection GR for Grey / RD for RED / YL for Yellow / BL for Blue/ GN for Green e.g. for ordering one module red plate code would be CS25701RD

Wooden

CS25701WN	85381010	1 Module Plate	178	10
CS25702WN	85381010	2 Module Plate		
CS25703WN	85381010	3 Module Plate	226	
CS25704WN	85381010	4 Module Plate	245	
CS25705WN	85381010	5 Module Plate (Compatible With 4M Metal Box)		
CS25706WN	85381010	6 Module Plate	313	
CS25707WN	85381010	8 Module Horizontal	450	5
CS25708WN	85381010	10 Module-Vertical (Compatible With 8M (H+4) Metal Box)		
CS25710WN	85381010	10 Module-Vertical (Compatible With 8M (H+4) Metal Box)		
CS25711WN	85381010	10 Module-Horizontal (Compatible With 8M (H) Metal Box)	553	
CS25712WN	85381010	12 Module Plate		
CS25716WN	85381010	16 Module Plate (Compatible With 12M Metal Box)	586	
CS25718WN	85381010	18 Module Plate	685	



WiNtrip 'S'

Single Lock Modular MCB

The perfect solution for AC's, Refrigerators & Electrical Appliances

Safe · Convenient · Energy Saving · Wide Range · Compact Design · Overload & Short Circuit Protection · Rapid Closing Mechanism · Easy to Operate



WiNtrip 'S' Modular MCB									
Single pole - Tripping Curve 'C' 4.5kA					Double pole - Tripping Curve 'C' 4.5kA				
Product Code	HSN Code	Description	MRP (₹)	MOQ	Product Code	HSN Code	Description	MRP (₹)	MOQ
CG20431R	85361010	6A	221	12	CG20438R	85361010	6A	528	6
CG20432R	85361010	10A			CG20439R	85361010	10A		
CG20433R	85361020	16A			CG20440R	85361020	16A		
CG20437R	85361020	20A			CG20441R	85361020	20A		
CG20435R	85361020	25A			CG20442R	85361020	25A		
CG20436R	85361020	32A			CG20443R	85361020	32A		

Non-Modular Miniature Case Circuit Breaker - WiNtrip 'S'					
Product Code - Pure White	HSN Code	Description	No. of Modules	MRP (₹)	MOQ
Single Pole					
CS20431N	85361010	6A Single Pole 4.5kA-Tripping Curve 'C'	1	221	12
CS20432N	85361010	10A Single Pole 4.5kA-Tripping Curve 'C'			
CS20433N	85361020	16A Single Pole 4.5kA-Tripping Curve 'C'			
CS20437N	85361020	20A Single Pole 4.5kA-Tripping Curve 'C'			
CS20435N	85361020	25A Single Pole 4.5kA-Tripping Curve 'C'			
CS20436N	85361020	32A Single Pole 4.5kA-Tripping Curve 'C'			
Double Pole					
CS20438N	85361010	6A Double Pole 4.5kA-Tripping Curve 'C'	2	528	6
CS20439N	85361010	10A Double Pole 4.5kA-Tripping Curve 'C'			
CS20440N	85361020	16A Double Pole 4.5kA-Tripping Curve 'C'			
CS20441N	85361020	20A Double Pole 4.5kA-Tripping Curve 'C'			
CS20442N	85361020	25A Double Pole 4.5kA-Tripping Curve 'C'			
CS20443N	85361020	32A Double Pole 4.5kA-Tripping Curve 'C'			



CS20436N



CS20438N




CG24272

Metal Boxes- Fabricated (Boxes for Divino, Primo Plus and Primo)					
Product Code	HSN Code	Description	Dimension LxHxD (mm)	MRP (₹)	MOQ
CG24271	85381010	1 Module Box	75 X 75 X 50	83	10
CG24271	85381010	2 Module Box	75 X 75 X 50		
CG24272	85381010	3 Module Box	100 X 75 X 50		
CG24273	85381010	4 Module Box	135 X 76 X 50	120	
CG24274	85381010	6 Module Box	210 X 75 X 50	169	5
CG24275	85381010	8 Module Box (4 +4)	134 X 140 X 52	196	
CG24276	85381010	8 Module Box (Horizontal)	232 X 79 X 52		
CG24277	85381010	12 Module Box	210 X 140 X 50	240	
CG24279	85381010	16 Module Box	210 X 140 X 60	302	
CG24278	85381010	16 Module Box	210 X 210 X 56	339	

- * 10M Top Plate shall be fitted in 8M (4+4) Vertical Metal Box (i.e. CG 24 275)
- * 5M Top Plate Shall be fitted in 4M Metal Box (i.e. CG 24 273)
- * Deep Drawn Metal Boxes are available on request.

Primo Cover Plate Sizes (All dimensions in mm)



General Terms & Conditions:

Price are subject to revision without prior notice and will be applicable as prevailing at the time of dispatch.

- This Pricelist supercedes all previous Price Lists.
- Maximum Retail Price (MRP) mentioned are maximum recommended selling prices inclusive of GST.
- All Prices are in Indian Rupees.

Warranty for Wiring Accessories

All our listed Electro-mechanical wiring devices carry a warranty, against manufacturing defects for a period of 10 years from the date of invoicing & 2 years for all mains related electronic wiring products viz. Dimmers, Step Fan regulator and Indicators subject to it's usages in normal recommended operating conditions. Guarantee does not include Metal boxes, Plug Tops and other stand alone products. The guarantee defines the company's entire liability & does not cover consequences loss or damage or re-installations cost arising from defective product. The company liability shall be limited to exchange or repair of the product, at our discretion, provided that such defective products are returned to nearest Branch office.




Industrial Plugs & Sockets



BENEFITS

- Safety through interchangeability
- High grade thermo plastic material assures:
 - Exceptional high impact resistance
 - High thermal stability
 - High insulated Quality
 - Good resistance to various chemicals
- Colour codes for easy identification of Plug & Sockets
- Locking device prevent unintended withdrawl

IEC 60309 Series
IP44 & IP67 Protection



Control & Signalling Devices

Metallic & Polycarbonate Series



Push Buttons & Pilot Lamps

- Ø22.5 mm Push Buttons, Emergency Stop PB, Selector switch
Illuminated & Non Illuminated Actuators in Plastic & Metallic variants
- Pilot Lamps in LED / Filament / Neon types
- Push Button Stations 1/2/3/4 ways, IP65 / 166, NEMA-4 1/X protection
- High Mechanical and Electrical life
- Aesthetic and Elegant outlook
- Wide Range of colors / voltages available

Globally accepted




IEC 60309 Series

[HSN Code: 8536]

IP 44 & IP 67 Versions	Description	Rating (Amp)	Protection Degree	3 PIN, 2P+E 240V AC			4 PIN, 3P+E 415V AC			5 PIN, 3P+N+E 415V AC		
				Code	MRP (₹)	Reference h	Code	MRP (₹)	Reference h	Code	MRP (₹)	Reference h
	Panel Mounting Socket - Splash Proof	16	IP44	CS62205*	660	6	-	-	-	CS62210*	1100	6
		32		CS62216*	1130	6	-	-	-	CS62221*	1270	6
	Panel Mounting Socket - Water Tight	16	IP67	CS62227	1420	6	-	-	-	CS62232	1510	6
		32		CS62238	1530	6	-	-	-	CS62243	2000	6
		63		CS63249	5620	6	-	-	-	CS63254	5160	6
		125		-	-	-	-	-	-	CS62262	19330	6
	Surface Mounting Socket - Splash Proof	16	IP44	CS62404	1090	6	-	-	-	CS62409	1190	6
		32		CS62415	1350	6	-	-	-	CS62420	1430	6
	Surface Mounting Socket - Water Tight	16	IP67	CS62426	1840	6	-	-	-	CS62431	2410	6
		32		CS62437	2300	6	CS62283	2580	3	CS62442	2770	6
		63		CS63448	7090	6	-	-	-	CS63453	7270	6
		125		-	-	-	-	-	-	CS63463	25040	6
	Plugs - Splash Proof	16	IP44	CS66004*	570	6	-	-	-	CS66009*	760	6
		32		CS66015*	910	6	-	-	-	CS66020*	1100	6
	Plugs - Water Tight	16	IP67	CS66026	1220	6	-	-	-	CS66031	1610	6
		32		CS66037	1890	6	CS60145	1930	3	CS66042	1970	6
		63		CS66048	5340	6	-	-	-	CS66053	5520	6
		125		-	-	-	-	-	-	CS66061	16400	6
	Surface Mounting Interlocked Switched Socket Outlet - Horizontal	16	IP44	CS66049(H)	8680	6	-	-	-	CS66109(H)	11040	6
		32		CS66015(H)	10300	6	-	-	-	CS66020(H)	12340	6
	Surface Mounting Interlocked Switched Socket Outlet - Vertical	16	IP67	CS66200	9490	6	-	-	-	CS66202	13440	6
		32		CS66201	13260	6	-	-	-	CS66203	16030	6
	Connector - Splash Proof	16	IP44	CS62004*	830	6	-	-	-	CS66215*	950	-
		32		CS62015*	1050	6	-	-	-	CS66225*	1340	-
	Connector Water Tight	32	IP 67	-	-	-	CS62128	2500	3	-	-	-

Note: Plugs & Sockets 3 PIN, 2P+E 240V AC are in Blue color, 5 PIN, 3P+N+E 415V AC are in Red color

[HSN Code: 8536]

AC Distribution Box with Socket	Description	Rating (Amp)	Protection Degree	Code	MRP (₹)	Reference h
	AC Distribution Box (Includes Socket & Plug)	16A 3P 240V	IP 40	CS60045*	2050	6
		32A 3P 240V		CS60046*	2530	6
		32A 5P 415V		CS60047*	3800	6
		63A 5P 415V		CS60048*	9890	6

* Stock for accessories are subject to availability.  Non Stockable Item






MOQ: Minimum Order Quantity

Push Buttons: 22.5mm Without Contact Elements

Push Button Actuators with Carrier-Non-Illuminated		[HSN Code: 8536]		
Description	Reference	MRP (₹)	MOQ	Product Picture
Push Spring Return Push Button	RCP2-BA1 ○	120	20	
	RCP2-BA2 ●			
	RCP2-BA3 ●			
	RCP2-BA4 ●			
	RCP2-BA5 ●			
	RCP2-BA6 ●			
Flush Spring Return Push Button with contact	RCP2BA33	270	10	
	RCP2BA35			
Projecting Push Button	RCP2-BL1 ○	120	20	
	RCP2-BL2 ●			
	RCP2-BL3 ●			
	RCP2-BL4 ●			
	RCP2-BL5 ●			
	RCP2-BL6 ●			
Mushroom Head Push Button, Spring Return	RCP2-BC2 ●	170	5	
	RCP2-BC3 ●			
	RCP2-BC4 ●			
	RCP2-BC5 ●			
	RCP2-BC6 ●			
Mushroom Head Push Button, Spring Return with contact	RCP2-BC21 ●	250	5	
	RCP2-BC31 ●			
	RCP2-BC42 ●			
	RCP2-BC51 ●			
Mushroom Head \varnothing40mm Push Button Stay Put turn to release	RCP2BS54 ●	230	5	
	RCP2BT4 ●			
Mushroom Head \varnothing40mm Push Button Stay Pull to release	RCP2BS64 ●	340	5	
Mushroom Head \varnothing60mm Push Button Stay Put turn to release	RCP2BS64 ●	340	5	
Mushroom Head Push Button, Push to Stay & Key to release	RCP2BS14 ●	460	5	
Push Button Stay Put \varnothing30mm (Press to Lock turn to release)	RCP2BS44 ●	220	10	
Push Button Actuators with Carrier & Contact Element-Non-Illuminated		[HSN Code: 8536]		
Flush Spring Return Push Button with 1NO Block	RCP2-BA11 ○	180	10	
	RCP2-BA21 ●			
	RCP2-BA31 ●			
	RCP2-BA51 ●			
	RCP2-BA61 ●			
	RCP2-BA41 ●			
Push Button with 1NC Block	RCP2-BA42 ●			
Projecting Head Push Button with 1NO Block	RCP2-BL11 ○	190	10	
	RCP2-BL21 ●			
	RCP2-BL31 ●			
	RCP2-BL51 ●			
Projecting PB with 1NC Block	RCP2-BL42 ●			
PB Actuators-Illuminated Flush w/o Series Resistor		[HSN Code: 8536]		
Illuminated Actuator, Flush (With BA9 Filament Bulb) 12V, 24V, 48V, 110V AC / DC	RCP2-BW318 ▲○	270	10	
	RCP2-BW336 ▲●			
	RCP2-BW346 ▲●			
	RCP2-BW356 ▲●			
	RCP2-BW366 ▲●			
	RCP2-BW376 ▲●			
Illuminated Actuator, Flush (With BA9 Neon Bulb) 220V, 380V, 415V AC / DC	RCP2-BWN336 ▲●			
	RCP2-BWN346 ▲●			
	RCP2-BWN356 ▲●			

○ non stockable items.

Global Certification       

Push Button Actuators - Illuminated Flush with Series Resistor		[HSN Code: 8536]		
Description	Reference	MRP (₹)	MOQ	Product Picture
Illuminated Actuator, Flush (with BA95 Filament Bulb, 130V) 220V AC/DC	RCP2-BW317 ▲○	290	10	
	RCP2-BW337 ▲●			
	RCP2-BW347 ▲●			
	RCP2-BW357 ▲●			
	RCP2-BW367 ▲●			
	RCP2-BW377 ▲○			
	RCP2-BW387 ▲●			
LED Type Push Button Actuators - Illuminated Flush				
Flush Illuminated with Integral Circuit LED 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2-BWL317 ▲○	340	10	
	RCP2-BWL337 ▲●			
	RCP2-BWL347 ▲●			
	RCP2-BWL357 ▲●			
	RCP2-BWL377 ▲○			
	RCP2-BWL387 ▲●			
RCP2-BWL367 ▲●	500			
Push Button Actuator-Illuminated Projecting without Series Resistor				
Illuminated Actuator, Flush (with BA9 filament bulb) 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2-BW116 ▲○	260	10	
	RCP2-BW136 ▲●			
	RCP2-BW146 ▲●			
	RCP2-BW156 ▲●			
	RCP2-BW166 ▲●			
	RCP2-BW176 ▲○			
Illuminated Actuator, Flush (With BA9 Neon Bulb) 220V, 380V, 415V (AC/DC)	RCP2-BWN136 ▲●			
	RCP2-BWN146 ▲●			
	RCP2-BWN156 ▲●			
RCP2-BWN166 ▲●	POR			
Push Button Actuator-Illuminated projecting without Series Resistor				
Illuminated Actuator, Projecting (with BA95 Filament Bulb, 130V) 220V (AC/DC)	RCP2-BW117 ▲○	270	10	
	RCP2-BW137 ▲●			
	RCP2-BW147 ▲●			
	RCP2-BW157 ▲●			
	RCP2-BW167 ▲●			
	RCP2-BW177 ▲○			
	RCP2-BW187 ▲●			
LED Type Push Button Actuators - Illuminated Projecting Type of voltage AC/DC to be specified				
Projecting Illuminated Actuator, with integral LED, suitable for operating 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2-BWL117 ▲○	340	10	
	RCP2-BWL137 ▲●			
	RCP2-BWL147 ▲●			
	RCP2-BWL157 ▲●			
	RCP2-BWL177 ▲○			
	RCP2-BWL187 ▲●			
RCP2-BWL167 ▲●	610			

Colour Code for Actuator / Lens

Colour Code	1	2	3	4	5	6	7	8
Colour of Actuator	White ○	Black ●	Green ●	Red ●	Yellow ●	Blue ●	-	-
Colour of Lens	White ○	-	Green ●	Red ●	Amber ●	Blue ●	Clear ○	Yellow ●

Push Buttons: 22.5mm Without Contact Elements

Selector Switch Actuators with Carrier		[HSN Code: 8536]		
Description	Reference	MRP (₹)	MOQ	Product Picture
2-Position Selector Switch (stay put)	RCP2-BD2	330	10	
3-Position Selector Switch, centre 'OFF' (stay put)	RCP2-BD3			
2-Position Selector Switch with extra long knob (stay put)	RCP2-BJ2	330	10	
3-Position Selector Switch, with extra long knob centre 'OFF' (stay put)	RCP2-BJ3			
3-Position Selector Switch (Spring Return)	RCP2-BDR3	350	10	
3-Position Selector Switch extra long knob (Spring Return)	RCP2-BJR3	350	10	
Selector Switch Actuators with Carrier & Contact Element				
2-Position Selector Switch (stay put) with 1NO Block	RCP2-BD21	380	10	
2-Position Selector Switch, centre 'OFF' (stay put) with NO+NC Block	RCP2-BD25	460		
3-Position Selector Switch, centre 'OFF' (stay put) with NO+NC Block	RCP2-BD35			
Key Actuators with Carrier				
2-Position Key Switch, Key removable in unactuated position	RCP2-BG2	470	10	
2-Position Key Switch, Key removable in both position	RCP2-BG4			
2-Position Key Switch, Key removable in 'Right Hand' position	RCP2-BG02			
3-Position Key Switch, Key removable in centre 'OFF' position	RCP2-BG3	480	10	
3-Position Key Switch, Key removable in all position	RCP2-BG0			
3-Position Key Switch, Key removable in 'Left Hand & Right Hand' position	RCP2-BG5			
3-Position Key Switch, Key removable in 'Left Hand' position	RCP2-BG9			
3-Position Key Switch, Key removable in 'Right Hand' position	RCP2-BG7			
Push Buttons Extended Range				
Reset Extended Actuator Pushbutton - Round Type	RCP2AL8R	110	24	
Reset Extended Actuator Pushbutton - Hex Type	RCP2AL8H			
Plastic Adaptor for 30 mm hole to 22.5 mm	RP2-BZ41M	35	30	
Metal Adaptor for 30 mm hole to 22.5 mm	RB2-BZ41M			
Recess (Guarded) Push button - Plastic	RP2-BA16 ○	95	20	
	RP2-BA26 ●			
	RCP2-BA36 ●			
	RCP2-BA46 ●			
	RP2-BA56 ●			
	RP2-BA66 ●			

■ non stockable items.

Push Buttons Extended Range		[HSN Code: 8536]		
Description	Reference	MRP (₹)	MOQ	Product Picture
Intermittent Sounding Flashing Buzzer 15 - 20 mA, sound level 80 dB 24V, 48V, 110V AC/DC 240V AC (* Add Voltage code)	RBP2-KS ●	360	15	
Pilot Lamps with Series Resistor				
Pilot Lamp (with BA85 Filament Bulb 130W 220V AC / DC)	RCP2-BV71 ▲○	240	10	
	RCP2-BV73 ▲●			
	RCP2-BV74 ▲●			
	RCP2-BV75 ▲●			
	RCP2-BV76 ▲●			
	RCP2-BV77 ▲○			
Pilot Lamps with Series Resistor & Diode				
Pilot Lamp (with BA85 Filament Bulb 130W 110V AC, 220V DC)	RCP2-BVD71 ▲○	260	10	
	RCP2-BVD73 ▲●			
	RCP2-BVD74 ▲●			
	RCP2-BVD75 ▲●			
	RCP2-BVD76 ▲●			
	RCP2-BVD77 ▲○			
Contact Elements-NO/NO (UL) *		[HSN Code: 8536]		
Contact Element 1 NO	RB2-BE-101	100	50	
Contact Element 1 NC	RB2-BE-102			
*Applicable for Both Metallic and Plastic range				
LED Type Pilot Lamp Type of voltage AC / DC to be specified				
Pilot Light with integral circuit LED 48V, 24V & 12V (AC/DC) also available in 110V AC, 110V DC, 240V AC, 220DC	RCP2-BVL73 ▲●	310	10	
	RCP2-BVL74 ▲●			
	RCP2-BVL75 ▲●			
	RCP2-BVL77 ▲○			
	RCP2-BVL71 ▲○			
	RCP2-BVL76 ▲●			
	500			

How to Order:
Actuators, Contact Elements, Lens Assemblies can also be ordered separately or in combination, as required.

▲ Add Voltage Code
■ Non Stockable item

Motor Starters

for Domestic & Agro applications



Anmol Motor Starters

- Conforms to IS 13947-4-1
- DOL starter range: 1HP-15HP
- Auto-start DOL starter range: 1HP-15HP
- 1Ø DOL starter range: 0.5HP-3HP
- Automatic star delta starter range: 2 HP-25HP
- 3Ø Submersible pump starter range: 2 HP-80 HP
- 1Ø Submersible pump starter range: 0.5HP - 5HP



Motor Starters & Submersible Pump Starters-Offerings

MOTOR STARTERS				
HP RATING	3 Phase Starter DOL		Single Phase Starter DOL / Auto Start DOL	
	BE1DXM/XH	CS1D0	BE1ASA 1FH	BE1DXSD
0.5-1.5	✓	✓	✓	✓
2	✓	✓	✓	✓
3	✓	✓	✓	✓
4	✗	✓	✗	✓
5.5	✓	✓	✗	✓
7.5	✓	✓	✗	✓
10	✗	✗	✗	✓
12	✓	✗	✗	✓
15	✓	✗	✗	✓
20	✓	✗	✗	✓
25	✓	✗	✗	✓

STAR DELTA STARTERS				
HP Rating	Automatic/Semi-Automatic Starter-Star Delta			Automatic/Semi-Automatic Starter-Star Delta
	BE3DXM	CS1SD	CS1SASD	BE3DXM-SA
1.5	✓	✗	✗	✓
2	✓	✗	✗	✓
3	✓	✗	✗	✓
4	✓	✗	✗	✓
5.5	✓	✗	✗	✓
7.5	✓	✗	✗	✓
10	✗	✓	✓	✓
12/12.5	✓	✓	✓	✓
15	✓	✓	✓	✓
20	✓	✗	✗	✓
22	✓	✓	✓	✓
25	✓	✗	✗	✓
30	✓	✗	✗	✓

SUBMERSIBLE PUMP STARTERS												
HP RATING	3 Phase Submersible Pump Starters-DOL			3 Phase Submersible Pump Starters Star-Delta			Single Phase Submersible Pump Starters-DOL					
	BE1-SPSSDX	BE1-SPSDDX	SPSCS	SPSCS	BE3-SPSSDX	BE3-SPSDDX	BE1-SSDDP	BE1-SEDP	BE1-SDA	BE1-SSCEDP	BE1-SDEDP	BE1-SSDCEDP
0.5	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
0.75	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
1	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
1.5	✗	✗	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
2	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
3	✓	✓	✗	✗	✓	✓	✗	✗	✓	✓	✗	✗
5	✓	✓	✗	✗	✓	✓	✗	✗	✓	✗	✗	✗
5.5	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
7.5	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
10	✓	✓	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗
12	✓	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
15	✓	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
20	✗	✓	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
25	✗	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
30	✗	✓	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
35	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
50	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
75	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗
80	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✗	✗



for Agro Applications

THREE PHASE DOL STARTER



Type: **CS1DO**
Rating: 1-7.5 HP
Incorporating: CS1 Contactor & CS1 OLR



Type: **BE1DXM**
Rating: 1-15 HP
Incorporating: TC1DX Contactor & LR3D OLR



Type: **BE1DXSD**
Rating: 1-15 HP
Incorporating: TC1DX Contactor & LR3D OLR

THREE PHASE FULLY AUTOMATIC STAR DELTA STARTER



Type: **BE3DXM**
Rating: 1.5-30 HP
Incorporating: TC1DX Contactor & LR3D OLR & Electronic Timer



Type: **CS1SD**
Rating: 10-22 HP
Incorporating: CS Contactor & CS1 OLR & Electronic Timer



Type: **BE3DXM-PT**
Rating: 2-30 HP
Incorporating: TC1DX Contactor & LR3D OLR & Pneumatic Timer

THREE PHASE SEMI-AUTOMATIC STAR DELTA STARTER



Type: **BE3DXM**
Rating: 1.5-30 HP
Incorporating: TC1DX Contactor & LR3D OLR



Type: **CS1SD-SA**
Rating: 10-22 HP
Incorporating: CS Contactor & CS1 OLR



Type: **BE3DXM-SA**
Rating: 12.5-30 HP
Incorporating: TC1DX Contactor & CS1 OLR

THREE PHASE DOL SUBMERSIBLE PUMP CONTROL PANEL



Type: **SPSCS1DO**
Rating: 3-10 HP
Incorporating: 4Pole CS1 Contactor, CS1 OLR
Dual Digital VA meter



Type: **BE1SPSSD**
Rating: 2-20 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Dual Analog VA meter & Rocker Switch with rigid busbar



Type: **BE1SPSSD-RS**
Rating: 2-20 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Ammeter, Volt meter & Rocker Switch



Type: **BE1SPSDD**
Rating: 2-20 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Ammeter, Volt meter & MCB for short circuit protection

THREE PHASE STAR DELTA SUBMERSIBLE PUMP CONTROL PANEL



Type: **SPSCS1SD**
Rating: 12.5-22 HP
Incorporating: 4Pole CS1 Contactor, CS1 OLR
Dual digital VA meter



Type: **BE3SPSSD**
Rating: 3-60 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Dual Analog VA meter & Rocker Switch with rigid busbar



Type: **BE3SPSSD-RS**
Rating: 3-75 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Ammeter, Volt meter & Rocker Switch



Type: **BE3SPSDD**
Rating: 2-80 HP
Incorporating: 4Pole TC1DX Contactor, LR1D/LR3D OLR
Ammeter, Volt meter & MCB for short circuit protection





Anmol Range of Starters

for Domestic Applications

THREE PHASE DOL AQUA SMART SUBMERSIBLE PUMP CONTROL PANEL



Type: **BE1204PPC-100-DOL**
 Rating: 0.5 - 12 HP
 Incorporating: 4Pole TC1DX Contactor
 Multifunction Relay

Features & Benefits:

With in-built protections

- Single Phasing & Overload
- Phase reversal, Dry run
- Phase imbalance
- Over & under voltage
- Digital display VA
- Run Time scheduler



Type: **BE15PSSDD1810N5WCI**
 Rating: 0.5-10 HP

Features & Benefits:

- Thermal Over Load Protection
- Under Current / Dry Run Protection
- Lock Rotor Protection
- Single Phase / Phase Fail Protection & Stall Protection
- Phase Reversal Protection
- Unbalance Protection & Over / Under Voltage Protection

THREE PHASE STAR DELTA AQUA SMART SUBMERSIBLE PUMP CONTROL PANEL



Type: **BE1204PPC-100-SD**
 Rating: 5-20 HP
 Incorporating: 4Pole TC1DX contactor

Features & Benefits:

- Single Phasing & Overload
- Phase reversal, Dry run
- Phase imbalance
- Over & under voltage
- Digital display VA
- Run Time scheduler

SINGLE PHASE DOL STARTER



Type: **BE1ASA2025MU**
 Rating: 0.25-3 HP
 Incorporating: 2 Pole Contactor
 AC2D & LR7D type OLR

SINGLE PHASE DOL STARTER



Type: **BE1-SDA**
 Rating: 0.5-5 HP
 Incorporating: 2Pole Contactor AC2D,
 LR7D OLR, Ammeter & Volt meter, Run &
 Start Capacitor



Type: **BE1-DG**
 Rating: 0.5-3 HP
 Incorporating: Single Pole DP contactor,
 Digital VA meter & Start and Run capacitor
 with MCB.



Type: **BE1-SDEDP**
 Rating: 0.5-2 HP
 Incorporating: 2Pole TCDP Contactor,
 LR7D OLR, Ammeter & Volt meter with
 Run & Start Capacitor



Type: **BE1-SSCEDP**
 Rating: 1-3 HP
 Incorporating: 2Pole TCDP Contactor MCB
 & Dual VA meter with Run & Start
 Capacitor



Type: **BE1-SSCEDP**
 Rating: 0.5-2 HP
 Incorporating: 2Pole TCDP Contactor
 Fixed current OLR & Dual VA meter with
 Run Capacitor



Type: **BE1-SDEDP**
 Rating: 1-2 HP
 Incorporating: 2Pole TCDP Contactor
 Fixed current OLR & Dual VA meter with
 Run & Start capacitor



Relay Range & Contactor Ratings Used in Motor Starters

Composition - DOL / Auto Start Starters																							
Starter type & Contactor Type	Relay & Contactor Used in DOL / Auto Start Starters																						
Relay Range (A)	1-1.6	1.6-2.5	2.5-4	4-6	5.5-8	7-10	9-14	13-18	14-22	18-25	23-32	28-40	38-50	48-70									
BE10XM-3Phase (0.5-25HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25 A	LR3D + 25 A	LR3D + 40 A	-	-	-									
BE1A5A-Single Phase (0.5-3HP) with AC2D Contactor	-	LR7D + 20 A	LR7D + 20 A	LR7D + 20 A	LR7D + 30 A	LR7D + 30 A	LR7D + 30 A	LR7D + 25 A	-	LR7D + 25 A	-	-	-	-									
BE10XSD-Auto Start (0.5-25HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25	LR3D + 25 A	LR3D + 40 A	-	-	-									
Composition-DOL Starters - CS1 Series																							
Starter type & Contactor Type	Relay & Contactor Used in DOL Starters																						
Relay Range (A)	1.5-2.5		2.5-4		4-6.5		6-10		9-14		11-18		13-22		20-32								
CS1D0 Starter (1-7.5HP) with CS Series Relay & Contactor	CR3D+16A		CR3D+16A		CR3D+16A		CR3D+16A		CR3D+16A		CR3D+16A		CR3D+25A		CR3D+32A								
Composition-Automatic / Semi-Automatic Star Delta Starters - CS1 Series																							
Starter type & Contactor Type	Relay & Contactor Used in FASD/SASD Starters																						
Relay Range (A)	6-10			9-14			11-18			13-22			20-32										
CS1SD Star Delta Starter (10-22HP) with CS Series Relay & Contactor	CR3D + 16A			CR3D + 16A			CR3D + 16A			CR3D + 16A			CR3D + 16A										
Composition - DOL Starter-SPSCS series							Composition - FASD Starter-SPSCS series																
Starter type & Contactor Type	Relay & Contactor Used in DOL Starters					Starter type & Contactor Type	Relay & Contactor Used in FASD Starters																
Relay Range (A)	9-14	11-18	13-22	13-22	20-32	Relay Range (A)	9-14	11-18	13-22	13-22	20-32												
CS1 Series (Upto 7.5HP) (with CS relay & CS contactor)	CR3D + 16A	CR3D + 16A	CR3D + 25A	CR3D + 25A	CR3D + 32A	CS1 Series (12.5-22HP) (with CS relay & CS contactor)	CR3D + 16A	CR3D + 16A	CR3D + 25A	CR3D + 25A	CR3D + 32A												
Composition-FASD Starters																							
Starter type & Contactor Type	Relay & Contactor Used in FASD Starters																						
Relay Range (A)	5.5-8	7-10	9-14	13-18	14-22	18-25	23-32	30-40	48-57	57-66	66-105	80-125	100-200	160-250	200-315								
BE30XM-(12-30HP) with TC1DX Contactor	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 20 A	LR3D + 25 A	LR3D + 25 A	LR3D + 25 A	-	-	-	-	-	-	-	-								
Composition-SASD Starters																							
Starter type & Contactor Type	Relay & Contactor Used in SASD Starters																						
Relay Range (A)	2.5-8			7-10			9-14			13-18			14-22		18-25		23-32						
BE30XM-SA-(12-30HP) with TC1DX 4 Pole Contactor	-			LR3D+20A			LR3D+25A			LR3D+20A			LR3D+25A		LR3D+25A		LR3D+25A						
Composition-SPS Starters																							
Starter type & Contactor Type	Relay & Contactor Used in SPS Starters																						
Relay Range (A)	4-6.0		5.5-6		7-10		9-14		13-18		14-22		18-25		23-32		28-40		38-50		48-66 (38-50/48-57/57-66)		
3PH DOL SPS BE1SPSSDX- Standard with 3PSS w/o short circuit protection-(2-20HP) with TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	-	-	-	-	-	-	-	-	-	-	
3PH DOL SPS BE1SPSSDX- Deluxe with 3 PSS with short circuit protection-(2-20HP) TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	-	-	-	-	-	-	-	-	-	-	-	
3PH FASD SPS BE3SPSSDX- Standard with 3 PSS w/o short circuit protection-(2-75HP) with TC1DX & D range Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	
3PH FASD SPS BE3SPSSDX- Deluxe with 3PSS with short protection-(2-75HP) with TC1DX Contactor	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 20A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR3D + 25A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	LR1D + 40A	
1PHDOL SPS BE1SDED- Deluxe(0.5-2HP)with 2 Pole Contactor	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	LR7DM + 20A	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1PH DOL SPS BE1SDA with 2 Pole Contactor (1.5-5HP)	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 20A	LR7D + 25A	LR7D + 25A	LR7D + 25A	LR7D + 40A	-	-	-	-	-	-	-	-	-	-	-	-	
1PH DOL SPS BE1SSEDF - Standard with 2 Pole Contactor & Single Pole MCB for Protection -(0.5-2HP)	20A + 1P MCB	20A + 1P MCB	20A + 1P MCB	20A + 1P MCB	20A + 1P MCB	-	20A + 1P MCB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DOL Starters



1Ø DOL Starters in S.S. Enclosure [HSN Code: 8536] GST@18%					
Incorporating 2 Pole Contactor type AC2D with wide band operating coil, 2 Pole Overload relay type LR7D					
Reference	Relay Range (Amp)	Std. Power Rating for Single Phase Motor at 220V AC		MRP (₹)	MOQ
		kW	HP		
BE1-ASA2025MU210	4-6	0.37	0.5	2260	6
BE1-ASA2025MU212	5.5-8	0.55	0.75		
BE1-ASA2025MU214	7-10	0.75	1		
BE1-ASA2025MU216X	9-14	1.1	1.5		
BE1-ASA2525MU221	13-18	1.5	2	2280	
BE1-ASA2525MU222	18-25	2.2	3		

CS1 Series starters (DOL & Star-Delta) are available with contactors type CS1, CS2 & CS3 having 16A, 25A, 32A AC3 duty. These Starters are specially designed for agricultural use and have following features:

- Conforms to IEC 60947-4-1
- Wide band coil
- Rugged design which is durable and easy for maintenance
- Spares are available across the country
- Elegant powder coated sheet metal box made from 0.8 mm CRCA sheet



3Ø DOL Starters in SS Enclosure [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	Maximum Motor Output at 415V, 3 Phase		MRP (₹)	MOQ
		kW	HP		
CS1DO#1525	1.5-2.5	0.75	1	2830	1
CS1DO#2504	2.5-4	1.5	2		
CS1DO#0406	4-6.5	3	4		
CS1DO#0610	6-10	4.5	6		
CS1DO#0914	9-14	5.5	7.5		
CS1DO#1118	11-18	5.5	7.5	2880	
CS1DO#1322	13-22	5.5	7.5	2940	
CS2DO#1322	13-22	5.5	7.5	3150	
CS2DO#2032	20-32	5.5	7.5	3240	
CS3DO#2032	20-32	5.5	7.5	3370	



3Ø DOL in S.S. Enclosure [HSN Code: 8536] GST@18%						
Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D with manual re-set and yellow flag for trip indication						
Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ	
		kW	HP			
BE1-DXM204#307	1.6-2.5	0.75	1	4370	6	
BE1-DXM204#308	2.5-4.0	1.1/1.5	1.5/2			
BE1-DXM204#310	4.0-6.0	2.2	3			
BE1-DXM204#312	5.5-8.0	2.2	3			
BE1-DXM204#314	7.0-10	3.7	5			
BE1-DXM204#316X	9.0-14	3.7/4	5/5.5			
BE1-DXM204#321	13-18	5.5	7.5			4670
BE1-DXM254#321X	14-22	7.5	10			4900
BE1-DXM254#322	18-25	10	12	5070		
BE1-DXM404#353	23-32	11	15	7000		

DOL Starters

3Ø Auto Start DOL Starter in SS Enclosure [HSN Code: 8536] GST@9%					
Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil. Overload relay type LR3D with manual re-set and yellow flag for trip indication. Electronic Auto Switch for protection against Single Phase, phase reversal & phase unbalance and 3 position selector switch-SPP Auto/SPP Manual/Manual having provision of 6 way terminal block for bottom cable entry.					
Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-DXSD204#307	1.6-2.5	0.75	1	5680	1
BE1-DXSD204#308	2.5-4.0	1.1/1.5	1.5/2		
BE1-DXSD204#310	4.0-6.0	2.2	3		
BE1-DXSD204#312	5.5-8.0	2.2	3		
BE1-DXSD204#314	7.0-10	3.7	5		
BE1-DXSD204#316X	9.0-14	3.7/4	5/5.5		
BE1-DXSD204#321	13-18	5.5	7.5	6160	
BE1-DXSD254#321X	14-22	7.5	10	6480	
BE1-DXSD254#322	18-25	10	12	6840	
BE1-DXSD404#353	23-32	11	15	8460	



Coil Voltage Codes (Standard) for DOL / Auto DOL / Star Delta / Submersible Pump Starters		
Coil Voltage (AC) 50Hz Coil Code#	Voltage	
		150-400 Q

Star Delta Starters

3Ø Fully Automatic Star-Delta starters in SS Enclosure [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		KW	HP		
CS1SD#0610	6-10	7.5	10	10310	1
CS1SD#0914	9-14	9.3	12.5		
CS1SD#1118	11-18	11	15	10440	
CS1SD#1322	13-22	11	15	10520	
CS2SD#1322	13-22	11	15	10670	
CS2SD#2032	20-32	11	15	10850	
CS3SD#2032	20-32	16	22	11130	



3Ø Semi Automatic Star-Delta starter in SS Enclosure [HSN Code: 8536] GST@18%

Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		KW	HP		
CS1SASD#0610	6-10	7.5	10	9140	1
CS1SASD#0914	9-14	9.3	12.5		
CS1SASD#1118	11-18	11	15	9400	
CS1SASD#1322	13-22	11	15	9440	
CS2SASD#1322	13-22	11	15	9480	
CS2SASD#2032	20-32	11	15	9640	
CS3SASD#2032	20-32	16	22	9850	



3Ø Automatic Star Delta Starter in S.S Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D for motor protection & Electronic Star Delta Timer

Reference	Relay Range (Amp)	Std. Power Rating for 3P at 415V		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204#308	2.5-4	1.5	2	14270	2
BE3-DXM204#310	4-6	2.2	3		
BE3-DXM204#312	5.5-8	3.7	5		
BE3-DXM204#314	7-10	5.5	7.5		
BE3-DXM204#316X	9-14	9	12		
BE3-DXM204#321	13-18	11	15	14710	
BE3-DXM254#321X	14-22	11	15	16840	
BE3-DXM254#322	18-25	11	15	17830	
BE3-DXM254#353	23-32	15/18	20/25		



Star Delta Starters

3Ø Semi Automatic Star Delta Starter in S.S Enclosure [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX with wide band operating coil, Overload relay type LR3D for motor protection

Reference	Relay Range (Amp)	Std. Power Rating for 3P at 415V		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204#314SA	7.0-10	9	12	11850	2
BE3-DXM204#316XSA	9.0-14	11	15		
BE3-DXM204#321SA	13.0-18	15	20	12230	
BE3-DXM254#321XSA	14.0-22	18	25	15170	
BE3-DXM254#322SA	18.0-25	18	25		
BE3-DXM254#353SA	23.0-32	22.5	30	16650	

**3Ø Semi Automatic Star Delta Starter in S.S Enclosure [HSN Code: 8536] GST@18%**

Incorporating Heavy duty 4 pole contactor Type TC1DX with wide band operating coil, overload relay type -CS1.

Reference	Relay Range (Amp)	Std. Power Rating for 3P at 415V		MRP (₹)	MOQ
		kW	HP		
BE3DXM204#0914-SA	9-14	9	12.5	14840	1
BE3DXM204#1322-SA	13-22	11	15	14910	
BE3DXM254#1322-SA	13-22	15	20	17010	
BE3DXM404#2032-SA	20-32	22	30	17300	

**3Ø Submersible Pump Starter Automatic Star Delta in S.S. Enclosure [HSN Code: 8536] GST@18%**

Incorporating Heavy Duty 4 Pole contactor type TC1-DX with wide band operating coil, Overload relay type LR1D with pneumatic timer

Reference	Relay (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-DXM204#307-PT	1.6-2.5	1.5	2	14330	2
BE3-DXM204#308-PT	2.5-4.0	3	4		
BE3-DXM204#310-PT	4.0-6.0	4	5.5		
BE3-DXM204#312-PT	5.5-8.0	5.5	7.5		
BE3-DXM204#316X-PT	9.0-14.0	11	15	14790	
BE3-DXM204#321-PT	13.0-18.0	15	20		
BE3-DXM254#321X-PT	14.0-22.0	18	25	16960	
BE3-DXM254#322-PT	18.0-25.0	18	25	17940	
BE3-DXM254#353-PT	23.0-32.0	22.5	30		

**Coil Voltage Codes (Standard) for DOL / Auto DOL / Star Delta / Submersible Pump Starters**

Coil Voltage (AC) 50Hz Coil Code**	Voltage	
		150-400 Q

Submersible Pump Starters

1Ø Submersible Pump Starter-Deluxe Model in S.S. Enclosure [HSN Code: 8536] GST@18%
 Incorporating Heavy duty 2 Pole Contactor, 2P Overload Relay Type LR7D, Suppressed scale Voltmeter & Ammeter with provision of terminals for dry run relay

Reference	Relay Range (Amp)	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor Rating (MFD)		MRP (₹)	MOQ
		kW	HP	Start	Run		
BE1-SDA2025MU210	4.0-6.0	0.37	0.5	80/100	25	5440	2
BE1-SDA2025MU212	5.5-8.0	0.55	0.75	80/100	36		
BE1-SDA2025MU214	7.0-10.0	0.75	1	100/120	36	5570	
BE1-SDA2025MU214H	7.0-10.0			100/120	50		
BE1-SDA2025MU216X	9.0-14.0			100/120	36		
BE1-SDA2025MU216XM	9.0-14.0			100/120	50		
BE1-SDA2025MU216XTS	9.0-14.0	1.1	1.5	100/120	72	5950	
BE1-SDA2025MU216XH	9.0-14.0			120/150	50		
BE1-SDA2025MU216XA	9.0-14.0			120/150	36+36		
BE1-SDA2025MU221H	13.0-18.0			120/150			
BE1-SDA2525MU222	18.0-25.0	1.5	2	120/150	50+50	6270	
BE1-SDA2525MU221X	14.0-22.0			150/200	36+36		
BE1-SDA2525MU221XTS	14.0-22.0			200/250	45+45		
BE1-SDA2525MU222M	18.0-25.0			150/200	50+50		
BE1-SDA2525MU222H	18.0-25.0	2.2	3	200/250	50+50	7380	
BE1-SDA2525MU222TS	18.0-25.0			200/250	60+60		
BE1-SDA4025MU253	23.0-32.0	3.7	5	200/250	50+50+50	10530	



1Ø Submersible Pump Starter-Deluxe Model with Digital Voltage & Ampere Meter in S.S. Enclosure [HSN Code: 8536] GST@18%
 Incorporating Single Pole Definite purpose contactor, Digital VA meter & Start and Run capacitor with MCB.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor Rating (MFD)		C- Curve MCB Rating (A)	MRP (₹)	MOQ
	KW	HP	Start	Run			
BE1DG251M5W053A06	0.37	0.5	80-100	25	6A	4150	2
BE1DG251M5W751B10	0.55	0.75	40-60	36	10A	4360	
BE1DG251M5W103B10	0.75	1	80-100	36	10A	4860	
BE1DG251M5W102C10	0.75	1	80-80	50	10A		
BE1DG251M5W104B10	0.75	1	100-120	36	10A	4990	
BE1DG251M5W153D16	1.1	1.5	80-100	60	16A		
BE1DG251M5W154C16	1.1	1.5	100-120	50	16A		
BE1DG251M5W154E16	1.1	1.5	100-120	72	16A		
BE1DG251M5W155C16	1.1	1.5	120-150	50	16A	5440	
BE1DG251M5W205E20	1.5	2	120-150	72	20A		
BE1DG251M5W206E20	1.5	2	150-200	72	20A	6140	
BE1DG251M5W304F25	2.2	3	100-120	100	25A		
BE1DG251M5W307G25	2.2	3	200-250	108	25A		



Submersible Pump Starters

1Ø Submersible Pump Starter-Economical Deluxe in S.S. Enclosure [HSN Code: 8536] GST@18%

Incorporating 2 Pole Definite Purpose Contactor, 2 Pole Overload relay type LRTDM, Ammeter, Voltmeter ON/OFF Push Button, Motor ON Indicator with provision of terminal for dry run relay

Reference	Relay Range (Amps)	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor Rating (MFD)		MRP (₹)	MOQ
		KW	HP	Start	Run		
BE1-SCEDP202U5210	4.0-5.0	0.37	0.5	80/100	25	5220	2
BE1-SCEDP202U5212	5.5-8.0	0.55	0.75	80/100	36	5330	
BE1-SCEDP202U5214	7.0-10	0.75	1.0	100/120	36		
BE1-SCEDP202U5214D2	7.0-10	0.75	1.0	100/120	50	5810	
BE1-SCEDP202U5216XD2	9.0-14	1.1	1.5	120/150	36+36		
BE1-SCEDP202U5216X	9.0-14	1.1	1.5	120/150	50		
BE1-SCEDP202U5221X	14-22	1.5	2.0	150/200	36+36	6270	

**1Ø Submersible Pump Starter-Economical Standard in S.S. Enclosure [HSN Code: 8536] GST@18%**

Incorporating Single Phase Submersible pump control unit with 2 Pole Definite purpose contactor, Dual analog VA meter, Start & Run Capacitor & MCB for short circuit protection.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor rating (MFD)		'C' Curve MCB Rating (A)	MRP (₹)	MOQ
	KW	HP	Start	Run			
BE1-SSCEDP202U5C16	0.75	1	120/150	50	16	4840	2
BE1-SSCEDP202U5C20	1.1	1.5	150/200	72	20	4970	
BE1-SSCEDP202U5C25	1.5	2	200/250	100	25	5500	
BE1-SSCEDP202U5C32	2.2	3	200/250	100	32	6210	
BE1-SSCEDP252U5C32	2.2	3	200/250	100	32	6270	

**1Ø Submersible Pump Starter-Economical Standard in S.S. Enclosure [HSN Code: 8536] GST@18%**

Incorporating Single Phase Economical Submersible pump control unit with DP Contactor, fixed current relay, Dual analog VA meter & run capacitor.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor rating (MFD)	Relay Range (Amp)	MRP (₹)	MOQ
	KW	HP	Run			
BE1-SSCEDP202U5T6	0.37	0.5	25	6	3950	2
BE1-SSCEDP202U5T6M	0.37	0.5	36	6		
BE1-SSCEDP202U5T8	0.75	1	36	8	4070	
BE1-SSCEDP202U5T8M	0.75	1	50	8		
BE1-SSCEDP202U5T10	0.75	1	36	10		
BE1-SSCEDP202U5T10M	0.75	1	50	10	4170	
BE1-SSCEDP202U5T10H	1.1	1.5	50	10		
BE1-SSCEDP202U5T10HM	1.1	1.5	36+36	10	4320	
BE1-SSCEDP202U5T12	1.1	1.5	50	12		
BE1-SSCEDP202U5T12M	1.1	1.5	36+36	12		
BE1-SSCEDP202U5T12H	1.5	2	50	12		
BE1-SSCEDP202U5T12HM	1.5	2	36+36	12		
BE1-SSCEDP202U5T15	1.5	2	50	15	4320	
BE1-SSCEDP202U5T15M	1.5	2	36+36	15		



Submersible Pump Starters

1Ø Submersible Pump Starter-Economical Standard in S.S. Enclosure [HSN Code: 8536] GST@18%
 Incorporating Single Phase Submersible pump control unit with DP Contactor, fixed current relay, Dual analog VA meter & Start and Run Capacitor.

Reference	Std. Power Rating for Single Phase Motor at 220V AC		Capacitor rating (MFD)		Relay Range (Amp)	MRP (₹)	MOQ
	kW	HP	Start	Run			
BE1-SDERP200UST10-H1	0.75	1	120/150	36	10	4740	2
BE1-SDERP200UST10-H2	0.75	1	150/200	36	10		
BE1-SDERP200UST10-H3	0.75	1	120/150	50	10		
BE1-SDERP200UST10-H4	0.75	1	150/200	50	10		
BE1-SDERP200UST10M	0.75	1	120/150	60	10		
BE1-SDERP200UST10	0.75	1	100/120	50	10	4930	
BE1-SDERP200UST15	1.1	1.5	120/150	72	15		
BE1-SDERP200UST15-H1	1.1	1.5	150/200	50	15		
BE1-SDERP200UST15-H2	1.1	1.5	150/200	36+36	15	5830	
BE1-SDERP200UST20-H1	1.5	2	150/200	50	20		
BE1-SDERP200UST20-H2	1.5	2	150/200	36+36	20		
BE1-SDERP200UST20-H3	1.5	2	200/250	36+36	20		
BE1-SDERP200UST20-H4	1.5	2	200/250	100	20		
BE1-SDERP200UST20M	1.5	2	150/200	100	20		
BE1-SDERP200UST20	1.5	2	150/200	72	20		



Aqua Smart Controller Series for Pumps

Aqua Smart Controller Series for Pumps

PPC-20

MAIN FUNCTIONALITIES

- Inbuilt On/Off Delay Timer
- Inbuilt Digital Ammeter
- Inbuilt Digital Volt Meter
- Auto / Manual Mode of Operation
- Suitable for Motor/Pump Up-to 3 HP
- Field Configurable Setting for Protection & Pump parameter
- Elegant Powder Coated sheet metal box made from .8mm CRCA Sheet.

ADVANCED PROTECTION

- Overload
- Lock Rotor
- Stall/Stop Circuit
- Over / Under Voltage
- Under Current / Dry Run



HP	Product Reference	Start Capacitor (275V, 50Hz) MFD	Run Capacitor (440V, 50Hz) MFD	MRP (₹)
0.5	PPC10025X1H05	80/100	1x25	POR
0.5	PPC10036X1H05	80/100	1x36	POR
1.0	PPC12036X1H1	100/120	1x36	POR
1.0	PPC12050X1H1	100/120	1x50	POR
1.0	PPC15036X1H1	120/150	1x36	POR
1.0	PPC15050X1H1	120/150	1x50	POR
1.5	PPC15050X1H1.5	120/150	1x50	POR
1.5	PPC15036X2H1.5	120/150	2x36	POR
1.5	PPC15072X1H1.5	120/150	1x72	POR
1.5	PPC20050X1H1.5	150/200	1x50	POR
1.5	PPC20036X2H1.5	150/200	2x36	POR
2.0	PPC20036X2H2	150/200	2x36	POR
2.0	PPC20072X1H2	150/200	1x72	POR
2.0	PPC25036X2H2	200/250	2x36	POR
2.0	PPC25050X1H2	200/250	1x50	POR
2.0	PPC25072X1H2	200/250	1x72	POR
3.0	PPC25050X2H3	200/250	2x50	POR



Aqua Smart Controller Series For Pumps PPC-100-D

Main Functionalities

- Auto/Manual Start
- ON/OFF push button for manual operation
- Inbuilt Mobile controller unit
- Runtime time scheduler
- Protection setting thru handset
- Rocker Switch (ON/OFF) for switching off panel
- Operational parameter and nature of Fault indications through LCD display.
- Dry run, Locked Rotor, Phase Unbalance, Over/Under Voltage, phase reversal, single phase Protection and other setting
- Battery back-up (24 hrs) for power failure indication to the Farmer
- Adjustable HP setting as per motor rating
- Message response in English or local regional languages
- Easy location & insertion of SIM

Description	Reference	Range	MRP (₹)	MOQ
3 Phase DOL	■ BE19PSDD1810N5WC1	0.5-10HP	26650	1



Aqua Smart Controller Series For Pumps PPC-100

Features & Benefits:

With in-built protections

- Single Phasing
- Overload
- Phase reversal
- Dry run
- Phase imbalance
- Over & under voltage

Digital display of Phase Voltage & Current Run Time scheduler

Description	Reference	Range	MRP (₹)	MOQ
3 Phase DOL Starter	■ BE1204PPC-100-DOL	0.5-12HP	17930	1
Star Delta Starter	■ BE3204PPC-100-SD	5.0-20HP	25810	



Submersible Pump Starters

SPCS1 Series Starters

SPCS1 Series Submersible Pump Controller is specially designed for Agriculture uses. These are available in DOL & Star Delta models.

- Digital display meter for current and Voltage
- With Panel ON/OFF Rocker Switch for complete isolation from mains.
- Wide operating voltage band coil to handle adverse condition.
- Rugged design which is durable and easy for maintenance
- In built 3 Position Selector Switch for SPP Auto / SPP Manual / By Pass Selection
- Provides single phasing /Overload /Phase reversal /Unbalance protection.
- Motor 'ON' & 'OFF' Push Buttons.
- Elegant Powder Coated sheet metal box made from .8mm CRCA Sheet.
- Trip LED indicator



30 Phase Submersible Pump Starter (DOL) [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		kW	HP		
SPSC1DO#0406	4-6	2.2	3	8210	1
SPSC1DO#0610	6-10	3.7	5		
SPSC1DO#0914	9-14	4.5	6		
SPSC1DO#1118	11-18	5.5	7.5		
SPSC1DO#1322	13-22	5.5	7.5		
SPSC2DO#1322	13-22	7.5	10	8310	
SPSC3DO#2032	20-32	7.5	10	8660	



30 Phase Submersible Pump Starter (Star -Delta) [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	Max. Motor Output at 415V, 3Ph		MRP (₹)	MOQ
		kW	HP		
SPSC1SD#0914	9-14	9.3	12.5	15750	1
SPSC1SD#1118	11-18	11	15	15820	
SPSC1SD#1322	13-22	11	15	15880	
SPSC2SD#1322	13-22	11	15	16350	
SPSC3SD#2032	20-32	16	22	16790	

Coil Voltage		
Coil Voltage (AC) 50Hz Coil Code	Voltage	
		180-400 Δ

30 Submersible Pump Starter DOL - Standard Model [HSN Code: 8536] GST@18%					
Incorporating Heavy Duty 4 Pole contactor type TC1-DX, overload relay type LR3D, Auto switch with in-built Auto / Manual / Bypass, ON / OFF Rocker switch, Motor ON & Trip LED indicator with Rigid Busbar					
Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSSDX204#0305-B	2.50-4	1.5	2	9400	2
BE1-SPSSDX204#0310-B	4-6	2.2	3		
BE1-SPSSDX204#0312-B	5.5-8	2.2	3		
BE1-SPSSDX204#0314-B	7-10	3.7	5		
BE1-SPSSDX204#0316X-B	9-14	3.7/4	5/5.5	9600	
BE1-SPSSDX204#0321-B	13-18	5.5	7.5	9640	
BE1-SPSSDX254#0321X-B	14-22	7.5	10	10440	
BE1-SPSSDX254#0322-B	18-25	10	12		
BE1-SPSSDX404#0353-B	23-32	18.5	15	11100	
BE1-SPSSDX404#0353-A4	23-32	18.5	15		
BE1-SPSSDX404#0355-B	28-40	22	20	11190	
BE1-SPSSDX404#0355-A4	28-40	22	20		



Submersible Pump Starters

3Ø Submersible Pump Starter-DOL Standard [HSN Code: 8536] GST@18%

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, overload relay type LR3D, Auto Start switch, 3 position selector switch for SPP Auto/SPP Manual/Manual, On / Off Rocker switch, Motor ON & Trip LED Indicator

Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSSDX204#308-RS	2.50-4.00	1.5	2	9500	2
BE1-SPSSDX204#310-RS	4.00-6.00	2.2	3		
BE1-SPSSDX204#312-RS	5.5-8.00	2.2	3		
BE1-SPSSDX204#314-RS	7.00-10.0	3.7	5		
BE1-SPSSDX204#316X-RS	9.00-14.0	3.7/4	5/5.5	9700	
BE1-SPSSDX204#321-RS	13.0-18.0	5.5	7.5	9730	
BE1-SPSSDX254#321X-RS	14.0-22.0	7.5	10	10530	
BE1-SPSSDX254#322-RS	18.0-25.0	10	12		
BE1-SPSSDX404#353-RS	23.0-32.0	11	15	11240	
BE1-SPSSDX404#355-RS	28.0-40.0	15	20	11280	

**3Ø Submersible Pump Starter DOL-Deluxe Model [HSN Code: 8536] GST@18%**

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual, Voltmeter with Selector Switch, Suppressed scale Ammeter, Motor ON & Trip LED Indicator, TP 'C' curve MCB for short circuit protection

Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE1-SPSDDX204#308	2.5- 4.0	1.5	2	13710	2
BE1-SPSDDX204#310	4.0-6.0	2.2	3		
BE1-SPSDDX204#312	5.5-8.0	2.2	3		
BE1-SPSDDX204#314	7.0-10	3.7	5		
BE1-SPSDDX204#316X	9.0-14	3.7/4	5/5.5	14200	
BE1-SPSDDX204#321	13-18	5.5	7.5		
BE1-SPSDDX254#321X	14-22	7.5	10	14950	
BE1-SPSDDX254#322	18-25	10	12	15230	
BE1-SPSDDX404#353	23-32	11	15	15530	
BE1-SPSDDX404#355	28-40	15	20		

**3Ø Submersible Pump Starter Automatic Star Delta - Standard Model [HSN Code: 8536] GST@18%**

Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D/LR1D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual (AS4), Voltmeter with Selector Switch, Suppressed scale Ammeter, Motor ON & Trip LED indicator with rigid Busbar

Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-SPSSDX204#308-B	2.5-4	2.2	3	18280	1
BE3-SPSSDX204#310-B	4-6	3.7	5		
BE3-SPSSDX204#312-B	5.5-8	4	5.5		
BE3-SPSSDX204#314-B	7-10	5.5	7.5		
BE3-SPSSDX204#316X-B	9-14	7.5/10	10/12	18630	
BE3-SPSSDX204#321-B	13-18	10/11	12/15		
BE3-SPSSDX254#321X-B	14-22	11/15	15/20	19180	
BE3-SPSSDX254#322-B	18-25	15	20		
BE3-SPSSDX254#353-B	23-32	18.5	25	22650	
BE3-SPSSDX254#353-A4	23-32	18.5	25		
BE3-SPSSDX404#355-B	28-40	22	30	32930	
BE3-SPSSDX404#355-A4	28-40	22	30		
BE3-SPSSDX335NW357-A4	38-50	30	40	42760	
BE3-SPSSDX335NW359-A4	48-57	37	50	58980	
BE3-SPSSDX335NW361-A4	57-66	45	60	64070	

Note: 'B' Indicates Rigid Busbar version, available from 2.5-25A Relay range (B models) inside panel 3 Position selector switch for SPP Auto / SPP Manual / Manual.



Submersible Pump Starters

3Ø Submersible Pump Starter Automatic Start Delta Standard [HSN Code: 8536] GST@18%					
Incorporating Heavy Duty 4 Pole contactor type TC1-DX, overload relay type LR3D/LR1D, Auto Start switch, 3 position selector switch for SPP Auto/SPP Manual/Manual, On/Off Rocker switch, voltmeter with selector switch suppressed scale ammeter, Motor ON & Trip LED Indicator					
Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		KW	HP		
BE3-SPSSDX204#308-RS	2.50-4.00	2.2	3	18540	1
BE3-SPSSDX204#310-RS	4.00-6.00	3.7	5		
BE3-SPSSDX204#312-RS	5.50-8.00	4	5.5		
BE3-SPSSDX204#314-RS	7.00-10.0	5.5	7.5		
BE3-SPSSDX204#316X-RS	9.00-14.0	7.5/10	10/12		
BE3-SPSSDX204#321-RS	13.0-18.0	10/11	12/15	18880	
BE3-SPSSDX254#321X-RS	14.0-22.0	11/15	15/20	19410	
BE3-SPSSDX254#322-RS	18.0-25.0	15	20		
BE3-SPSSDX254#353-RS	23.0-32.0	18.5	25	20820	
BE3-SPSSDX404#355-RS	28.0-40.0	22	30	33290	
BE3-SPSSDX404#357-RS	38.0-50.0	30	40	39960	
BE3-SPSSD6335NW357-RS	38.0-50.0	30	40	43090	
BE3-SPSSD6335NW359-RS	48.0-57.0	37	50	58990	
BE3-SPSSD8035NW361-RS	57.0-66.0	45	60	67290	
BE3-SPSSD8035NW363-RS	66.0-80.0	55	75		



Submersible Pump Starter Automatic Star Delta - Deluxe Model [HSN Code: 8536] GST@18%					
Incorporating Heavy Duty 4 Pole Contactor type TC1-DX, Overload relay type LR3D/LR1D, Auto Start Switch, 3 Position selector switch for SPP Auto/SPP Manual / Manual, Voltmeter with Selector Switch, Suppressed scale Ammeter, RYB LED Indicator Motor ON & Trip LED Indicator, TP 'C' curve MCB for short circuit protection					
Reference	Relay Range (Amp)	Standard Power Rating		MRP (₹)	MOQ
		kW	HP		
BE3-SPSDDX204#308	2.5-4.0	2.2	3	23080	1
BE3-SPSDDX204#310	4.0-6.0	3.7	5		
BE3-SPSDDX204#312	5.5-8.0	4	5.5		
BE3-SPSDDX204#314	7.0-10	5.5	7.5		
BE3-SPSDDX204#316X	9.0-14	7.5/10	10/12		
BE3-SPSDDX204#321	13-18	10/11	12/15	24970	
BE3-SPSDDX254#321X	14-22	11/15	15/20	25790	
BE3-SPSDDX254#322	18-25	15	20		
BE3-SPSDDX254#353	23-32	18.5	25	26840	
BE3-SPSDDX404#355	28-40	22	30	34580	
BE3-SPSDDX404#357	38-50	30	40	40790	
BE3-SPSD6335NW357	38-50	30	40	45120	
BE3-SPSD6335NW359*	48-57	37	50	61160	
BE3-SPSD8035NW361*	57-66	45	60	70430	
BE3-SPSD8035W105	65-105	60	80	86240	



HOW TO ORDER STARTER

- Complete the code by replacing the square (#) by the letter(s) corresponding to the Coil Voltage selected.
- Starter / Submersible Pump Starter selection should be based on the FLC of Pump/Motor & Coil Voltage required as per installation.
- Anmol Starters should be ordered in standard packing for each model.

** Anmol Starters portfolio available in the above standard coil voltage only.
 † Wide operating band encapsulated coils with its operating range.

Coil Voltage Codes (Standard) for Submersible Pump Starter/DOL/Auto DOL Starter				
Coil Voltage (AC) 50Hz/Coil Code**	Voltage			
	150-400 Q	250-440 N	*300-500 SW	*250-400 NW

Smart Mobile Pump Controller



Salient Features:

- 5 Users Mobile Controller
- 4 LEDs Indicators
- Get Motor ON/OFF status on mobile
- Battery Backup upto 8 hours
- Get status of Mains, Pump, Battery & Signal Strength
- Easy to operate with SMS or Missed call
- Schedule Motor Run Time
- Wall & Panel Mounting
- Suitable for GSM SIM card of all mobile operators

Anmol Smart Mobile Pump Controller [HSN Code: 8536] GST@18%					
Reference	Phase	MRP (₹)	MOQ		
TCMU1N	3	8500	1		
TCMU1M	1	7650			
Thermal Overload Relays Type LR1-Direct Mounting [HSN Code: 8536] GST@18%					
Reference	Relay Setting Range (A)	Std. Power Rating for 3 Phase Motor at 415V		MRP (₹)	MOQ
		HP	KW		
LR1-D32353	23-32	20	15	3400	1
LR1-D32355	28-40	20	15		
LR1-D40353	23-32	20	15	3600	
LR1-D40355	30-40	30	22		
LR1-D63357	38-50	35	25	4400	
LR1-D63359	48-57	40	30	6240	
LR1-D63361	57-68	50	37	6880	
LR1-F105	65-105*	75	55	11000	
* Independent Mounting *Wide band Coil NW has operating range 250-440V AC					
Thermal Overload Relays 3 Pole type LR3D-Direct Mounting [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	MRP (₹)	MOQ		
LR3D09307	1.6-2.5	1380	1		
LR3D09308	2.5-4				
LR3D09310	4-6				
LR3D09312	5.5-8				
LR3D09314	7-10	1510			
LR3D12316X	9-14				
LR3D16321	13-18	1650			
LR3D16321X	14-22				
LR3D25322	18-25				
Thermal Overload Relays 2 Pole type LR7D (Direct Mounting) & LR7DM [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	MRP (₹)	MOQ		
LR7D09207	1.6-2.5	770	1		
LR7D09208	2.5-4				
LR7D09210 / LR7D09210M	4-6				
LR7D09212 / LR7D09212M	5.5-8				
LR7D09214 / LR7D09214M	7.0-10				
LR7D12216X / LR7D12216XM	9.0-14	930			
LR7D16221	13-18				
LR7D16221X / LR7D16221XM	14-22	1130			
LR7D25222	18-25				
LR7D32253	23-32				
Thermal Overload Relays 3 Pole type (Direct Mounting) [HSN Code: 8536] GST@18%					
Reference	Relay Range (Amp)	MRP (₹)	MOQ		
CR3D1525	1.5-2.5	1080	1		
CR3D2504	2.5-4				
CR3D0406	4-6.5				
CR3D0610	6-10				
CR3D0914	9-14	1080			
CR3D1118	11-18	1120			
CR3D1322	13-22	1210			
CR3D2032	20-32	1300			

Anmol Motor Starter Spares



20A 25A 40A



4 Pole Contactor Coil



4 Pole Contact Kit

Contactors - CS1 Series [HSN Code: 8536] GST@18%			
Rating (A)	Reference	MRP (₹)	MOQ
16	CS1	1750	1
25	CS2	1930	
32	CS3	2170	

Moving Contacts 8538 [18%]			
Description	Reference	MRP (₹)	MOQ
Single moving contact for CS1	CS1-MC	60	1
Single moving contact for CS2	CS2-MC	75	
Single moving contact for CS3	CS3-MC	80	

Standard Operating Coils for CS1 & CS2 8538 [18%]			
Rating	Reference	MRP (₹)	MOQ
200, 50Hz	CX1DM	265	1
360V (200-400V), 50Hz	CX1DQ		
415V (250-450V), 50Hz	CX1DN		
400/440V, 50Hz	CX1DVR		

Spare Kit without Hardware 8538 [18%]			
Reference	Reference	MRP (₹)	MOQ
CS1	CS1-SP	680	1
CS2	CS2-SP	900	
CS3	CS3-SP	1160	

Arc Shields 8538 [18%]			
Reference	Reference	MRP (₹)	MOQ
CS1	CS1-A	155	1
CS2	CS2-A	170	
CS3	CS3-A	195	

Contact Bridges without contacts 8538 [18%]			
Reference	Reference	MRP (₹)	MOQ
CS1	CS1-C	140	1
CS2	CS2-C	145	
CS3	CS3-C	160	

Contactors - 4 Pole, AC [HSN Code: 8536] GST@18%						
AC3, 415V			Main Poles Configuration	Reference	MRP (₹)	MOQ
kW	HP	A				
7.5	10	20	4NO	TC1DX204	4050	1
11	15	25	4NO	TC1DX254	6010	
22	30	40	4NO	TC1DX404	9770	

AC Coil Voltage Codes (Standard) for 4 Pole Contactors				
Contactor 4P	Voltage			
	110	220	190-400	250-450
TC1-DX204/254	F	M	Q	N

Wide band Coils ■ Please specify Coil Voltage.

Spare Coil for 4 Pole Contactors [HSN Code: 8538] GST@18%			
Reference	Coil Voltage	MRP (₹)	MOQ
TX1D20	110/220/190-400 /250-450	730	1

Spare Contact Kit for 4 Pole Contactor [HSN Code: 8538] GST@18%			
Reference	Description	MRP (₹)	MOQ
TA5DX204	20A Contact Kit, 4-Pole	1250	1
TA5DX254	25A Contact Kit, 4-Pole	PQR	
TA5DX404	40A Contact Kit, 4-Pole	3190	

Terminal Screw for 4 Pole Contactor [HSN Code: 8538] GST@18%			
Reference	Description	MRP (₹)	MOQ
TASCRWDX204	Terminal Screw for 4 Pole Contactor	130	1

Anmol Motor Starter Spares



Contactors - 2 Pole, AC [HSN Code: 8538] GST@18%						
AC1 Duty	AC3 220V AC			Reference	MRP (₹)	MOQ
	kW	HP	A			
32	3.8	5	20	AC2-D202	1600	2
40	4.8	6	25	AC2-D252	2150	
40	4.8	6	40	AC2-D402	2950	

AC Coil Voltage Codes (Standard) for 2 Pole Contactors [HSN Code: 8538] GST@18%

Contactor	Voltage		
	220*	220/240*	380 / 415*
AC2-D2/D3/D4	M5W	MJ	ON

*Wide band Coils ■ Please specify Coil Voltage.

Spare Coil - 2Pole Contactors [HSN Code: 8538] GST@18%

Reference	Coil Voltage	MRP (₹)	MOQ
AX1D2 MU	220/240V, 50Hz	470	5
AX1D2 M	220V, 50Hz		
AX1D2 ON	380/415V, 50Hz		
AX1D2 N	415V, 50Hz		

Spare Contact Kit for 2 Pole Contactor [HSN Code: 8538] GST@18%

Reference	Description	MRP (₹)	MOQ
ACSD202	20A Contact Kit, 2-Pole	710	1
ACSD252	25A Contact Kit, 2-Pole	1420	
ACSD402	40A Contact Kit, 2-Pole	1730	

Add-on-Blocks for 2 Pole Contactors [HSN Code: 8538] GST@18%

Description	Contact Configuration	Reference	MRP (₹)	MOQ
Front mounted Aux. contact Block	2 NO 1 NO+1 NC 2 NC	LA1-D20A	500	20
		LA1-D11A		
		LA1-D02A		

Definite Purpose Contactor [HSN Code: 8536] GST@18%

FLA	Resistive AMP Rating	Reference	MRP (₹)	MOQ
Two Pole				
20	30	TCDF202U5	1270	1

Auto Switch [HSN Code: 8536] GST@18%

Description	Reference	HSN Code [GST@18%]	MRP (₹)
Auto Switch-3, Auto Switch 45 Sec Delay*	TCAS045S	8532 [99%]	1040
Auto Switch-4N, Auto switch with adjustable time Delay (45-300 Sec.) & Auto, Manual & Bypass switch (250-440V)	TCAS044	8532 [99%]	
Auto Switch-4Q, Auto switch with adjustable time Delay (45-300 Sec.) & Auto, Manual & Bypass switch (190-400V)	TCAS055	8532 [99%]	
Auto Switch-5, Auto Switch 300 Sec Delay*	TCAS046	8532 [99%]	
SPP CONTROLLER 190-450V for CS1 Starter	CS1-AS4Q	8532 [99%]	
SPP CONTROLLER 250-450V for CS1 Starter	CS1-AS4N	8532 [99%]	




Anmol Motor Starter Spares



Electronic Timer



Pneumatic SD Timer



Terminal Blocks



Definite Purpose Contactor Coil



Ammeter



Voltmeter



Indicating Lamps



RYB Indicating Lamps



Archhood - 4 Pole



Dual Meter



Hour Meter



Run Capacitor

Start Capacitor



Stop Push Button



Start Push Button



Contact Element 1NO



Contact Element 1NC



Description	Reference	HSN Code (ICD7V)	MRP (₹)	
Pneumatic SD Timer (1-30 Sec)	TA2-D62	8538 (10%)	2800	
Electronic Timer	TCET009SD415VAC	9170 (10%)	2200	
Terminal Block, 2 Way,15 A	TB2W15A	8538 (10%)	150	
Terminal Block, 3 Way,60 A	TB3W60A	8538 (10%)	205	
Terminal Block, 6 Way,60 A	TB6W60A	8538 (10%)	350	
Terminal Block, 3Way,30 A	TB3W30A	8538 (10%)	180	
Terminal Block, 5 Way,30 A	TB5W30A	8538 (10%)	240	
Definite Purpose Contactor Coil 240V	DP2XL5	8538 (10%)	PCF	
Ammeter	AM10A	9030 (10%)	940	
Ammeter	AM15A	9030 (10%)		
Ammeter	AM20A	9030 (10%)		
Ammeter	AM25A	9030 (10%)		
Ammeter	AM50A	9030 (10%)		
Ammeter	AM755	9030 (10%)	1250	
Ammeter	AM1005	9030 (10%)	1000	
Voltmeter	VM500	9030 (10%)		
Voltmeter	VM300	9030 (10%)		
On Indicating lamp (green)	RCB7ML73-415V	8536 (10%)		230
TRIP indicating lamp (red)	RCB7ML74-415V	8536 (10%)		
R Phase LED indicating Lamp	RCB7ML74-220V	8536 (10%)		
Y Phase LED indicating Lamp	RCB7ML78-220V	8536 (10%)		
B Phase LED indicating Lamp	RCB7ML76-220V	8536 (10%)	400	
Archhood TC1DX 4 POLE	TC1DX-A	8538 (10%)	370	
Carrier TC1DX 4 Pole only mold	TC1DX-C	8538 (10%)	180	
Rocker Switch	RSVM	8538 (10%)	85	
3 Phase Dual Meter-Analog (0-20A,120A)	ELDM0520	9030 (10%)	1320	
3 Phase Dual Meter-Analog (0-50A, 500A & 0-500V)	ELDM0550	9030 (10%)		
1 Phase Dual Meter-Analog (0-15A, 90A & 0-300V)	ELDM0315	9030 (10%)		
1 Phase Dual Meter-Analog (0-20A, 120A & 0-300V)	ELDM0320	9030 (10%)		
1 Phase Dual Meter-Analog (0-25A, 150A & 0-300V)	ELDM0325	9030 (10%)		
1 Phase Dual Meter-Analog (0-50A, 300A & 0-300V)	ELDM0350	8538 (10%)		
Dual Meter-Digital (0-30A & 0-300V)	ELDM0030	8538 (10%)	1440	
Hour Meter	TCHRM0001	8532 (10%)	1880	
Wire type Antenna - Mobile Controller Unit	ELNT0001	8532 (10%)	710	
Battery - Mobile Controller Unit	TCDT0012	8532 (10%)		
Start Capacitor 80-100	ELSC0100	8532 (10%)	320	
Start Capacitor 100-120	ELSC0120	8532 (10%)	305	
Start Capacitor 120-150	ELSC0150	8532 (10%)	350	
Start Capacitor 150-200	ELSC0200	8532 (10%)		
Start Capacitor 200-250	ELSC0250	8532 (10%)	360	
Run Capacitor	ELRC0025	8532 (10%)	300	
Run Capacitor	ELRC0036	8532 (10%)		
Run Capacitor	ELRC0045	8532 (10%)		
Run Capacitor	ELRC0050	8532 (10%)	420	
Run Capacitor	ELRC0021	8532 (10%)		
Run Capacitor	ELRC0072	8532 (10%)	480	
Run Capacitor	ELRC0072	8532 (10%)		
Stop Push Button	RCP2BA42	8536 (10%)	180	
Start Push Button	RCP2BA31	8536 (10%)		
Contact Element 1 NO	RB2BE101	8536 (10%)	90	
Contact Element 1 NC	RB2BE102	8536 (10%)		
Voltage Selector Switch	SPVSS10	8538 (10%)	540	

Anmol Motor Starter Spares



MCB - 8P



MCB - TP



Add On Block



PB Actuator with carrier



Push Button Mushroom Head



Description	Reference	HSN Code (GST%)	MRP (₹)
MCB (C Type 16 Amps 8P)	CSMB51C16	8536 (20%)	290
MCB (C Type 100 Amps TP)	CSMBH-GC100	8536 (20%)	10000
MCB (C Type 125 Amps TP)	CSMBH-GC125	8536 (20%)	11200
MCB (C Type 25 Amps TP)	CSMB3C25-M	8536 (20%)	1600
MCB (C Type 32 Amps TP)	CSMB3C32-M	8536 (20%)	
MCB (C Type 63 Amps TP)	CSMB3C63-M	8536 (20%)	2470
Add On Block	LA1D20A	8538 (20%)	490
Add On Block (T) 1NO+1NC	TA1DN11A	8538 (20%)	540
3 Position Selector Switch	RCP2BD32	8536 (20%)	330
3 Way Selector for SPP (Auto / Manual / Bypass)	ELSP0006	8538 (20%)	430
Mounting Kit	LA7D4054	8538 (20%)	650
Indicating Lamp 230V Coloured RED	EUL0001	8536 (20%)	210
PB Actuator with Carrier without Element Green	RCB2BA3	8536 (20%)	130
PB Actuator with Carrier without Element Red	RCB2BA4	8536 (20%)	
Push Button Mushroom Head	RB2BS54	8536 (20%)	270
Contactor Extension Block for SDS	EX701	8538 (20%)	280
Relay Extension Block for SDS	EX702	8538 (20%)	
Contactor 63A	LC1D633	8536 (20%)	13700
Contactor 80A	LC1D803	8536 (20%)	17200
Contactor 115A	LC1FDP115A	8536 (20%)	27030
Single Contact Assy (2 Fix, 1 moving, 1 pole spring, 2 terminal screw) for 20 A, 4 Pole Agro contactor	TA5DX204-1P	8536 (20%)	380
Single Contact Assy (2 Fix, 1 moving, 1 pole spring, 2 terminal screw) for 25 A, 4 Pole Agro contactor	TA5DX254-1P	8536 (20%)	660
Single Contact Assy (2 Fix, 1 moving, 1 pole spring, 2 terminal screw) for 40 A, 4 Pole Agro contactor	TA5DX404-1P	8536 (20%)	1070
Fixed Current Relay	TR11CB6306	8536 (20%)	200
	TR11CB6308		
	TR11CB6310		
	TR11CB6312		
	TR11CB6320		
Auxiliary contact block: 1 NO + 1 NC	CA1DN11	8538 (20%)	320
Push Button unit	CS1-PB	8538 (20%)	125
Motor ON-Red Indicating Lamp for SPSCS1	RCN7VL74415VAC	8536 (20%)	190
Supply ON-Amber Indicating Lamp for SPSCS1	RCN7VL75415VAC		

Submersible Flat Cable

Features

- Product range : 1.5 mm² to 16mm²
- Conform to IS 694-2010
- Unique formulated PVC compound
- Higher thermal stability, Continuous current conductor temperature: 70°C
- Improved impact resistance



Submersible Flat Cable 500M Drum [HSN Code: 8544] GST@18%		
Reference	Description	MRP (₹)
CSPPFC015GP500	Submersible Flat Cable PVC 1.5 sq. mm	FOR
CSPPFC025GP500	Submersible Flat Cable PVC 2.5 sq. mm	
CSPPFC040GP500	Submersible Flat Cable PVC 4.0 sq. mm	
CSPPFC060GP500	Submersible Flat Cable PVC 6.0 sq. mm	
CSPPFC100GP500	Submersible Flat Cable PVC 10.0 sq. mm	
CSPPFC160GP500	Submersible Flat Cable PVC 16.0 sq. mm	

Submersible Flat Cable 1000M Drum [HSN Code: 8544] GST@18%		
Reference	Description	MRP (₹)
CSPPFC015GP1000	Submersible Flat Cable PVC 1.5 sq. mm	FOR
CSPPFC025GP1000	Submersible Flat Cable PVC 2.5 sq. mm	
CSPPFC040GP1000	Submersible Flat Cable PVC 4.0 sq. mm	
CSPPFC060GP1000	Submersible Flat Cable PVC 6.0 sq. mm	
CSPPFC100GP1000	Submersible Flat Cable PVC 10.0 sq. mm	
CSPPFC160GP1000	Submersible Flat Cable PVC 16.0 sq. mm	

Submersible Flat Cable 30M Bundle [HSN Code: 8544] GST@18%		
Reference	Description	MRP (₹)
CSPPFC015GP30	Submersible flat cable PVC 1.5 sq. mm	FOR
CSPPFC025GP30	Submersible flat cable PVC 2.5 sq. mm	
CSPPFC040GP30	Submersible flat cable PVC 4.0 sq. mm	
CSPPFC060GP30	Submersible flat cable PVC 6.0 sq. mm	
CSPPFC100GP30	Submersible flat cable PVC 10.0 sq. mm	
CSPPFC160GP30	Submersible flat cable PVC 16.0 sq. mm	

☐ Non stockable items.

TECHNICAL SPECIFICATION	Conductor Area (Sq mm)	No of conductor & dia of wire (mm)	PVC Insulated Nominal Thickness (mm)	PVC Insulated core diameter		Max. conductor Resistance per Km. @20°C (Ω)	Current Carrying Capacity @40°C	
				PVC Insulated core diameter	PVC Outer sheath Nominal Thickness (mm)			
	1.5	3	22/0.3	2.85±0.05	0.6	0.90	12.1	14
	2.5	3	36/0.3	3.35±0.05	0.7	1.00	7.41	19
	4	3	56/0.3	4.10±0.05	0.8	1.10	4.95	26
	6	3	84/0.3	4.60±0.05	0.8	1.10	3.3	31
	10	3	80/0.4	5.90±0.05	0.4	1.40	1.91	45
	16	3	126/0.4	7.05±0.05	0.4	1.40	1.21	57

Motor Starter - Spares Selection Chart

Product Reference	SINGLE PHASE SUBMERSIBLE PUMP STARTERS			MOTOR STARTERS			STAR DELTA STARTERS
	Economical Standard	Economical-Deluxe	Deluxe	Single Phase DOL Starter	3 Phase DOL Starter	3 Phase Auto Start DOL Starter	Automatic /Semi-Automatic
	BE1SSEDP202U5C16-40	BE1SDEDP202U5210	BE1SDA202MU210	BEVSA202MU	BE1DM204-404	BE1DXS0204-404	BE3DXM204-254
Contactor	2 Pole Definite Purpose TCDF	2 Pole Definite Purpose TCDF	2 Pole AC2D	2 Pole AC2D	4 Pole TC1DX	4 Pole TC1DX	4 Pole TC1DX
Overload Relay	--	LR7DM	LR7D	LR7D	LR3D	LR3D	LR3D
Coils	DP2XM5	DP2XM5	AX1D2MU	AX1D2MU	TX1D20N	TX1D20N	TX1D20N
Push Button Start/Stop	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31
Red Yellow Blue Amber LED	--	--	--	--	--	--	--
Push Button Mushroom Head/ Flush Type	--	--	RCB2BA3 RCB2BA4	--	--	--	--
Push Button Actuator With Carrier without Element	--	--	--	--	--	--	--
Indicating Lamp 230V	EL10001	EL10001	EL10001	--	--	--	--
Contact Element	--	--	RB2BE101 RB2BE102	--	--	--	--
Run Capacitor / Start Capacitor	ELRC0025 ELRC36	ELRC0025 ELRC36 ELSC0100 ELSC0200	ELRC0025 ELRC36 ELSC0100 ELSC0250	--	--	--	--
Electronic Timer	--	--	--	--	--	--	TCET0388DHSWC
Terminal Block	TB5W30A	TB5W30A	TB5W30A TB3W30A TB6W60A	--	--	TB6W60A	--
Voltmeter	--	VM300	VM300	--	--	--	--
Ammeter	AM15A AM25A AM50A	AM15A AM25A AM50A	AM15A	--	--	--	--
Single Phase Preventor	--	--	--	--	--	--	--
Voltage Selector Switch	--	--	--	--	--	--	--
Miniature Circuit Breaker	CSMBS1C16	--	--	--	--	--	--
Add On Start Switch	--	--	--	--	LA0D0905	LA0C0906	LA0D0906
Add On Block	--	--	LA1D20A	LA1D20A	--	--	TA1DN11
3 Position Selector Switch	--	--	--	--	--	RCP2BD3	RCP2BD3
Auto Switch, 45 Sec. Delay	--	--	--	--	--	TCAS045	--
Pneumatic Timer Block	--	--	AMS0A	--	--	--	--
Mounting Kit	--	--	--	--	--	--	--
Extension Terminal	--	--	--	--	--	--	EXT01, EXT02

Motor Starter - Spares Selection Chart

Product Reference	3 PHASE SUBMERSIBLE PUMP STARTERS					
	DOL	DOL Deluxe	DOL Standard	Star Delta Deluxe	Star Delta Deluxe	Star Delta Standard
	SP9CS100N0914 SP9CS300N2032	BE1SPSD0X204	BE1SPSD0X204	SP9CS100N0914 SP9CS300N2032	BE3SPSD0X204	BE3SPSD0X204
Contactor	4 Pole CS1, CS2, CS3	4 Pole TC1DX	4 Pole TC1DX	4 Pole CS1, CS2, CS3	4 Pole TC1DX	4 Pole TC1DX
Overload Relay	CR3D	LR3D	LR3D	CR3D	LR3D	LR3D
Coils	CX1D	TX1D20	TX1D20	CX1D*	TX1D20*	TX1D20*
Push Button Start/Stop	CS1-PB	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31	CS1-PB	RCP2BA42 RCP2BA31	RCP2BA42 RCP2BA31
Red Yellow Blue Amber LED	--	RCB7ML74415VAC RCB7ML75415VAC	--	--	RCB7ML74415VAC RCB7ML75415VAC RCB7ML76415VAC RCB7ML78415VAC	RCB7ML74415VAC RCB7ML75415VAC RCB7ML76415VAC RCB7ML78415VAC
Push Button Mushroom Head/ Flush Type	--	RCP2BA31 RCP2BA42	RCP2BA31 RCP2BA42	--	RB2BS04	RB2BS04
Push Button Actuator With Carrier without Element	--	--	--	--	--	--
Indicating Lamp 230V	--	--	--	--	--	--
Contact Element	--	RB2BE101 RB2BE102	RCB7ML74415VAC RCB7ML75415VAC	--	RB2BE101 RB2BE102	RB2BE101 RB2BE102
Run Capacitor / Start Capacitor	--	--	RB2BE101 RB2BE102	--	--	--
Electronic Timer	--	--	--	TCET898D415VAC	--	--
Terminal Block	CS1-TB	TB2W15A TB3W60A	TB2W15A TB3W60A	CS1-TB	TB2W15A TB3W60A TB6W60A	TB2W15A TB3W60A TB6W60A
Voltmeter	CS1-DM	VM500	VM500	CS1-DM	VM500	VM500
Ammeter	--	AM20 AM50	AM20 AM50	--	AM20A AM50A AM75A AM100SA	AM20A AM50A AM75A AM100SA
Single Phase Preventor	--	SPPR1045	SPPR1045	--	SPPR1045	SPPR1045
Voltage Selector Switch	--	SPV8010	SPV8010	--	SPV8010	SPV8010
Miniature Circuit Breaker	--	CSMB3C25-M CSMB3C32-M	--	--	CSMB3C32-M CSMB3C63-M CSMB3C100 CSMB3C125	CSMB3C125
Add On Start Switch	--	--	--	--	V	--
Add On Block	--	--	--	--	TA1DN11	TA1DN11
3 Position Selector Switch	--	--	--	--	--	V
Auto Switch, 45 Sec. Delay	CS1-AS4	--	--	CS1-AS4	--	--
Pneumatic Timer Block	--	--	--	--	TA2DG2	TA2DS2
Mounting Kit	--	--	--	--	--	LA7D4054
Extension Terminal	--	--	--	--	--	--

WiNbreak - CSC Series

Adjustable Overload: 0.7-1.0 In

■ Ics=100% Icu ■ Ui=750V ■ Uimp=8kV



Salient Features

- Conforms to IS/IEC 60947-2
- Breaking Capacity: Upto 37kA @ 415 AC
- Range: 15A-250A, 2P
- Frame Size: 125AF & 250AF
- Positive Isolation
- Trip Free Mechanism
- Composed to User-Friendly Method
- Wide Range of Installable accessories
- Internal & External Accessories can be commonly used in all WiNbreak - CSC MCCB

For further detail please contact nearest C&S Electric Branch Office

WINbreak MCCBs - CSC Series

- Conforms to IS/IEC 60947-2
- $I_{cs} > 100\% I_{cu}$
- Range: 15A - 250A, 2 Pole
- Breaking capacity: 18kA, 26kA, 37kA
- Positive Isolation
- Trip free mechanism
- Wide range of Internal & External Accessories
- SS Enclosure available
- Standard packing includes insulating phase barriers and hardware



Enclosure for WB MCCB				[HSN Code 8538]
Size	Size Suitable for use on MCCBs	3 Pole Reference*	4 Pole Reference*	MRP (₹)
Frame 1	CSC1, CSC2	CS-CNM0100020-R	-	3980
Frame 2	CSC3	CS-CNM0100021-R	-	4010
Frame 3	CSC4	CS-CNM0100021-R	-	4010
Frame 4	CSC5	ENCL-250-400AF3-R	ENCL-250-400AF4-R	6230

NOTES: 1. *Reference code is for Enclosure only (without MCCB)

2. For placing an order for MCCB along with Enclosure, please apply Prefix E- before MCCB Reference Code. For Price please contact nearest Branch Office

FTM (Thermal Magnetic) Release • Fixed Overload • Fixed short circuit					[HSN Code: 8536]
Size	Rated Current (Amps)	Breaking capacity I_{cu} at 415V AC	2 Pole Reference	MRP (₹)	
Frame 1	15, 20, 30, 40, 50	18kA	CSC162* R	5490	
	60, 75, 100		CSC2N2* R	5560	
Frame 3	150, 175	26kA	CSC4N2* R	13240	
	200		CSC4N2* R	14940	
	250		CSC4N2* R	19510	
Frame 2	15, 20, 30, 40, 50, 60	37kA	CSC382* R	7260	
	75, 100		CSC352* R	7290	
	125		CSC382* R	7480	

WINbreak1 MCCB

- Conforms to IS/IEC 60847-2
- $I_{cs}=100\%$ I_{cu} , 75% I_{cu}
- Range: 16A-400A, 3 & 4 Pole
- Breaking capacity: 10kA to 55kA Max.
- Positive Isolation
- Trip free mechanism
- Neutral with 100% rated current
- Bounce free contact structure
- Wide range of Internal & External Accessories
- SS Enclosure available
- Standard packing includes insulating phase barrier and hardware



ATM (Thermal Magnetic) Release • Adjustable Overload 80-100% • Adjustable Short Circuit 5-10 In						[HSN Code: 8536]	
Size	Rated Current (Amps)	Breaking capacity I_{cu} at 415V AC	3 Pole Reference	MRP (₹)	4 Pole Reference	MRP (₹)	
Frame 1	63, 80, 100	25kA	CSE1M125ATM3P-1R	8480	CSE1M125ATM4P-1R	11200	
	125		CSE1M125ATM3P-1R	11620	CSE1M125ATM4P-1R	13070	
Frame 2	160		CSE2M250ATM3P-1R	15170	CSE2M250ATM4P-1R	18160	
	200		CSE2M250ATM3P-1R	19150	CSE2M250ATM4P-1R	21840	
	250		CSE2M250ATM3P-1R	22670	CSE2M250ATM4P-1R	25780	
Frame 3	320		CSE3M400ATM3P-1R	28900	CSE3M400ATM4P-1R	33760	
	350		CSE3M400ATM3P-1R	28900	CSE3M400ATM4P-1R	33760	
	400		CSE3M400ATM3P-1R	29330	CSE3M400ATM4P-1R	35640	
Frame 1	63, 80, 100		30kA	CSE1NN125ATM3P-1R	10190	CSE1NN125ATM4P-1R	12790
	125			CSE1NN125ATM3P-1R	11900	CSE1NN125ATM4P-1R	13890
Frame 2	160			CSE2NN250ATM3P-1R	17560	CSE2NN250ATM4P-1R	22320
	200			CSE2NN250ATM3P-1R	21330	CSE2NN250ATM4P-1R	24020
	320	CSE3NN400ATM3P-1R		29100	CSE3NN400ATM4P-1R	34130	
Frame 3	350	CSE3NN400ATM3P-1R		29100	CSE3NN400ATM4P-1R	34130	
	400	CSE3NN400ATM3P-1R		29430	CSE3NN400ATM4P-1R	36030	
Frame 1	63, 80, 100	50kA		CSE1S125ATM3P-1R	13570	CSE1S125ATM4P-1R	16480
	125			CSE1S125ATM3P-1R	15900	CSE1S125ATM4P-1R	19910
Frame 2	160			CSE2S250ATM3P-1R	21020	CSE2S250ATM4P-1R	26940
	200			CSE2S250ATM3P-1R	23800	CSE2S250ATM4P-1R	30110
	250			#CSE2SX250ATM3P-1R	24330	#CSE2SX250ATM4P-1R	28940
	250		CSE2S250ATM3P-1R	25470	CSE2S250ATM4P-1R	31620	
	320		CSE3S400ATM3P-1R	30700	CSE3S400ATM4P-1R	35490	
Frame 3	350		CSE3S400ATM3P-1R	30700	CSE3S400ATM4P-1R	35490	
	400		CSE3S400ATM3P-1R	31940	CSE3S400ATM4P-1R	36610	

- NOTES :**
- # I_{cu} 50kA($I_{cs}=75\%$ I_{cu})
 - While Ordering, Replace*** by Current Rating, followed by 'A' eg., 350A
 - All MCCB's are without spreader terminals.

Winbreak1 MCCB - Frame 'S'

- Conforms to IS/IEC 60647-2
- $I_{cu}=100\%I_{cu}$ (for 10kA & 18kA), 75% & 50% for 10kA, 75% for 25kA
- Range: 16A-125A
- Breaking capacity: 10kA, 18kA & 25kA
- Compact Size
- Quick free mechanism
- Precise settings
- Termination possibility for unprepared cables
- Flexibility for installation as Horizontal / Vertical
- Standard packing includes insulating phase barrier and hardware



FMU (Thermal Magnetic) Release • Adjustable Overload 80-100% • Fixed short circuit 10In*						[HSN Code: 8536]
Size	Rating Range (A)	Breaking Capacity I_{cu} at 415V AC	3 Pole - Reference	MRP (₹)	4 Pole - Reference	MRP (₹)
Frame 'S'	16, 20, 25, 32, 40, 50,	10kA	CSESK125FMU3P-1AR	3360	CSESK125FMU4P-1AR	3800
	63, 80, 100A		CSESK125FMU3P-1AR	4050	CSESK125FMU4P-1AR	5400
	125A		CSESK125FMU3P-1AR	4410	CSESK125FMU4P-1AR	5630
	16, 20, 25, 32, 40, 50,	18kA	CSESL125FMU3P-1AR	5230	CSESL125FMU4P-1AR	6840
	63, 80, 100A		CSESL125FMU3P-1AR	5370	CSESL125FMU4P-1AR	6980
	125A		CSESL125FMU3P-1AR	5750	CSESL125FMU4P-1AR	7640
	16, 20, 25, 32, 40, 50,	25kA [†]	CSESMX125FMU3P-1AR	5670	CSESMX125FMU4P-1AR	6870
	63, 80, 100A		CSESMX125FMU3P-1AR	5900	CSESMX125FMU4P-1AR	7320
	125A		CSESMX125FMU3P-1AR	6190	CSESMX125FMU4P-1AR	7670

NOTES :

1. While Ordering, Replace*** by Current Rating.
2. [†] $I_{cs}=75\%I_{cu}$
3. *From 63-125A

On Load Changeover Switches (Back to Back Type)

LT Heavy Duty 4 Pole On Load Changeover Load Break Switch comprising of two compact Switches 63-250A, 415V, 50Hz complete with handle assembly having Door Interlock and Padlocking arrangement.

- Conforms to IS/IEC 60947-3
- Range: 63A-250A, 415V, 50Hz
- Version: 4P
- Modular construction
- Positive Isolation
- Door Interlock and Padlock facility



In Open Execution					[HSN Code: 8536]
Size	Rating (Amps)	Pole	Reference	MRP (₹)	
NM-Series	Frame 1	63	4	CSCS63NM4CORE	7480
	Frame 1	100	4	CSCS100NM4CORE	9930
	Frame 2	125	4	CSCS125NM4CORE	14510
	Frame 2	160	4	CSCS160NM4CORE	15950
	Frame 2	200	4	CSCS200NM4CORE	19180
	Frame 2	250	4	CSCS250NM4CORE	26790

In Sheet Steel Enclosure					[HSN Code: 8536]
Size	Rating (Amps)	Pole	Reference	MRP (₹)	
NM-Series	Frame 1	63	4	E-CSCS63NM4CORE	10520
	Frame 1	100	4	E-CSCS100NM4CORE	13240
	Frame 2	125	4	E-CSCS125NM4CORE	18300
	Frame 2	160	4	E-CSCS160NM4CORE	21010
	Frame 2	200	4	E-CSCS200NM4CORE	24310
	Frame 2	250	4	E-CSCS250NM4CORE	36780



Off-load Changeover Switch				
Reference	Rating(Amps)	Pole	Rated Voltage	MRP (₹)
CSCSOF32CO2RE	32	2	240 V	2560
CSCSOF63CO2RE	63	2	250 V	5430
CSCSOF32CO4RE	32	4	415 V	4220
CSCSOF63CO4RE	63	4	415 V	8620
CSCSOF100CO4RE	100	4	415 V	19130
CSCSOF200CO4RE	200	4	415 V	27650
CSCSOF315CO4RE	315	4	415 V	33850
CSCSOF400CO4RE	400	4	415 V	37590



Switch Fuse Unit: Rewirable				
Reference	Rating(Amps)	Pole	Rated Voltage	MRP (₹)
TPN with Side Handle				
CSRW16P1NSRE	16	SPN	240 V	1020
CSRW32P1NSRE	32	SPN	240 V	2490
CSRW16P2SRE	16	DP	240 V	1040
CSRW32P2SRE	32	DP	240 V	2770
CSRW32P3NSRE	32	TPN	415V	4150
CSRW63P3NSRE	63	TPN	415V	8250
CSRW100P3NSRE	100	TPN	415V	16550
CSRW200P3NSRE	200	TPN	415V	22000



Porcelain Rewirable Fuse Holder (Kit-Kat)				
Reference	Rating (Amps)	Fuse Wire Size (Max.)	MRP (₹)	MOQ
CSKTRW32RE	32	22SWG	370	3
CSKTRW63RE	63	18SWG	640	
CSKTRW100RE	100	14SWG	1130	
CSKTRW200RE	200	2 X14SWG	2390	1

Switch Disconnectors (Load Break Switches)

- Conforms to IS/IEC 60947-3
- Range: 25A-400A, 415V AC 50Hz
- Version: TP / 4P
- Compact Construction
- Door Interlock and Padlock facility
- Positive Isolation



[HSN Code: 8536]

Size	Rating Amps	Pole	CSSD In Open Execution		In Sheet Steel Enclosure	
			Reference	MRP (₹)	Reference	MRP (₹)
D-Series	25	3	CSSD25D3RE	2120	■E-CSSD25D3RE	4620
		4	■CSSD25D4RE	2800	E-CSSD25D4RE	5030
	40	3	CSSD40D3RE	2270	E-CSSD40D3RE	5320
		4	CSSD40D4RE	4410	■E-CSSD40D4RE	5810
	63	3	CSSD63D3RE	3010	■E-CSSD63D3RE	6340
	63	4	CSSD63D4RE	4810	■E-CSSD63D4RE	7610
NMA-Series	125	3	CSSD125D3RE	6760	E-CSSD125D3RE	10640
		4	CSSD125D4RE	8220	■E-CSSD125D4RE	11810
	160	3	CSSD125NM3RE	7800	E-CSSD125NM3RE	11720
		4	CSSD125NM4RE	9770	E-CSSD125NM4RE	14460
	200	3	■CSSD160NM3RE	8840	E-CSSD160NM3RE	13080
		4	■CSSD160NM4RE	10520	E-CSSD160NM4RE	15580
250	3	■CSSD200NM3RE	11290	E-CSSD200NM3RE	14670	
	4	CSSD200NM4RE	14640	E-CSSD200NM4RE	19040	
315	3	CSSD250NM3RE	11420	E-CSSD250NM3RE	16910	
	4	CSSD250NM4RE	15840	■E-CSSD250NM4RE	23470	
400	3	CSSD315NM3RE	14890	E-CSSD315NM3RE	POR	
	4	CSSD315NM4RE	16070	E-CSSD315NM4RE		
400	3	CSSD400NM3RE	17840	E-CSSD400NM3RE		
	4	CSSD400NM4RE	21640	E-CSSD400NM4RE		

NOTE:

1. Rotary Handle with door defeat Mechanism / Pistol grip handle is available only for 25-63A.
2. Switch Disconnector with Direct Handle and Extended Terminals are also available. Please contact nearest Branch Office for prices.
3. ■ non stockable items.



Switch Disconnecter Fuse Units

Switch Disconnecter Fuse Units (without Fuse Links)

- Conforms to IEC 60947-3
- Range: 32–250A, 415V AC 50Hz
- Door Interlock and Padlock facility
- Version: 2P / TP / TPN / 4P
- Modular Construction
- Positive Isolation
- Suitable for DIN & Bolted HRC Fuse Links



[ISBN Code: 8537]

Size	Rating Amps	Pole	CSSDF in Open Execution				CSSDF in Sheet Steel Enclosure				Recommended Fuse Links Type (IEC Size)	
			Reference	MRP (₹)	Reference	MRP (₹)	Reference	MRP (₹)	Reference	MRP (₹)	DIN	BS
			DIN		BS		DIN		BS			
Frame 1	32A	2P	CSSDF32D2RE	2470	CSSDF32B2RE	3000					COFL00 32	CTIA-32(A2)
		TP	CSSDF32D3RE	2950	CSSDF32B3RE	3080	E-CSSDF32D3RE	5880	E-CSSDF32B3RE	5880		
		TPN	CSSDF32D3NRE	3150	CSSDF32B3NRE	3160	E-CSSDF32D3NRE	5880	E-CSSDF32B3NRE	5990		
		4P	E-CSSDF32D4NRE	3630	E-CSSDF32B4NRE	3420	E-CSSDF32D4FNRE	6410	E-CSSDF32B4FNRE	6500		
Frame 1	63A	2P	CSSDF63D2RE	3630	CSSDF63B2RE	3480					COFL00 63	CSTB-63(A3)
		TP	CSSDF63D3RE	3780	CSSDF63B3RE	3740	E-CSSDF63D3RE	6090	E-CSSDF63B3RE	6750		
		TPN	CSSDF63D3NRE	3850	CSSDF63B3NRE	4020	E-CSSDF63D3NRE	7240	E-CSSDF63B3NRE	7350		
		4P	CSSDF63D4FNRE	4230	CSSDF63B4FNRE	4370	E-CSSDF63D4FNRE	7530	E-CSSDF63B4FNRE	7550		
Frame 2	100A	2P	CSSDF100D2RE	6300	CSSDF100B2RE	7270					CSDFL00 100	CTCP-100(A4)
		TP	CSSDF100D3RE	7620	CSSDF100B3RE	8400	E-CSSDF100D3RE	11210	E-CSSDF100B3RE	11470		
		TPN	CSSDF100D3NRE	8150	CSSDF100B3NRE	8550	E-CSSDF100D3NRE	11910	E-CSSDF100B3NRE	11570		
		4P	CSSDF100D4FNRE	9600	E-CSSDF100B4FNRE	10150	E-CSSDF100D4FNRE	13550	E-CSSDF100B4FNRE	14130		
Frame 2	125A	2P	CSSDF125D2RE	7630	CSSDF125B2RE	7750					CSDFL00 125	CTCP-125(A4)
		TP	CSSDF125D3RE	8150	E-CSSDF125B3RE	8460	E-CSSDF125D3RE	12860	E-CSSDF125B3RE	12680		
		TPN	CSSDF125D3NRE	8960	CSSDF125B3NRE	9100	E-CSSDF125D3NRE	13370	E-CSSDF125B3NRE	14300		
		4P	CSSDF125D4FNRE	11120	CSSDF125B4FNRE	11110	E-CSSDF125D4FNRE	14610	E-CSSDF125B4FNRE	15160		
Frame 2	160A	2P	E-CSSDF160D2RE	9300	CSSDF160B2RE	9600					CSDFL00 160	CTF-160(B2)
		TP	CSSDF160D3RE	10340	E-CSSDF160B3RE	10680	E-CSSDF160D3RE	14550	E-CSSDF160B3RE	14720		
		TPN	CSSDF160D3NRE	10530	CSSDF160B3NRE	11780	E-CSSDF160D3NRE	15670	E-CSSDF160B3NRE	16230		
		4P	E-CSSDF160D4FNRE	12550	E-CSSDF160B4FNRE	13880	E-CSSDF160D4FNRE	19480	E-CSSDF160B4FNRE	21480		
Frame 3	200A	2P	CSSDF200D2RE	11380	CSSDF200B2RE	11950					CDFL1200 / CSDFL1 200	CTF-200(B2)
		TP	CSSDF200D3RE	12300	E-CSSDF200B3RE	12880	E-CSSDF200D3RE	16760	E-CSSDF200B3RE	19960		
		TPN	CSSDF200D3NRE	13030	CSSDF200B3NRE	13830	E-CSSDF200D3NRE	18140	E-CSSDF200B3NRE	21060		
		4P	CSSDF200D4FNRE	14690	CSSDF200B4FNRE	15820	E-CSSDF200D4FNRE	20880	E-CSSDF200B4FNRE	22070		
Frame 3	250A	2P	CSSDF250D2RE	12900	E-CSSDF250B2RE	13280					CDFL1 250 / CSDFL1 250	CTKF(B3)
		TP	CSSDF250D3RE	14820	CSSDF250B3RE	15330	E-CSSDF250D3RE	19470	E-CSSDF250B3RE	21000		
		TPN	CSSDF250D3NRE	14990	CSSDF250B3NRE	15610	E-CSSDF250D3NRE	20250	E-CSSDF250B3NRE	21620		
		4P	CSSDF250D4FNRE	16820	CSSDF250B4FNRE	17250	E-CSSDF250D4FNRE	23670	E-CSSDF250B4FNRE	24080		

HRC Fuse Links, Fuse Base & Fuse Holders

- Conforms to IS 13703-Part 2
- Conforms to IEC 60269-Part 2
- Range: DIN type (8–630A), 500V, AC 50Hz
Bolted type (2–800A), 415V, AC 50Hz
- High breaking capacity: 80kA



DIN Type HRC Fuse Link				[HSN Code: 8536]
IS/IEC Size	In A	Reference	MRP (₹)	MOQ
00	6, 10, 16, 20, 25, 32, 35	CDFL00*	400	3
	40, 50, 63	CSDFL00*	400	
	80, 100	CSDFL00*	410	
	125, 160	CSDFL00**	420	
1	32, 35, 50, 63	CDFL01*	700	
	80, 100, 125	CDFL01*	760	
	160	CDFL01*	760	
	200	CSDFL1*	780	
	250	CSDFL1*	850	
2	100, 125	CDFL02*	1100	
	160, 200	CDFL02*	1120	
	250	CDFL02*	1120	
	315	CSDFL2*	1170	
	400	CSDFL2*	1230	
3	315, 400	CDFL03*	1560	
	500	CDFL3*	1880	
	630	CDFL3*	1880	

While ordering, replace "*" by current rating.



Fuse Base for DIN Type Fuse Links (ISI Mark)				[HSN Code: 8536]
IS/IEC Size	In A	Reference	MRP (₹)	MOQ
00	160	CSDFB00RE	470	3
1	250	CSDFB1RE	860	
2	400	CSDFB2RE	1280	
3	630	CDFB3RE	2080	



Solid Links				[HSN Code: 8536]
IS/IEC Size	In A	Reference	MRP (₹)	MOQ
00	160	CDSL00RE	590	3
1	250	CDSL1RE	780	
2	400	■ CDSL2RE	1070	
3	630	■ CDSL3RE	1310	

■ non stockable items.

	Appliances	Capacity	AMP	MCB Type
	Air-Conditioner	1.0 T 1.5 T 2.0 T	16A 20A 20A	C Type C Type C Type
	Refrigrator	165 L 350 L	3A 4A	C Type C Type
	Oven + Griller	4500 W 1750 W	25A 10A	B Type B Type
	Oven	750 W	6A	B Type
	Toaster	1200 W	10A	B Type
	Electric Kettle	1500 W	10A	B Type
	Electric Iron	750 W	6A	B Type
	Electric Geyser	4000 W	20A	B Type
	Mixer	200 W	2A	C Type
	Washing Machine	1300 W	10A	C Type

Data is for reference only. Please refer to the appliance manufacturer technical manual for exact appliance current rating.

Safe | Convenient | Energy Saving | Wide range

24x7 SERVICE DESK

CENTRAL CUSTOMER CARE (CCC)

C&S Electric is committed to create a unique alchemy of outstanding products, operational excellence, path breaking customer services & compelling marketing. Further to enhance the post sales customer service experience, C&S introduces a service monitoring software "Salesforce". The software provides a transparent service tracking system and helps in efficient monitoring and quick resolution of queries.



Key Features & Benefits

- Transparent process
- Efficient monitoring & tracking of each Service Request
- Quick resolution time
- All relevant customer data in one single location
- Improved customer relationships
- Strengthen C&S brand image & reputation in the market

Escalation Matrix

*C&S Branch Service Engineer " ≥ 24 Hours"

Central Customer Care (CCC) " ≥ 48 Hours"
(Connect via Toll free no., Email ID, & Whatsapp no.)

GM Services - Mr. Bikram Rana " ≥ 72 Hours"
WhatsApp No.: 95994 45253, Email: bikramrana@cselectric.co.in

Sr.VP - Mr. P. Anandan " ≥ 96 Hours"
Email: anandan.p@cselectric.co.in

FOR QUICK SUPPORT

Toll Free Number: **1800 572 2012** 

WhatsApp No.: **95994 45253** 

Email: customercare@cselectric.co.in



Marketing offices spread all over India

CENTRAL MARKETING OFFICE

C-60, Wing-A, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh-201 305 (INDIA)
Tel.: +91 120 387 4800 / 01 | Email : cmo@cselectric.co.in

CENTRAL CUSTOMER CARE

Toll Free Number: 1800 572 2012
E-mail: customercare@cselectric.co.in

NORTHERN REGION

DELHI
Email: info@cselectric.co.in

LUDHIANA
Email: ludhiana@cselectric.co.in

LUCKNOW
Email: lucknow@cselectric.co.in

KANPUR
Email: lucknow@cselectric.co.in

JAIPUR
Email: jaipur@cselectric.co.in

CENTRAL REGION

INDORE
Email: indore@cselectric.co.in

RAIPUR
Email: raipur@cselectric.co.in

NAGPUR
Email: nagpur@cselectric.co.in

EASTERN REGION

KOLKATA
Email: kolkata@cselectric.co.in

GUWAHATI
Email: guwahati@cselectric.co.in

RANCHI
Email: ranchi@cselectric.co.in

BHUBANESWAR
Email: bhubaneswar@cselectric.co.in

WESTERN REGION
MUMBAI
Email: mumbai@cselectric.co.in

PUNE
Email: pune@cselectric.co.in

AHMEDABAD
Email: ahmedabad@cselectric.co.in

RAJKOT
Email: ahmedabad@cselectric.co.in

BARODA
Email: baroda@cselectric.co.in

SURAT
Email: surat@cselectric.co.in

SOUTHERN REGION
CHENNAI
Email: chennai@cselectric.co.in

COIMBATORE
Email: coimbatore@cselectric.co.in

KOCHI
Email: cochin@cselectric.co.in

MADURAI
Email: commercialmadurai@cselectric.co.in

BENGALURU
Email: bangalore@cselectric.co.in

HYDERABAD
Email: hyderabad@cselectric.co.in

VIJAYAWADA
Email: vijayawada@cselectric.co.in

RESIDENT ENGINEERS

AHMEDABAD: Wenagar **BANGALORE:** Bellary, Hassen, Hubli, Mangalore **BARODA:** Anand, Vapi **BHUBANESWAR:** Behrampur, Cuttack, Rourkela, Sambalpur **CHENNAI:** Vellore, Trichy **KOCHI:** Kollam **COIMBATORE:** Erode **DELHI & HARYANA:** Gurugram, Hissar, Panipat, UP (W) & UK: Agra, Bareilly, Dehradun, Ghaziabad, Meerut, Moradabad, Noida **GUWAHATI:** Silchar, Tezpur **HYDERABAD:** Karimnagar, Warangal **INDORE:** Bhopal, Gwalior, Jabalpur, Rewa, Ujjain **J&K:** Kashmir, Srinagar **JARIPUR:** Bihwara, Bikaner, Jodhpur, Kota, Sikar, Udaipur **KOLKATA:** Bankura, Bandhman, Siliguri **LUCKNOW:** Gorakhpur, Prayagraj, Shahjhanpur, Varanasi **LUDHIANA:** Amritsar, Barnala, Jammu, Mansa **MADURAI:** Nagercoil, Rajapalayam **MUMBAI:** Aarangabad, Nasik **NAGPUR:** Akola, Amravati, Chandrapur **PUNE:** Gos,Nasik, Kolhapur, Sangli, Solapur **RAIPUR:** Ambikapur **RAJKOT:** Bhavnagar, Jamnagar **RANCHI:** Dhanbad, Muzaffarpur, Patna, Purnia, Siwan **SURAT:** Aurangabad, Nasik **VIJAYAWADA:** Chittoor, Rajahmundry, Tirupathi, Vishakhapatnam

WAREHOUSES

National Warehouse

NOIDA B-58, Sector-80, Phase-II, Noida, District Gautam Budh Nagar, Uttar Pradesh - 201305 INDIA
Ph.: +91 120 3857483/84/88/89

Regional Warehouses

INDORE Liberty Agencies S3, Udyog Nagar, Near Muzakhadi Square, Ring Road, Indore - 452001 INDIA
Ph.: +91 88780 62000 / 64000

RANCHI Plot No. 145/C, Mandir Marg-D, Road No. 4, Ashok Nagar, Distt. Ranchi, Jharkhand - 834002 INDIA
Ph.: +91 851 2242202, 2242224

AHMEDABAD B-25-B/C Midc Industrial Estate, Opp. West Coast Pharmaceutical, Nr. Gota Over Bridge, Gota, Ahmedabad - 380461 INDIA
Mob.: +91 7698968668 / 6361725096

BENGALURU No. 25, Pattanagani Village, Kengeri Hobli, Rajarajeshwari Nagar, Bangalore - 560098 INDIA
Ph.: +91 80 29700265

