



# jainson

SINCE 1971

## NATIONAL PRICE LIST

MARCH 2022



- CABLE TERMINAL ENDS
- CABLE GLANDS

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1	2.5	5.2	319-05	6.27	1000
2	4	6.5	319-06	8.85	1000
3	6	6.5	319-07	9.64	1000
4	10	6.5	319-08	12.18	1000
5	16	6.5	319-09	16.22	500
6	25	6.5	319-10	27.60	300
7	35	6.5	319-11	32.20	300
8	35	8.2	319-12	32.20	300
9	50	6.5	319-13	41.19	200
10	50	8.2	319-14	41.19	200
11	50	10.2	319-15	41.19	200
12	70	8.2	319-16	73.75	100
13	70	10.2	319-17	73.75	100
14	70	12.7	319-18	73.75	100
15	95	10.2	319-19	102.59	100
16	95	12.7	319-20	102.59	100
17	120	10.2	319-21	142.30	50
18	120	12.7	319-22	142.30	50
19	120	16.2	319-23	142.30	50
20	150	10.2	319-24	196.70	50
21	150	12.7	319-25	196.70	50
22	150	16.2	319-26	196.70	50
23	185	12.7	319-27	291.30	25
24	185	16.2	319-28	291.30	25
25	225	16.2	319-231	398.93	25
26	240	16.2	319-29	408.65	20
27	240	20.3	319-30	408.65	20
28	300	16.2	319-31	590.46	15
29	300	20.3	319-32	590.46	15
30	400	20.3	319-33	821.30	10
31	500	20.3	319-34	1120.91	10
32	630	20.3	319-35	1550.55	5
33	800	-----	319-062	2561.77	4
34	1000	-----	319-076	4898.10	5

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(LONG BARREL)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
35	2.5	5.2	JEB-05	10.32	1000
36	4	6.5	JEB-06	14.02	1000
37	6	6.5	JEB-07	15.50	1000
38	10	6.5	JEB-08	19.32	1000
39	16	6.5	JEB-09	25.82	500
40	25	6.5	JEB-10	43.85	300

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(LONG BARREL)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
41	35	6.5	JEB-11	49.23	300
42	35	8.2	JEB-12	49.23	300
43	50	6.5	JEB-13	62.70	200
44	50	8.2	JEB-14	62.70	200
45	50	10.2	JEB-15	62.70	200
46	70	8.2	JEB-16	102.44	100
47	70	10.2	JEB-17	102.44	100
48	70	12.7	JEB-18	102.44	100
49	95	10.2	JEB-19	134.54	75
50	95	12.7	JEB-20	134.54	75
51	120	10.2	JEB-21	184.23	50
52	120	12.7	JEB-22	184.23	50
53	120	16.2	JEB-23	184.23	50
54	150	10.2	JEB-24	224.73	40
55	150	12.7	JEB-25	224.73	40
56	150	16.2	JEB-26	224.73	40
57	185	12.7	JEB-27	357.20	25
58	185	16.2	JEB-28	357.20	25
59	225	16.2	JEB-231	493.36	25
60	240	16.2	JEB-29	501.07	20
61	240	20.3	JEB-30	501.07	20
62	300	16.2	JEB-31	667.61	15
63	300	20.3	JEB-32	667.61	15
64	400	20.3	JEB-33	987.32	10
65	500	20.3	JEB-34	1372.80	8
66	630	20.3	JEB-35	1921.92	5
67	800	-----	JEB-62	3014.67	5
68	1000	-----	JEB-76	5689.71	4

**Jainson**  
COPPER TUBULAR  
CRIMPING TERMINAL  
SOCKETS  
(HEAVY DUTY)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
69	25	8.2	319-282	40.61	300
70	35	8.2	319-283	63.43	200
71	50	8.2	319-284	102.22	100
72	70	10.2	319-285	163.99	75
73	95	12.7	319-286	245.18	50
74	120	12.7	319-287	343.33	40
75	150	12.7	319-288	424.37	25
76	185	12.7	319-289	615.01	25
77	240	16.2	319-290	863.06	15
78	300	16.2	319-291	1074.96	10
79	400	20.3	319-292	1571.34	8

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(I C F)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
80	11-17	319-106	37.72	300
81	11-17	319-145	37.72	300
82	11-17	319-146	37.72	300
83	11-17	319-109	39.67	300
84	17-23	319-107	63.43	200
85	17-23	319-147	63.43	200
86	17-23	319-148	63.43	200
87	17-23	319-108	69.98	200
88	23-29	319-110	92.66	150
89	23-29	319-149	91.19	150
90	23-29	319-150	91.19	150
91	23-29	319-151	92.78	150
92	23-29	319-111	87.70	150
93	29-45	319-116	123.91	150
94	29-45	319-152	128.69	150
95	29-45	319-153	128.69	150
96	29-45	319-154	128.69	150
97	29-45	319-113	123.91	150
98	45-57	319-112	207.31	75
99	45-57	319-155	207.31	75
100	45-57	319-156	207.31	75
101	45-57	319-157	207.31	75
102	57-75	319-114	263.39	75
103	57-75	319-158	269.13	75
104	57-75	319-159	269.13	75
105	57-75	319-160	269.13	75
106	75-90	319-137	297.48	50
107	75-90	319-161	297.76	50
108	75-90	319-162	297.76	50
109	75-90	319-163	297.76	50
110	90-110	319-115	364.43	40
111	90-110	319-164	364.43	40
112	90-110	319-165	364.43	40
113	90-110	319-166	364.43	40
114	110-146	319-138	534.48	25
115	110-146	319-167	534.48	25
116	110-146	319-168	534.48	25
117	110-146	319-169	534.48	25
118	146-183	319-128	728.84	20
119	146-183	319-170	728.84	20
120	146-183	319-171	728.84	20
121	183-225	319-139	831.96	15
122	183-225	319-172	831.96	15
123	183-225	319-173	831.96	15
124	183-225	319-174	831.96	15
125	225-299	319-140	1175.60	10
126	225-299	319-175	1203.94	10
127	225-299	319-176	1187.75	10
128	299-366	319-141	1584.29	10

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS



(ICF)

ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
129	299-366	319-177	1673.63	10
130	299-366	319-178	1673.63	10
131	366-437	319-142	2167.64	5
132	366-437	319-179	2297.21	5
133	366-437	319-180	2297.21	5

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(DLW)

ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
134	133	319-36	466.21	40
135	133	319-37	466.21	40
136	133	319-38	372.03	40
137	133	319-39	380.26	40
138	133	319-40	466.21	40
139	133	319-41	398.66	40
140	270	319-42	885.42	15
141	270	319-43	923.89	15
142	270	319-44	960.96	15
143	400	319-45	1412.07	10
144	400	319-46	1412.07	10
145	133	319-47	433.80	40
146	270	319-48	978.53	15
147	270	319-49	1018.90	15
148	400	319-50	1727.53	10
149	133	319-51	620.51	15

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(CLW)

ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
150	150	319-54	624.63	40
151	120	319-55	481.86	50
152	25	319-56	52.17	200
153	3	319-65	12.01	500
154	3	319-66	12.01	500
155	3	319-67	12.01	500
156	10	319-68	42.00	200
157	10	319-69	42.00	200
158	120	319-70	477.46	50

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(CLW)

ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
159	225	319-71	802.81	20
160	270	319-72	1312.67	15
161	475	319-73	2218.44	8
162	475	319-74	2563.02	8
163	475	319-75	2212.95	8
164	50	319-87	134.54	150
165	35	319-187	90.55	200
166	3	319-209	11.62	500
167	3	319-210	11.62	500
168	3	319-211	29.92	500
169	25	319-212	54.51	200
170	225	319-213	796.22	20
171	225	319-214	955.74	10
172	270	319-215	1151.78	10
173	10	319-228	39.52	300
174	70	319-229	198.66	200
175	50	319-230	137.16	150

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS HEAVY DUTY



(XLPE)

ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
176	1.5	5.2	319-538	9.85	1000
177	1.5	6.5	319-539	9.85	1000
178	2.5	4.2	319-388	10.63	1000
179	2.5	5.2	319-540	10.63	1000
180	2.5	6.5	319-541	10.63	1000
181	4	5.2	319-389	12.10	1000
182	4	6.5	319-543	12.10	1000
183	6	5.2	319-390	15.55	1000
184	6	6.5	319-544	15.55	1000
185	6	8.4	319-545	15.55	1000
186	10	6.5	319-353	18.14	1000
187	10	8.4	319-547	18.14	1000
188	16	6.5	319-354	23.13	500
189	16	8.4	319-549	23.13	500
190	25	6.5	319-355	35.34	300
191	25	8.4	319-551	35.34	300
192	25	10.5	319-552	35.34	300
193	35	6.5	319-542	49.69	300
194	35	8.4	319-356	49.69	300
195	35	10.5	319-554	49.69	300
196	50	8.4	319-357	78.11	150
197	50	10.5	319-556	78.11	150

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS (HEAVY DUTY)



(XLPE)

ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
198	70	8.4	319-557	121.31	100
199	70	10.5	319-358	121.31	100
200	70	13	319-559	121.31	100
201	95	10.5	319-359	186.51	75
202	95	13	319-560	186.51	75
203	120	13	319-241	238.20	50
204	120	17	319-546	238.20	50
205	150	13	319-242	301.41	40
206	150	17	319-564	301.41	40
207	185	17	319-243	406.52	25
208	240	17	319-244	598.30	20
209	240	21	319-567	598.30	20
210	300	17	319-245	856.73	15
211	300	21	319-569	856.73	15
212	400	17	319-246	1378.63	10
213	400	21	319-571	1378.63	10
214	500	21	319-247	1744.36	8
215	550	21	319-573	2134.81	8
216	630	21	319-248	2469.08	4
217	800		319-599	3943.78	4
218	1000		319-590	5845.44	4

**Jainson**  
COPPER TUBULAR CRIMPING TERMINAL SOCKETS EXTENDED PALM BLANKS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
219	50	319-466	126.99	100
220	70	319-467	192.88	100
221	95	319-468	275.39	50
222	120	319-469	362.01	40
223	150	319-470	472.94	40
224	185	319-471	605.40	25
225	240	319-472	890.67	20
226	300	319-473	1299.49	15
227	400	319-474	2038.60	10
228	500	319-475	2686.18	5
229	625	319-476	3840.27	5



**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
( LONG BARREL H. D. )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
230	2.5	4.2	JCXL-1	12.42	1000
231	4	4.2	JCXL-2	14.53	1000
232	6	4.2	JCXL-3	19.82	1000
233	10	6.4	JCXL-4	25.67	500
234	16	6.4	JCXL-5	30.33	500
235	25	6.4	JCXL-6	55.13	300
236	35	6.4	JCXL-7	71.61	300
237	50	7.8	JCXL-8	118.27	200
238	70	12.8	JCXL-9	169.38	100
239	95	12.8	JCXL-10	250.91	75
240	120	12.8	JCXL-11	296.32	50
241	150	13.0	JCXL-12	471.62	40
242	185	16.2	JCXL-13	559.68	25
243	240	16.2	JCXL-14	731.39	20
244	300	16.2	JCXL-15	1067.62	15
245	400	16.2	JCXL-16	1532.04	10
246	500	21.0	JCXL-17	1878.63	5
247	630	21.0	JCXL-18	2517.50	5
248	800	-----	JCXL-19	4022.52	4
249	1000	-----	JCXL-20	6007.59	4

**Jainson**  
COPPER TUBULAR TERMINAL  
SOCKETS FOR XLPE CABLES  
(DOUBLE HOLE)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
261	95	11.0	319-847	412.55	50
262	95	13.0	319-847A	403.88	50
263	120	11.0	319-848	490.29	40
264	120	13.0	319-848A	481.62	40
265	150	11.0	319-849	601.50	40
266	150	13.0	319-849A	592.81	40
267	185	13.0	319-850	706.02	25
268	185	17.0	319-850A	694.85	25
269	240	13.0	319-851	1007.12	20
270	240	17.0	319-851A	996.66	20
271	300	13.0	319-852	1035.78	15
272	300	17.0	319-852A	1457.03	15
273	400	13.0	319-853	2841.96	10
274	400	17.0	319-853A	2822.85	10
275	400	14.0	319-437	3013.94	10
276	50	11	319-466DH	207.91	100
277	70	13	319-467DH	316.21	100
278	95	13	319-468DH	452.39	50
279	120	13	319-469DH	594.06	50
280	150	13	319-470DH	742.58	40
281	185	13	319-471DH	932.41	25
282	240	13	319-472DH	1458.89	20
283	300	13	319-473DH	2079.39	15
284	400	13	319-474DH	2714.76	10
285	500	21	319-475DH	3581.11	5
286	400	14	134/RODH	2244.46	8
287	400	14	13213DH	1559.50	10
288	400	18	13374DH	1545.98	10
289	240	12	29271DH	982.00	15
290	300	12	29313DH	1113.95	15

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS LONG  
BARREL (XLPE)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
293	35	6.5	319-542EB	65.74	300
294	35	8.4	319-356EB	64.10	300
295	35	10.5	319-554EB	67.38	300
296	50	8.4	319-357EB	116.36	150
297	50	10.2	319-556EB	109.79	150
298	95	10.5	319-359EB	200.51	75
299	95	13.0	319-560EB	191.80	75
300	120	13.0	319-241EB	394.44	50
301	150	13.0	319-242EB	419.10	40
302	185	12.0	319-243EB	534.14	25

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(45° & 90°) BEND TYPE



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
250	95	10.5	319-827	188.08	50
251	95	13.5	319-828	188.08	50
252	150	13.0	319-831	305.17	40
253	150	17.0	319-832	305.17	40
254	185	13.0	319-833	415.19	25
255	185	17.0	319-833A	415.19	25
256	240	17.0	319-834	610.26	20
257	240	21.0	319-835	610.26	20
258	300	17.0	319-836	869.39	15
259	300	21.0	319-837	869.39	15
260	400	17.0	319-838	1355.51	10

**Jainson**  
COPPER CRIMPING  
CABLE SOCKETS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
291	400	33	13326	1209.60	10
292	120	6.5	319-469SP	440.29	50

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS (XLPE)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
303	70	17.0	319-559SP	193.54	75
304	400	13.0	319-436	1590.18	10
305	630	-----	319-438	4674.65	4

**Jainson**  
SOLDERING TYPE COPPER  
TUBULAR SOCKETS



ITEM NO.	AREA AMP	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
306	15	3.2	423-201	6.92	1000
307	30	5.1	423-202	10.04	1000
308	60	6.4	423-203	25.31	300
309	100	9.5	423-204	50.37	150
310	150	9.5	423-205	84.90	100
311	200	12.7	423-206	134.19	50
312	300	12.7	423-207	254.89	25
313	400	15.9	423-208	306.66	20
314	500	19.0	423-209	414.81	15
315	600	19.0	423-210	639.13	10
316	800	23.8	423-211	1165.47	8
317	1000	23.8	423-212	1724.38	4
318	1000	-----	423-295	3037.72	4



**jainson**  
SOLDERING TYPE COPPER  
TUBULAR SOCKETS



HEAVY DUTY

ITEM NO.	AREA mm <sup>2</sup>	E Dia	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
319	15	5.1	219-6	12.21	1000
320	30	7.1	219-7	21.84	500
321	60	10.3	219-8	42.40	200
322	100	11.9	219-9	72.86	100
323	150	13.5	219-10	131.61	75
324	200	13.5	219-11	224.19	50
325	300	16.7	219-12	311.36	25
326	400	16.7	219-13	492.81	15
327	500	19.8	219-14	789.68	10

(AS PER TABLE 2-OF BS-91-1973)

ITEM NO.	AREA mm <sup>2</sup>	E Dia	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
328	6	5.5	219-15	14.15	1000
329	16	6.6	219-16	28.32	500
330	25	9.0	219-17	48.50	200
331	35	9.0	219-18	65.25	200
332	70	11	219-23	191.19	75
333	95	14	219-24	269.37	50
334	120	14	219-25	459.74	25
335	185	14	219-26	766.87	20
336	240	18	219-27	926.49	20
337	300	18	219-28	1284.84	15
338	500	22	219-29	1881.83	10
339	625	26	219-30	2618.06	10

**jainson**  
COPPER TUBULAR  
TERMINAL ENDS  
(OVAL DOUBLE HOLE)



ITEM NO.	AREA mm <sup>2</sup>	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
340	42	319-81	309.43	200
341	100	319-82	543.70	25
342	133	319-83	589.21	25



**jainson**  
COPPER TUBULAR  
CRIMPING  
IN-LINE CONNECTORS



ITEM NO.	AREA mm <sup>2</sup>	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
343	1.5	58-450	4.48	1000
344	1.5	58-453	4.60	1000
345	2.5	58-451	4.89	1000
346	2.5	58-454	5.00	1000
347	4-6	58-452	6.90	1000
348	4-6	58-455	7.24	1000
349	10	58-456	10.10	1000
350	10	58-460	12.06	1000
351	16	58-461	24.68	400
352	25	58-484	33.03	300
353	25	58-486	71.83	300
354	35	58-485	47.22	200
355	35	58-487	96.60	200
356	50	58-480	143.52	100
357	70	58-478	106.27	75
358	70	58-481	212.52	75
359	95	58-482	300.84	50
360	2.5	58-466	4.74	1000
361	1.5	58-463 (I)	6.50	1000
362	2.5	58-464 (I)	7.74	1000
363	4-6	58-465 (I)	11.61	500
364	4-6	58-475 (I)	17.34	500
365	2.5	32-23	5.24	1000
366	4	32-3	6.98	1000
367	6	32-4	7.24	1000
368	16	32-6	11.60	500
369	25	32-7	27.89	400
370	35	32-8	39.48	300
371	50	32-9	60.82	200
372	70	32-10	92.19	100
373	95	32-11	124.62	100
374	120	32-12	173.62	50
375	150	32-13	223.56	50
376	185	32-14	280.15	40
377	225	32-20	385.04	25
378	240	32-15	405.46	25
379	300	32-16	606.10	20
380	400	32-17	922.40	15
381	500	32-18	1206.29	10
382	625	32-19	1647.45	5
383	800	32-21	2564.04	4
384	1000	32-22	3726.01	4
385	25	32-24	27.82	300
386	35	32-25	41.60	200
387	50	32-26	63.06	150
388	70	32-27	112.73	100
389	95	32-28	165.78	75
390	120	32-29	199.07	50
391	150	32-30	286.76	25
392	300	32-33	850.57	10

**jainson**  
COPPER TUBULAR  
CRIMPING  
IN-LINE CONNECTORS



ITEM NO.	AREA mm <sup>2</sup>	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
393	1.5	32-41	6.47	1000
394	800	32-42	3268.94	4
395	1000	32-43	4871.41	4
396	20	32-47	17.12	1000
397	70	32-51	101.29	100
398	95	32-52	150.48	75
399	120	32-53	179.98	50
400	150	32-54	255.02	40
401	185	32-55	344.59	25
402	240	32-56	527.29	20
403	300	32-57	725.96	15
404	400	32-58	979.52	10
405	500	32-59	1408.44	5
406	550	32-60	1530.14	5
407	630	32-61	1934.74	4
408	185	32-31	393.85	25
409	240	32-32	601.64	25
410	400	32-34	1174.99	10
411	500	32-35	1726.48	10

**jainson**  
COPPER TUBULAR IN-LINE  
CONNECTORS



(LONG BARREL)

ITEM NO.	AREA mm <sup>2</sup>	<b>jainson</b> CAT. No.	PRICE EACH	STD PKG
412	1.5	JBL-453	7.82	1000
413	2.5	JBL-23	10.15	1000
414	4.0	JBL-3	14.01	1000
415	6.0	JBL-4	14.16	1000
416	10	JBL-460	23.57	500
417	16	JBL-6	21.26	500
418	25	JBL-7	51.08	300
419	35	JBL-8	66.93	200
420	50	JBL-9	101.51	150
421	70	JBL-10	150.09	100
422	95	JBL-11	207.08	75
423	120	JBL-12	290.54	50
424	150	JBL-13	371.42	50
425	185	JBL-14	450.35	25
426	225	JBL-20	635.29	25
427	240	JBL-15	662.97	20
428	300	JBL-16	1001.19	15
429	400	JBL-17	1523.58	10
430	500	JBL-18	1978.08	8
431	630	JBL-19	2717.81	5
432	800	JBL-21	4351.24	4

**jainson**  
COPPER TUBULAR IN-LINE  
CONNECTORS (LONG BARREL)



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
433	1000	JBL-22	6341.25	4
434	625	32-36	2255.19	5

**jainson**  
COPPER CRIMPING INLINE  
CONNECTORS

(HEAVY DUTY)



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
435	1.5	JC-1.5	5.97	1000
436	2.5	JC-2.5	7.66	1000
437	4	JC-4	9.76	1000
438	6	JC-6	10.75	1000
439	10	JC-10	17.16	1000
440	16	JC-16	26.71	400
441	20	JC-20	37.88	200
442	25	JC-25	40.33	200
443	35	JC-35	51.12	150
444	50	JC-50	74.38	100
445	70	JC-70	107.33	75
446	95	JC-95	137.74	50
447	120	JC-120	236.34	40
448	150	JC-150	273.72	25
449	185	JC-185	376.47	25
450	240	JC-240	564.26	20
451	300	JC-300	850.57	10
452	400	JC-400	1143.41	8
453	500	JC-500	1614.49	5
454	550	JC-550	1717.08	4
455	630	JC-630	1824.30	4
456	800	JC-800	3068.98	4
457	1000	JC-1000	4361.49	4

**jainson**  
COPPER CRIMPING TYPE  
IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
458	2.5	JCXL-21	7.03	1000
459	4	JCXL-22	8.66	1000
460	6	JCXL-23	10.39	1000
461	10	JCXL-24	15.81	1000
462	16	JCXL-25	29.06	400

**jainson**  
COPPER CRIMPING TYPE  
IN-LINE CONNECTORS

(LONG BARREL)



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
463	25	JCXL-26	57.30	300
464	35	JCXL-27	73.31	200
465	50	JCXL-28	113.72	150
466	70	JCXL-29	144.63	100
467	95	JCXL-30	201.65	75
468	120	JCXL-31	287.48	50
469	150	JCXL-32	399.75	40
470	185	JCXL-33	536.16	25
471	240	JCXL-34	706.35	20
472	300	JCXL-35	1038.87	15
473	400	JCXL-36	1459.28	10
474	500	JCXL-37	1903.97	5
475	630	JCXL-38	2638.56	5
476	800	JCXL-39	4404.96	4
477	1000	JCXL-40	5862.24	4

**jainson**  
COPPER CONNECTORS



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
478	35	32-25 J40	45.45	300
479	16	461-J32	31.68	400
480	25	32-24-J23	24.80	300
481	35	32-25-J25	27.26	300
482	150	JTC-150	691.55	40
483	2.5	58-001	4.20	1000
484	2.5	58-002	5.58	1000
485	6.0	58-003	6.82	1000
486	16.0	58-004	8.20	500
487	50.0	58-005	58.70	200

**jainson**  
COPPER CONNECTOR

(T TYPE)



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
488	150	JTC-150T	2135.72	25

**jainson**  
COPPER TUBULAR CRIMPING  
END SEALING FERRULES



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
489	0.5	58-508	0.95	5000
490	0.75	58-509	0.95	5000
491	1.0	58-510	0.95	5000
492	1.0	58-511	1.29	5000
493	1.5	58-512	1.29	3000
494	1.5	58-513	1.55	3000
495	2.5	58-514	1.29	2000
496	2.5	58-515	1.50	2000
497	4	58-516	1.29	1000
498	4	58-517	1.50	1000
499	6	58-518	1.50	1000
500	6	58-519	1.50	1000
501	6	58-520	1.69	1000
502	10	58-521	1.69	1000
503	10	58-522	1.85	1000
504	10	58-523	2.19	1000
505	16	58-524	1.98	1000
506	16	58-525	2.32	1000
507	16	58-526	2.66	1000

**jainson**  
COPPER TUBULAR CRIMPING  
IN-LINE CONNECTORS



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
508	1.5	58-459	4.68	1000
509	4	58-495	4.08	1000
510	6	58-568	6.33	1000
511	10	58-569	7.63	1000
512	16	58-570	9.58	1000
513	25	58-571	12.05	500
514	35	58-500	12.97	400
515	50	58-572	18.05	300
516	70	58-497	18.87	150
517	95	58-573	24.21	150
518	120	58-574	29.96	100
519	150	58-575	32.69	100
520	185	58-496	74.34	50
521	240	58-578	259.59	25
522	16	58-457	13.81	1000
523	50	58-477	67.30	200
524	95	58-479	129.18	150
525	0.5	58-651	4.83	1000



Keeping Electricity Firmly in its Place  
CABLE TERMINAL ENDS

S J METAL INDUSTRIES  
AN ISO 9001-2015 CO.

**jainson**  
COPPER TUBULAR END  
SEALING FERRULES



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
526	0.5	58-467	1.35	1000
527	0.75	58-468	1.35	1000
528	1.0	58-469	1.35	1000
529	1.0	58-470	1.86	1000
530	1.5	58-471	1.86	1000
531	1.5	58-472	2.13	1000
532	2.5	58-499	1.86	1000
533	2.5	58-502	2.11	1000
534	4	58-503	1.86	1000
535	4	58-504	2.11	1000
536	6	58-505	2.11	1000
537	6	58-506	2.11	1000
538	6	58-507	2.35	1000
539	10	58-549	2.35	500
540	10	58-550	2.35	500
541	10	58-551	2.75	500
542	16	58-552	2.75	500
543	16	58-553	2.75	500
544	16	58-554	2.75	500

**jainson**  
COPPER OPEN CLOSE TYPE  
SOLDERING CABLE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
545	1.5	153-371	2.62	1000
546	1.5	153-345	2.11	1000
547	2.5	153-372	3.09	1000
548	2.5	153-344	2.79	1000
549	4	153-373	5.41	1000
550	6	153-374	6.76	1000
551	10	153-375	8.77	1000
552	16	153-376	15.05	500
553	25	153-377	28.40	300
554	35	153-378	35.38	200
555	50	153-379	62.31	150
556	70	153-380	97.03	75
557	95	153-381	174.77	50
558	120	153-382	224.29	50
559	150	153-383	300.17	40
560	185	153-384	448.81	25
561	225	153-385	550.05	20
562	240	153-386	665.94	15
563	300	153-387	850.09	10
564	400	153-388	1242.13	5
565	500	153-389	1458.61	5
566	625	153-390	1731.42	4

**jainson**  
COPPER RING TONGUE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
567	1.5	3.7	170489	2.78	1000
568	1.5	4.2	170499	2.78	1000
569	1.5	2.6	170009	3.32	1000
570	1.5	3.2	170019	3.19	1000
571	1.5	3.7	170029	3.19	1000
572	1.5	4.2	170039	2.78	1000
573	1.5	4.2	171549	3.19	1000
574	1.5	4.2	170049	2.86	1000
575	1.5	5.2	170059	2.86	1000
576	1.5	5.2	170069	3.58	1000
577	1.5	6.4	170079	3.45	1000
578	1.5	6.4	171069	4.03	1000
579	2.5	3.2	171079	3.34	1000
580	2.5	3.7	170089	3.19	1000
581	2.5	3.7	171089	3.34	1000
582	2.5	4.2	170099	2.86	1000
583	2.5	5.2	170109	2.86	1000
584	2.5	5.2	171099	3.42	1000
585	2.5	6.4	170119	3.07	1000
586	2.5	5.2	171109	4.85	1000
587	2.5	6.4	170129	4.73	1000
588	2.5	8.2	170139	4.85	1000
589	2.5	8.2	170149	5.83	1000
590	2.5	10.2	171519	7.00	1000
591	4-6	4.2	171559	5.46	1000
592	4-6	5.2	170509	5.46	1000
593	4-6	5.2	171579	13.48	1000
594	4-6	5.2	170169	6.44	1000
595	4-6	6.4	170179	6.08	1000
596	4-6	8.2	170189	6.44	1000
597	4-6	6.4	170199	7.43	1000
598	4-6	6.4	171159	8.63	1000
599	4-6	8.2	170209	8.51	1000
600	4-6	8.2	171169	10.52	1000
601	4-6	10.2	170239	10.03	1000
602	4-6	12.7	170249	9.55	1000
603	10	5.2	170259	7.76	1000
604	10	4.2	171199	9.09	1000
605	10	5.2	170269	7.15	1000
606	10	6.4	171209	8.41	1000
607	10	8.2	171219	11.23	500
608	10	10.2	171239	17.17	500
609	10	12.7	170289	15.58	500
610	16	5.2	171249	12.74	500
611	16	6.4	170299	14.08	500
612	16	8.2	170309	16.85	500
613	16	10.2	171289	22.60	500
614	16	12.7	170339	22.35	500
615	25	6.4	171569	31.72	300

**jainson**  
COPPER RING TONGUE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
616	25	8.2	170349	32.25	300
617	25	10.2	171319	42.47	300
618	25	10.2	171329	47.28	200
619	25	12.7	170379	48.10	200
620	35	6.4	171339	40.28	300
621	35	8.2	170389	37.75	300
622	35	8.2	171349	57.23	200
623	35	10.2	170399	52.82	200
624	35	10.2	171359	52.48	200
625	35	12.7	170409	51.06	200
626	50	8.2	171369	65.22	150
627	50	10.2	171379	72.42	150
628	50	12.7	170429	73.99	150
629	50	16.2	171399	83.04	100
630	70	10.2	171409	89.67	100
631	70	12.7	171419	88.23	100
632	70	16.2	171429	98.61	100
633	95	10.2	171449	122.12	75
634	95	12.7	170449	122.61	75
635	95	16.2	171459	139.56	75
636	120	12.7	171469	156.91	50
637	120	16.2	171479	174.11	50
638	120	20.3	171489	233.72	50
639	150	12.7	171499	341.30	25
640	150	16.2	170459	323.02	25
641	150	20.3	170469	345.95	25

**jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
642	1.5	2.6	170539	5.57	1000
643	1.5	3.2	170549	4.32	1000
644	1.5	3.7	170559	4.32	1000
645	1.5	4.2	170569	4.03	1000
646	1.5	3.7	170589	4.03	1000
647	1.5	4.2	170599	4.03	1000
648	1.5	4.2	170619	4.34	1000
649	1.5	5.2	170629	4.34	1000
650	1.5	4.2	170639	4.42	1000
651	1.5	5.2	170659	4.83	1000
652	1.5	6.4	170669	4.65	1000
653	1.5	6.4	170679	5.09	1000
654	2.5	3.2	170689	4.36	1000
655	2.5	3.7	170699	4.36	1000

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
656	2.5	3.7	170709	4.77	1000
657	2.5	4.2	170719	4.32	1000
658	2.5	5.2	170729	4.32	1000
659	2.5	5.2	170739	4.93	1000
660	2.5	6.4	170749	4.70	1000
661	2.5	5.2	170759	6.26	1000
662	2.5	6.4	170769	6.16	1000
663	0.75	4.2	175919	6.74	1000
664	2.5	8.2	170779	5.85	1000
665	2.5	8.2	170799	6.67	1000
666	2.5	10.2	170819	7.77	1000
667	4-6	4.2	170839	6.95	500
668	4-6	5.2	170849	6.79	500
669	4-6	5.2	170869	7.63	500
670	4-6	5.2	170879	15.27	500
671	4-6	6.4	170899	7.84	500
672	4-6	8.2	170909	8.07	500
673	4-6	6.4	170929	9.07	500
674	4-6	6.4	170939	10.22	500
675	4-6	8.2	170949	9.94	500
676	4-6	8.2	170969	11.83	500
677	4-6	10.2	170999	11.54	500
678	4-6	12.7	171009	11.06	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
696	16	10.2	174069	36.19	200
697	16	10.2	174079	31.65	200
698	16	12.7	174089	31.65	200
699	25	6.4	174099	43.42	100
700	25	8.2	174109	43.42	100
701	25	6.4	174119	44.27	100
702	25	8.2	174129	44.27	100
703	25	10.2	174139	44.27	100
704	25	6.4	174149	59.03	100
705	25	8.2	174159	59.03	100
706	25	10.2	174169	64.00	100
707	25	10.2	174179	67.58	100
708	25	12.7	174189	63.58	100
709	35	6.4	174199	54.91	100
710	35	8.2	174209	55.35	100
711	35	8.2	174219	80.05	100
712	35	10.2	174229	80.05	100
713	35	10.2	174239	80.61	100
714	35	12.7	174249	80.61	100
715	50	8.2	174259	79.50	75
716	50	10.2	174269	79.50	75
717	50	10.2	174279	81.74	75
718	50	10.2	174289	93.10	75
719	50	12.7	174299	93.10	75
720	50	16.2	174309	111.55	75
721	70	10.2	174319	116.38	50
722	70	12.7	174329	119.51	50
723	70	12.7	174339	113.54	50
724	70	16.2	174349	113.54	50

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(M.R.)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
736	1.5	6.4	174509	6.43	1000
737	2.5	3.2	174519	6.16	1000
738	2.5	3.7	174529	5.88	1000
739	2.5	3.7	174539	6.38	1000
740	2.5	4.2	174549	5.64	1000
741	2.5	5.2	174559	5.64	1000
742	2.5	5.2	174569	6.06	1000
743	2.5	6.4	174579	5.92	1000
744	2.5	5.2	174589	7.82	1000
745	2.5	6.4	174599	7.71	1000
746	2.5	8.2	174609	7.82	1000
747	2.5	8.2	174629	7.64	1000
748	2.5	10.2	174649	9.66	1000
749	4-6	4.2	174669	9.63	500
750	4-6	5.2	174679	8.79	500
751	4-6	5.2	174699	9.75	500
752	4-6	5.2	174709	18.10	500
753	4-6	6.4	174729	9.66	500
754	4-6	8.2	174739	9.76	500
755	4-6	6.4	174759	11.16	500
756	4-6	6.4	174769	12.21	500
757	4-6	8.2	174779	12.21	500
758	4-6	8.2	174799	13.87	500
759	4-6	10.2	174829	14.25	500
760	4-6	12.7	174839	14.25	500
761	10	4.2	174849	19.72	300
762	10	5.2	174859	19.72	300
763	10	4.2	174869	18.80	300
764	10	5.2	174879	18.80	300
765	10	6.4	174889	21.17	300
766	10	8.2	174899	23.14	300
767	10	8.2	174909	31.82	300
768	10	10.2	174919	31.8	300
769	10	10.2	174929	228.81	300
770	10	12.7	174939	28.81	300
771	16	5.2	174949	28.81	200
772	16	5.2	174959	30.24	200
773	16	6.4	174969	30.24	200
774	16	6.4	174979	30.24	200
775	16	8.2	174989	30.24	200
776	16	9.7	174999	30.24	200
777	16	8.2	175009	42.34	200
778	16	10.2	175019	42.34	200
779	16	10.2	175029	37.36	200
780	16	12.7	175039	37.36	200

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
679	10	4.2	173899	14.99	500
680	10	5.2	173909	14.99	500
681	10	4.2	173919	14.19	500
682	10	5.2	173929	14.19	500
683	10	6.4	173939	16.19	500
684	10	8.2	173949	18.45	500
685	10	8.2	173959	26.53	500
686	10	10.2	173969	26.53	300
687	10	10.2	173979	23.71	300
688	10	12.7	173989	23.71	300
689	16	5.2	173999	22.71	300
690	16	5.2	174009	24.97	300
691	16	6.4	174019	24.97	300
692	16	6.4	174029	24.97	300
693	16	8.2	174039	24.97	300
694	16	9.7	174049	24.97	300
695	16	8.2	174059	36.19	200

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(M. R.)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
725	1.5	2.6	174369	7.56	1000
726	1.5	3.2	174379	5.23	1000
727	1.5	3.7	174389	5.23	1000
728	1.5	4.2	174399	5.23	1000
729	1.5	3.7	174419	5.23	1000
730	1.5	4.2	174429	5.23	1000
731	1.5	4.2	174449	5.42	1000
732	1.5	5.2	174459	5.42	1000
733	1.5	4.2	174469	5.51	1000
734	1.5	5.2	174489	6.16	1000
735	1.5	6.4	174499	6.25	1000



**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS

(NON- STANDARD ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
781	1.5	3.2	171539	3.55	1000
782	1.5	2.2	171039	3.60	1000
783	1.5	3.2	171049	4.21	1000
784	1.5	4.2	171059	4.62	1000
785	2.5	6.4	171119	7.66	1000
786	2.5	10.2	170159	7.28	1000
787	2.5	12.7	170479	8.28	1000
788	4-6	4.2	171129	7.58	1000
789	4-6	5.2	171139	7.46	1000
790	4-6	5.2	171149	8.86	1000
791	4-6	9.7	170219	10.07	1000
792	4-6	10.2	170229	11.82	1000
793	4-6	8.2	171179	11.06	1000
794	10	4.2	171189	8.86	1000
795	10	8.2	171229	17.93	500
796	10	10.2	170279	17.73	500
797	16	5.2	171259	16.04	500
798	16	6.4	171269	17.22	500
799	16	9.7	170319	17.73	500
800	16	8.2	171279	24.14	500
801	16	10.2	170329	23.39	500
802	25	8.2	170519	28.10	300
803	25	6.4	171299	31.60	300
804	25	10.2	170359	29.67	300
805	25	6.2	171309	39.03	300
806	25	8.2	170369	37.98	300
807	50	10.2	170419	66.38	150
808	50	10.2	171389	76.11	150
809	70	12.7	170439	93.20	100
810	95	10.2	171439	118.19	75
811	150	16.2	171509	387.26	25

PRODUCT RANGE OF **Jainson** GROUP

- CABLE TERMINAL ENDS
- CRIMPING TOOLS
- CABLE GLANDS
- PLUG & SOCKET
- MAIN SWITCHES
- ROTARY SWITCHES
- CLIP ON TYPE TERMINALS
- BAKELITE STRIP CONNECTORS
- REVERSE FORWARD SWITCHES
- L.T. CONTROL SWITCHES
- LED LIGHTS
- WIRE STRIPPER WITH CUTTER
- BAKELITE FUSE FITTING
- ANTI-CORROSIVE COMPOUNDS
- LIMIT SWITCHES
- CAM SWITCHES

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
INSULATED

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
812	1.5	2.2	170529	5.26	1000
813	1.5	3.2	170579	5.26	1000
814	1.5	3.2	170609	6.05	1000
815	1.5	4.2	170649	6.16	1000
816	2.5	6.4	170789	9.22	1000
817	2.5	10.2	170809	9.22	1000
818	2.5	12.7	170829	10.34	1000
819	4-6	4.2	170859	10.34	500
820	4-6	5.2	170889	11.57	500
821	4-6	5.2	170919	11.32	500
822	4-6	9.7	170959	14.59	500
823	4-6	10.2	170979	17.47	500
824	4-6	8.2	170989	16.19	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)  
(NON-STANDARD ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
825	1.5	2.2	174359	7.71	1000
826	1.5	3.2	174409	7.71	1000
827	1.5	3.2	174439	6.79	1000
828	1.5	4.2	174479	7.30	1000
829	2.5	6.4	174619	10.68	1000
830	2.5	10.2	174639	10.68	1000
831	2.5	12.7	174659	11.98	1000
832	4-6	4.2	174689	12.62	500
833	4-6	5.2	174719	14.13	500
834	4-6	5.2	174749	14.10	500
835	4-6	9.7	174789	15.12	500
836	4-6	10.2	174809	17.42	500
837	4-6	8.2	174819	18.97	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
838	4	8.3	180379	13.52	500
839	4	9.9	180389	13.52	500
840	2.5	4.0	180399	6.76	1000
841	4	8.3	180409	13.52	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)

(NON-STANDARD ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
842	4	5.2	180419	11.25	500
843	4	6.7	180429	12.42	500
844	4	13.1	180439	16.46	500
845	2.5	8.3	180449	7.94	1000
846	4	4.4	180459	12.23	500
847	2.5	5.2	180469	7.52	1000
848	2.5	6.7	180479	8.13	1000
849	2.5	9.9	180489	7.92	1000
850	2.5	4.4	180499	7.18	1000
851	4-6	5.2	180509	12.27	500
852	4-6	5.2	180519	16.39	500
853	4-6	6.7	180529	14.53	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(BEND TYPE)




ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
854	1	5.0	JAB-1	10.39	1000
855	2.5	5.0	JAB-2.5	10.64	1000

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(60° & 90° BEND)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
856	1.5	3.2	173559	10.36	1000
857	10	6.4	173889	22.94	500
858	10	8.4	171739	67.58	500
859	10	10.5	180219	83.13	500
860	16	8.2	180229	102.02	300



**Jainson**  
COPPER RING TONGUE  
SLOTTED LOCK HOLE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
861	25	19	JRL-504A	87.72	150
862	50	23	JRL-504B	157.86	100

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(DOUBLE HOLE)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
863	4-6	5.2	7157-DH	15.39	1000

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
864	1.5	3.1	172359	4.11	1000
865	1.5	4.1	172369	4.52	1000
866	1.5	4.1	172379	4.52	1000
867	1.5	5.1	172389	4.92	1000
868	1.5	3.6	172409	4.11	1000
869	1.5	3.1	172419	4.11	1000
870	1.5	3.6	172449	4.11	1000
871	1.5	6.1	178619	4.92	1000
872	2.5	3.1	178629	4.52	1000
873	2.5	3.6	178639	4.52	1000
874	2.5	6.1	178649	4.84	1000
875	2.5	4.1	172399	4.94	1000
876	2.5	5.1	172429	4.94	1000
877	4-6	4.1	172439	7.52	1000
878	4-6	4.1	172459	8.77	1000
879	4-6	5.1	172469	8.77	1000
880	4-6	5.1	172479	10.16	1000
881	4-6	6.1	172489	10.16	1000
882	10	4.1	178659	10.16	1000
883	10	5.1	178669	10.14	1000
884	10	6.1	178679	11.26	1000
885	10	8.1	178689	13.16	1000
886	16	5.1	178699	15.98	500
887	16	6.1	178709	17.84	500
888	16	8.1	178719	17.84	500
889	16	8.1	178729	22.24	500

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(“U” CUT INSULATED )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
890	1.5	3.1	178739	5.47	1000
891	1.5	3.6	178749	5.47	1000
892	1.5	3.1	178759	5.39	1000
893	1.5	3.6	178769	5.59	1000
894	1.5	4.1	178779	6.15	1000
895	1.5	4.1	178789	6.15	1000
896	1.5	5.1	178799	6.64	1000
897	1.5	6.1	178809	6.64	1000
898	2.5	3.1	178819	6.39	1000
899	2.5	3.6	178829	6.31	1000
900	2.5	4.1	178839	6.67	1000
901	2.5	5.1	178849	6.79	1000
902	2.5	6.1	178859	6.79	1000
903	4-6	4.1	178869	10.24	500
904	4-6	4.1	178879	12.39	500
905	4-6	5.1	178889	12.39	500
906	4-6	5.1	178899	13.44	500
907	4-6	6.1	178909	13.44	500
908	10	4.1	178919	14.64	500
909	10	5.1	178929	14.64	500
910	10	6.1	178939	15.79	500
911	10	8.1	178949	17.90	500
912	16	5.1	178959	21.02	300
913	16	6.1	178969	21.99	300
914	16	8.1	178979	21.99	300
915	16	8.1	178989	32.72	300

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT M.R. )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
916	1.5	3.1	178999	7.30	1000
917	1.5	3.6	179009	7.30	1000
918	1.5	3.1	179019	7.30	1000
919	1.5	3.6	179029	7.30	1000
920	1.5	4.1	179039	8.22	1000
921	1.5	4.1	179049	8.22	1000
922	1.5	5.1	179059	8.22	1000
923	1.5	6.1	179069	8.89	1000
924	2.5	3.1	179079	8.89	1000
925	2.5	3.6	179089	8.89	1000
926	2.5	4.1	179099	9.04	1000
927	2.5	5.1	179109	9.04	1000
928	2.5	6.1	179119	9.04	1000
929	4-6	4.1	179129	13.36	500

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT M.R.)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
930	4-6	4.1	179139	15.20	500
931	4-6	5.1	179149	15.20	500
932	4-6	5.1	179159	16.57	500
933	4-6	6.1	179169	16.57	500
934	10	4.1	179179	19.38	300
935	10	5.1	179189	19.38	300
936	10	6.1	179199	20.30	300
937	10	8.1	179209	22.99	300
938	16	5.1	179219	27.74	200
939	16	6.1	179229	48.55	200
940	16	8.1	179239	49.82	200
941	16	8.1	179249	52.18	200

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
942	1.0	3.5	FT-SPL	3.22	1000
943	1.5	3.0	180559	4.11	1000
944	1.5	5.1	172149	6.02	1000
945	1.5	3.5	172499	2.36	1000
946	1.5	3.1	172509	3.55	1000
947	2.5	3.5	172519	2.67	1000
948	2.5	5.1	172809	6.89	1000
949	4-6	3.1	172529	4.62	1000
950	4-6	3.5	172539	4.52	1000
951	10	6.5	172549	13.25	500
952	10	8.5	172559	12.97	500
953	16	4.4	101319	16.25	500
954	1.5	2.8	JFT-900	3.24	1000
955	2.5	4.1	185159	6.92	1000



**Jainson**  
COPPER FORK TERMINAL ENDS  
( INSULATED )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
956	1.0	3.5	FT-SPL(I)	4.36	1000
957	1.5	5.1	179259	7.17	1000
958	1.5	3.5	179269	3.20	1000
959	1.5	3.1	179279	4.77	1000
960	2.5	3.5	179289	3.76	1000
961	2.5	5.1	179299	7.66	1000
962	4-6	3.1	179309	6.29	500
963	4-6	3.5	179319	6.16	500
964	10	6.5	179329	15.74	300
965	10	8.2	179339	15.53	300

**Jainson**  
COPPER FORK TERMINAL ENDS  
( M.R. )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
966	1.0	3.5	FT-SPL(R)	5.14	1000
967	1.5	5.1	179349	8.73	1000
968	1.5	3.5	179359	4.47	1000
969	1.5	3.1	179369	5.72	1000
970	2.5	3.5	179379	4.80	1000
971	2.5	5.0	179389	8.48	1000
972	4-6	3.1	179399	7.97	500
973	4-6	3.5	179409	7.91	500
974	10	6.5	179419	21.05	200
975	10	8.2	179429	20.94	200

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
976	1.5	3.2	JFT-911	3.85	1000
977	1.5	3.7	JFT-912	3.71	1000
978	2.5	3.7	JFT-922	4.34	1000
979	4-6	5.2	JFT-940	7.19	1000
980	10	4.2	JFT-958	11.43	1000
981	1.0	4.2	JFT-908	6.14	1000
982	1.5	5.2	JFT-919	5.40	1000
983	4-6	6.4	JFT-943	9.90	1000
984	1.5	2.2	JFT-909	5.42	1000
985	1.5	5.2	JFT-918	3.87	1000

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
986	2.5	4.2	JFT-925	6.35	1000
987	2.5	5.2	JFT-926	6.35	1000
988	2.5	6.4	JFT-928	8.69	1000
989	2.5	12.7	JFT-938	10.81	1000
990	4-6	4.2	JFT-939	7.52	1000
991	4-6	8.2	JFT-948	10.84	1000
992	10	4.2	JFT-957	11.69	1000
993	10	5.2	JFT-959	11.29	1000
994	10	6.4	JFT-960	10.58	1000

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS  
( INSULATED )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
995	1.5	2.2	JFT-1009	5.18	1000
996	1.5	3.2	JFT-1011	4.87	1000
997	1.5	3.7	JFT-1012	4.87	1000
998	1.5	5.2	JFT-1018	5.50	1000
999	1.5	5.2	JFT-1019	6.35	1000
1000	2.5	3.7	JFT-1022	6.35	1000
1001	2.5	4.2	JFT-1025	7.74	1000
1002	2.5	5.2	JFT-1026	7.74	1000
1003	2.5	6.4	JFT-1028	9.84	1000
1004	2.5	12.7	JFT-1038	13.03	1000
1005	4-6	4.2	JFT-1039	10.48	500
1006	4-6	5.2	JFT-1040	10.48	500
1007	4-6	6.4	JFT-1043	12.58	500
1008	4-6	8.2	JFT-1048	13.95	500
1009	10	4.2	JFT-1057	16.93	500
1010	10	4.2	JFT-1058	17.74	500
1011	10	5.2	JFT-1059	17.42	500
1012	10	6.4	JFT-1060	17.42	500

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS ( M.R. )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1013	1.5	2.2	JFT-1109	6.48	1000
1014	1.5	3.2	JFT-1111	6.37	1000
1015	1.5	3.7	JFT-1112	7.16	1000

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS  
( M.R. )



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1016	1.5	5.2	JFT-1118	7.93	1000
1017	1.5	5.2	JFT-1119	8.87	1000
1018	2.5	3.7	JFT-1122	7.34	1000
1019	2.5	4.2	JFT-1125	9.40	1000
1020	2.5	5.2	JFT-1126	11.10	1000
1021	2.5	6.4	JFT-1128	11.10	1000
1022	2.5	12.7	JFT-1138	14.95	1000
1023	4-6	4.2	JFT-1139	14.95	500
1024	4-6	5.2	JFT-1140	14.95	500
1025	4-6	6.4	JFT-1143	14.95	500
1026	4-6	8.2	JFT-1148	16.52	500
1027	10	4.2	JFT-1157	24.47	400
1028	10	4.2	JFT-1158	24.47	400
1029	10	5.2	JFT-1159	24.47	400
1030	10	6.4	JFT-1160	24.47	400

**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1031	0.75	172799	6.18	1000
1032	1.5	172789	5.21	1000
1033	1.5	172659	5.21	1000
1034	1.5	172669	5.90	1000
1035	1.5	172569	5.90	1000
1036	1.5	172579	6.31	1000
1037	1.5	172709	7.32	1000
1038	1.5	172719	7.32	1000
1039	2.5	172589	7.32	1000
1040	2.5	172599	6.29	1000
1041	2.5	172609	6.35	1000
1042	2.5	172729	8.56	1000
1043	2.5	172739	8.56	1000
1044	4	172749	14.02	1000
1045	4	172759	14.02	1000
1046	4	172769	14.02	1000
1047	4	172779	14.02	1000
1048	4-6	172619	11.47	1000
1049	4-6	172629	11.47	1000
1050	4-6	172639	11.47	1000
1051	4-6	172689	9.77	1000
1052	4-6	172699	9.50	1000
1053	6	172649	11.47	1000
1054	6	172679	12.50	1000

**jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1055	0.75	179439	7.20	1000
1056	1.5	179449	7.94	1000
1057	1.5	179459	6.89	1000
1058	1.5	179469	6.89	1000
1059	1.5	179479	6.89	1000
1060	1.5	179489	6.57	1000
1061	1.5	179499	8.43	1000
1062	1.5	179509	8.22	1000
1063	2.5	179519	8.63	1000
1064	2.5	179529	7.66	1000
1065	2.5	179539	7.66	1000
1066	2.5	179549	9.96	1000
1067	2.5	179559	9.96	1000
1068	4	179569	15.79	1000
1069	4-6	179609	13.03	500
1070	4-6	179639	12.80	500
1071	4-6	179649	11.26	500

**jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1072	4	5.1	179579	16.24	500
1073	4	8.1	179599	15.25	500
1074	4-6	5.1	179619	13.12	500
1075	4-6	5.1	179629	13.12	500
1076	6	4.1	179659	14.13	500
1077	6	4.1	179669	14.71	500

**jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(M.R.)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1078	0.75	179679	9.37	1000
1079	1.5	179689	8.69	1000
1080	1.5	179699	8.69	1000
1081	1.5	179709	9.30	1000
1082	1.5	179719	9.30	1000
1083	1.5	179729	9.30	1000
1084	1.5	179739	10.68	1000

**jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(M.R.)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1085	1.5	179749	10.68	1000
1086	2.5	179759	11.31	1000
1087	2.5	179769	10.44	1000
1088	2.5	179779	10.44	1000
1089	2.5	179789	12.74	1000
1090	2.5	179799	12.74	1000
1091	4	179809	20.51	500
1092	4.6	179849	16.81	500
1093	4.6	179859	16.81	500
1094	4.6	179879	14.38	500
1095	6	179889	14.38	500

**jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(M.R.)



ITEM NO.	AREA mm <sup>2</sup>	E Dia	Jainson CAT. No.	PRICE EACH	STD PKG
1096	4	5.1	179819	20.03	500
1097	4	8.1	179829	20.03	500
1098	4	8.1	179839	18.46	500
1099	4.6	5.1	179869	16.02	500
1100	6	4.1	179899	19.06	500
1101	6	4.1	179909	19.36	500

**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1102	1.0	316-0	3.20	1000
1103	1.5	316-9	2.53	1000
1104	1.5	316-35	2.88	1000
1105	1.5	316-38	6.95	1000
1106	2.5	316-1	2.70	1000
1107	2.5	316-2	2.61	1000
1108	4	316-3	5.64	1000
1109	4	316-4	9.27	1000
1110	6	316-5	5.85	1000
1111	6	316-6	9.52	1000
1112	10	316-7	9.30	1000
1113	16	316-8	16.64	500
1114	2.5	316-10	4.51	1000

**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1115	2.5	316-11	4.51	1000
1116	4	316-12	8.41	1000
1117	4	316-13	8.83	1000
1118	6	316-14	9.48	1000
1119	6	316-15	9.48	1000
1120	10	316-16	13.83	1000
1121	25	316-125	42.88	300
1122	35	316-135	56.50	300
1123	50	316-150	72.43	150
1124	70	316-170	99.76	100
1125	95	316-195	140.09	100
1126	0.75	316-54	3.66	1000

**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
(INSULATED)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1127	1.0	316-0 (I)	4.29	1000
1128	1.0	316-45 (I)	9.02	1000
1129	1.5	316-17	3.37	1000
1130	1.5	316-40	4.36	1000
1131	1.5	316-38 (I)	8.15	1000
1132	1.5	316-42 (I)	9.02	1000
1133	1.5	316-51 (I)	6.20	1000
1134	2.5	316-18	3.62	1000
1135	2.5	316-19	3.85	1000
1136	4	316-20	7.38	500
1137	4	316-21	14.84	500
1138	6	316-22	14.78	500
1139	6	316-23	14.84	500
1140	10	316-24	23.81	500
1141	16	316-25	31.82	400

**jainson**  
CABLE TERMINAL ENDS



**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
( M.R.)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1142	1.0	316-0 (R)	5.41	1000
1143	1.5	316-26	4.63	1000
1144	2.5	316-27	4.91	1000
1145	2.5	316-28	4.75	1000
1146	4	316-29	9.19	500
1147	4	316-30	20.03	500
1148	6	316-31	20.54	500
1149	6	316-32	20.54	500
1150	0.75	316-54	4.93	1000
1151	2.5	316-52	12.21	1000
1152	10	316-33	28.25	400
1153	16	316-34	39.43	300
1154	1.5	316-35(R)	5.92	1000

**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS




ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1155	2.5	316-101	10.71	1000
1156	2.5	316-102	12.96	1000
1157	6	316-103	21.93	1000
1158	6	316-104	18.25	1000

**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
(SPECIAL)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1159	16	316-105	30.38	500
1160	2.5	316-106	11.66	1000
1161	2.5	316- 2P2	9.27	1000
1162	2.5	T TYPE	9.72	1000
1163	4-6	T TYPE	11.83	1000



**Jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1164	0.75	JSP-01	2.89	1000
1165	0.75	JSF-02	2.74	1000
1166	0.75	JSR-03	2.80	1000
1167	0.75	JSP-04	3.11	1000
1168	1	JSP-05	3.33	1000
1169	1.5	JSP-06	3.62	1000
1170	1	JSR-07	3.46	1000
1171	1	JSR-08	3.46	1000
1172	1	JSR-09	3.55	1000
1173	1	JSR-10	3.33	1000
1174	1	JSR-11	3.65	1000
1175	1	JSR-12	3.55	1000
1176	1	JSR-13	3.89	1000
1177	1	JSR-14	3.89	1000
1178	1	JSR-15	4.17	1000

**Jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS  
( INSULATED )



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1179	0.75	JSP-01 (I)	4.71	1000
1180	0.75	JSF-02 (I)	4.58	1000
1181	0.75	JSR-03 (I)	4.58	1000
1182	0.75	JSP-04 (I)	4.71	1000
1183	1	JSP-05 (I)	5.2	1000
1184	1.5	JSP-06 (I)	95.41	1000
1185	1	JSR-07 (I)	5.29	1000
1186	1	JSR-08 (I)	5.29	1000
1187	1	JSR-09 (I)	5.29	1000
1188	1	JSR-10 (I)	4.85	1000
1189	1	JSR-11 (I)	5.41	1000
1190	1	JSR-12 (I)	5.29	1000
1191	1	JSR-13 (I)	5.83	1000
1192	1	JSR-14 (I)	5.76	1000
1193	1	JSR-15 (I)	6.22	1000



**Jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS  
( M.R.)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1194	0.75	JSP-01 (R)	5.29	1000
1195	0.75	JSF-02 (R)	5.12	1000
1196	0.75	JSR-03 (R)	5.29	1000
1197	0.75	JSP-04 (R)	6.10	1000
1198	1	JSP-05 (R)	6.39	1000
1199	1.5	JSP-06 (R)	6.66	1000
1200	1	JSR-07 (R)	6.66	1000
1201	1	JSR-08 (R)	6.66	1000
1202	1	JSR-09 (R)	6.72	1000
1203	1	JSR-10 (R)	6.66	1000
1204	1	JSR-11 (R)	6.79	1000
1205	1	JSR-12 (R)	6.72	1000
1206	1	JSR-13 (R)	7.20	1000
1207	1	JSR-14 (R)	7.16	1000
1208	1	JSR-15 (R)	7.62	1000

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1209	2.5	RPC-1	19.11	1000
1210	2.5	RPC-7	17.36	1000
1211	4	RPC-15	19.11	1000
1212	4	RPC-16	17.36	1000
1213	6	RPC-17	20.35	1000
1214	6	RPC-18	17.88	1000
1215	10	RPC-19	23.42	1000
1216	10	RPC-20	21.78	1000
1217	10	RPC-21	27.22	1000
1218	10	RPC-22	25.06	1000
1219	16	RPC-23	46.64	500
1220	16	RPC-24	46.64	500
1221	16	RPC-2	32.87	500
1222	25	RPC-25	53.86	400
1223	25	RPC-3	73.60	300
1224	35	RPC-4	71.71	300
1225	50	RPC-26	81.95	200
1226	50	RPC-5	178.47	100
1227	70	RPC-27	131.47	150
1228	70	RPC-6	164.96	100
1229	70	RPC-28	201.81	100
1230	95	RPC-29	191.87	75
1231	95	RPC-8	268.75	75
1232	95	RPC-31	179.00	100
1233	95	RPC-32	283.33	50

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1234	120	RPC-33	243.05	75
1235	120	RPC-34	241.17	50
1236	120	RPC-35	281.64	50
1237	120	RPC-36	376.98	50
1238	150	RPC-10	445.73	50
1239	150	RPC-37	345.95	50
1240	185	RPC-30	554.85	40
1241	185	RPC-38	461.26	50
1242	225	RPC-39	720.72	25
1243	225	RPC-46	902.35	25
1244	225	RPC-42	885.05	25
1245	240	RPC-44	922.52	25
1246	240	RPC-43	706.08	25
1247	300	RPC-45	887.92	20
1248	300	RPC-47	936.27	20

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS  
(SPECIAL ITEMS)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1249	4	RPC-51	32.24	1000
1250	10	RPC-52	42.91	500
1251	16	RPC-53	63.98	500
1252	25	RPC-54	86.36	300
1253	35	RPC-55	112.20	200
1254	50	RPC-56	121.02	150
1255	2.5	RPC-57	19.08	1000
1256	10	RPC-58	30.24	600
1257	25	RPC-59	80.67	400
1258	35	RPC-60	71.52	400
1259	50	RPC-61	83.60	200
1260	400	RPC-101	1687.97	10

**Jainson**  
ALUMINIUM CABLE SOCKETS

(CENTRAL PALM)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1261	70	JADC-25	26.23	100
1262	70	JADC-33	43.54	100
1263	120	JADC-26	50.78	50

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1264	1.5	JP-36	27.68	1000
1265	2.5	JP-37	25.82	1000
1266	4	JP-38	25.82	1000
1267	6	JP-39	27.39	1000
1268	10	JP-40	38.93	500
1269	10	JP-41	53.63	500
1270	16	JP-42	67.47	500
1271	25	JP-43	75.68	300
1272	35	JP-44	85.78	300
1273	50	JP-45	121.25	200
1274	70	JP-46	164.03	100

**Jainson**  
REDUCER TYPE SOLDERING  
TERMINAL ENDS

(Brass)



ITEM NO.	AREA Amps./mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1275	15	JE-40	26.21	1000
1276	30	JE-41	51.35	500
1277	60	JE-42	129.72	500
1278	100	JE-43	207.04	100
1279	150	JE-44	318.78	40
1280	200	JE-45	417.56	25
1281	300	JE-46	517.24	20
1282	50	JE-47	122.41	200
1283	70	JE-48	148.91	200
1284	150	JE-49	318.78	50
1285	50	JE-50	347.77	200
1286	300	JE-51	482.47	20
1287	300	JE-52	579.59	20
1288	300	JE-53	482.47	20
1289	400	JE-54	634.08	15

**Jainson**  
ALUMINIUM REDUCER TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1290	2.5	RPA-1	9.68	1000
1291	2.5	RPA-7	9.04	1000
1292	4	RPA-15	9.68	1000
1293	4	RPA-16	9.04	1000

**Jainson**  
ALUMINIUM REDUCER TYPE  
TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1294	6	RPA-17	10.98	1000
1295	6	RPA-18	9.09	1000
1296	10	RPA-19	11.93	1000
1297	10	RPA-20	10.98	1000
1298	10	RPA-21	13.42	1000
1299	10	RPA-22	12.99	1000
1300	16	RPA-23	25.14	500
1301	16	RPA-24	25.14	400
1302	16	RPA-2	16.79	500
1303	25	RPA-25	26.41	300
1304	25	RPA-3	34.74	300
1305	35	RPA-4	34.74	200
1306	50	RPA-26	40.03	150
1307	50	RPA-5	68.85	100
1308	70	RPA-27	60.49	100
1309	70	RPA-6	74.93	75
1310	70	RPA-28	92.66	75
1311	95	RPA-29	89.77	75
1312	95	RPA-8	120.47	75
1313	95	RPA-31	79.33	75
1314	95	RPA-32	130.84	75
1315	120	RPA-33	110.52	50
1316	120	RPA-34	110.52	50
1317	120	RPA-35	123.76	50
1318	120	RPA-36	170.02	50
1319	150	RPA-10	200.44	40
1320	150	RPA-37	160.51	50
1321	185	RPA-30	250.28	50
1322	185	RPA-38	202.75	40
1323	225	RPA-39	333.70	20
1324	225	RPA-46	473.61	20
1325	225	RPA-42	440.14	20
1326	240	RPA-44	430.22	20
1327	240	RPA-43	313.64	25
1328	300	RPA-45	401.28	15
1329	300	RPA-47	451.97	15

**Jainson**  
ALUMINIUM REDUCER TYPE  
TERMINAL ENDS

(SPECIAL)



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1330	6	RPA-51	15.38	1000
1331	10	RPA-52	15.98	1000
1332	25	RPA-53	21.36	300
1333	50	RPA-54	67.63	200

**Jainson**  
COPPER INSULATED FERRULES



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1334	0.5	58 - 508 L6 (I)	1.52	1000
1335	0.5	58 - 508 L8 (I)	1.79	1000
1336	0.5	58 - 508 L10 (I)	1.91	1000
1337	0.75	58 - 509 L6 (I)	1.79	1000
1338	0.75	58 - 509 L8 (I)	1.84	1000
1339	0.75	58 - 509 L10 (I)	2.08	1000
1340	0.75	58 - 509 L12 (I)	2.18	1000
1341	1.0	58 - 510 L6 (I)	1.91	1000
1342	1.0	58 - 510 L8 (I)	1.94	1000
1343	1.0	58 - 511 L10 (I)	2.08	1000
1344	1.0	58 - 511 L12 (I)	2.38	1000
1345	1.5	58 - 512 L8 (I)	1.94	1000
1346	1.5	58 - 513 L10 (I)	2.01	1000
1347	1.5	58 - 513 L18 (I)	3.48	1000
1348	2.5	58 - 514 L8 (I)	2.35	1000
1349	2.5	58 - 515 L12 (I)	2.64	1000
1350	2.5	58 - 515 L18 (I)	3.48	1000
1351	4	58 - 516 L10 (I)	2.64	1000
1352	4	58 - 517 L12 (I)	3.06	1000
1353	4	58 - 517 L18 (I)	4.07	1000
1354	6	58 - 518 L10 (I)	2.96	1000
1355	6	58 - 519 L12 (I)	3.38	1000
1356	6	58 - 520 L15 (I)	4.02	1000
1357	6	58 - 520 L18 (I)	4.33	1000
1358	10	58 - 521 L12 (I)	4.97	500
1359	10	58 - 522 L15 (I)	5.39	500
1360	10	58 - 523 L18 (I)	6.76	500
1361	16	58 - 524 L12 (I)	6.34	500
1362	16	58 - 525 L15 (I)	6.76	500
1363	16	58 - 526 L18 (I)	7.28	500
1364	25	58 - 527 L12 (I)	13.26	200
1365	25	58 - 527 L16 (I)	14.78	200
1366	25	58 - 527 L22 (I)	17.76	200
1367	35	58 - 528 L16 (I)	17.83	200
1368	35	58 - 528 L22 (I)	19.99	200
1369	35	58 - 528 L25 (I)	22.44	200
1370	50	58 - 529 L12 (I)	25.26	100
1371	50	58 - 529 L20 (I)	29.45	100
1372	50	58 - 529 L25 (I)	31.68	100
1373	70	58 - 530 L20 (I)	35.65	100
1374	70	58 - 530 L25 (I)	38.29	100
1375	95	58 - 531 L20 (I)	42.24	50
1376	95	58 - 531 L25 (I)	45.55	50



**Jainson**  
COPPER TWIN INSULATED FERRULES



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1377	0.5	TW-508L8	4.63	1000
1378	0.75	TW-509L8	4.98	1000
1379	0.75	TW-509L10	5.34	1000
1380	1.0	TW-510L8	7.06	1000
1381	1.0	TW-511L10	7.28	1000
1382	1.5	TW-512L8	8.13	1000
1383	1.5	TW-513L12	8.45	1000
1384	2.5	TW-514L10	10.56	1000
1385	2.5	TW-515L12	10.95	1000
1386	4.0	TW-517L12	14.09	1000
1387	6.0	TW-520L14	15.68	500
1388	10.0	TW-522L14	17.25	500
1389	16.0	TW-525L14	19.43	500

**Jainson**  
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1390	1.0	183689	4.81	1000
1391	....	183699	4.81	1000
1392	....	183709	4.81	1000
1393	1.5	183609	7.63	1000
1394	1.5	183619	9.56	1000
1395	1.5	183519	5.69	1000
1396	1.5	183519(I)	7.26	1000
1397	1.5	183529	7.98	1000
1398	1.5	183589	4.81	1000
1399	1.5	183599	6.53	1000
1400	1.5	183249	4.45	1000
1401	1.5	183259	5.94	1000
1402	1.5	183549	4.81	1000
1403	1.5	183559	6.05	1000
1404	1.5	181979	5.40	1000
1405	1.5	183369	4.69	1000
1406	1.5	183539	6.85	1000
1407	1.5	183569	4.81	1000
1408	1.5	183579	6.05	1000
1409	1.5	183629	6.42	1000
1410	1.5	183649	4.24	1000
1411	1.5	183679	15.85	1000
1412	1.5	186619	7.87	1000
1413	2.5	181789	8.71	1000
1414	1.5	182459	7.48	1000
1415	1.5	183319	8.06	1000
1416	2.5	183479	6.03	1000

**Jainson**  
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1417	2.5	183479(I)	7.74	1000
1418	2.5	183489	8.68	1000
1419	2.5	183499	6.03	1000
1420	2.5	183509	8.68	1000
1421	2.5	183639	7.26	1000
1422	2.5	183659	10.16	1000
1423	2.5	183669	10.16	1000
1424	2.5	184739	11.50	1000
1425	2.5	184749	14.27	500
1426	2.5	184759	14.27	500
1427	2.5	184779	18.76	500
1428	....	182149	9.19	1000
1429	....	183469	10.29	1000
1430	1.2	186939	4.35	1000
1431	1.2	186949	3.39	1000
1432	1.2	186959	3.06	1000
1433	1.2	186979	2.06	1000
1434	4	184769(R)	11.37	500

**Jainson**  
SNAP-ON TERMINAL ENDS



ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG	
1435	2.5	189609	6.05	1000	
1436	2.5	189619	7.44	1000	
1437	4	189629	15.81	1000	
1438	1-2.5	6.3 X 0.8	119609	4.45	1000
1439	4-6	6.3 X 0.8	110119	6.18	1000
1440	0.5-1.25	6.3 X 0.8	119619	3.60	1000
1441	0.5-2	4.8 X 0.5	119659	2.74	1000
1442	0.5-2	4.8 X 0.5	119689	3.44	1000
1443	0.5-1.0	4.8 X 0.5	118609	3.44	1000
1444	0.5-1.5	6.3 X 0.8	119679	4.27	1000
1445	2.6	6.3 X 0.8	110129	5.21	1000
1446	0.5-2	4.8 X 0.5	119759	2.55	1000
1447	0.5-2	4.8 X 0.8	119789	3.03	1000
1448	0.25	2.8 X 0.5	118069	2.55	1000
1449	1.0	2.8 X 0.5	116969	4.48	1000
1450	1.0	2.8 X 0.8	116989	5.69	1000


**Jainson**  
SNAP ON TABS

ITEM NO.	TAB SIZE	Jainson CAT. No.	PRICE EACH	STD PKG
1451	6.3	T- TOP I	8.55	1000
1452	....	C- CLIP II	2.04	1000

**jainson** SNAP ON TYPE TABS




ITEM NO.	AREA mm <sup>2</sup>	Jainson CAT. No.	PRICE EACH	STD PKG
1453	1.5	150849 (VI)	7.71	1000
1454	2.5	150859 (VI)	7.89	1000
1455	6	150249 (VI)	9.24	1000
1456	...	150449 (IV)	5.16	1000
1457	...	150459 (IV)	5.81	1000
1458	1.2	150689 (I)	6.85	1000
1459	1.2	150729 (I)	6.85	1000
1460	1.5	150659 (VI)	7.39	1000
1461	2.0	150669 (VI)	7.39	1000
1462	2.0	150739 (I)	7.52	1000
1463	2.0	150769 (I)	9.60	1000
1464	....	150479 (IV)	6.02	1000
1465	....	150499 (II)	6.85	1000
1466	....	150509 (IV)	5.47	1000
1467	....	150799 (IV)	6.02	1000
1468	....	150819 (V)	4.73	1000
1469	2.5	151219 (I)	9.24	1000
1470	6	151059 (I)	10.53	1000
1471	1.2	150679 (I)	9.19	1000
1472	....	100019 (VI)	3.35	1000
1473	....	100029 (III)	3.35	1000
1474	....	100039 (VII)	4.11	1000
1475	....	100049 (V)	6.18	1000
1476	....	100059 (VI)	6.68	1000
1477	....	100069	6.85	1000
1478	....	150239	8.84	1000
1479	....	151019	10.89	1000
1480	....	150619	4.10	1000
1481	....	150519	5.47	1000
1482	....	150229	9.42	1000
1483	....	150349	8.06	1000
1484	6.3 X 0.8	100079	8.92	1000
1485	6.3 X 0.8	100089 IV	4.16	1000
1486	6.3 X 0.8	100099 IV	4.60	1000
1487	6.3 X 0.8	100109 IV	4.60	1000
1488	6.3 X 0.8	100119 II	5.81	1000
1489	6.3 X 0.8	110129 V	5.21	1000



SNAP ON TYPE TABS

**jainson** BI-METAL CABLE LUGS SUITABLE FOR 1.1 KV & ABOVE FOR R. CORE XLPE ALUMINIUM LT /HT CABLE



ITEM NO.	AL-CABLE SIZE Sq.mm-φE stud size	ALUMINIUM DIMENSIONS			COPPER DIMENSIONS			Jainson CAT. No.	PRICE EACH	STD PKG	
		φAL-ID ±0.50	φAL-OD ±0.50	AL-BL ±0.50	D ±1.00	F ±0.50	TL ±3.00				
1490	16Sq mm-M8	5.50	14.00	33.00	21.00	4.00	75.00	JBI-16M 8	314.50	200	
	16Sq mm-M10										JBI-16M 10
1491	25Sq mm-M8	7.20	14.00	33.00	21.00	4.00	75.00	JBI-25M 8	338.69	200	
	25Sq mm-M10										JBI-25M 10
1492	35Sq mm-M8	8.20	14.00	33.00	21.00	4.00	75.00	JBI-35M 8	338.69	200	
	35Sq mm-M10										JBI-35M 10
1493	50Sq mm-M8	10.30	20.00	41.00	25.00	5.00	87.00	JBI-50M 8	380.16	100	
	50Sq mm-M10										JBI-50M 10
	50Sq mm-M12										JBI-50M 12
1494	70Sq mm-M8	11.30	20.00	41.00	25.00	5.00	87.00	JBI-70M 8	388.61	100	
	70Sq mm-M10										JBI-70M 10
	70Sq mm-M12										JBI-70M 12
1495	95Sq mm-M8	13.30	20.00	41.00	25.00	5.00	87.00	JBI-95M 8	388.61	75	
	95Sq mm-M10										JBI-95M 10
	95Sq mm-M12										JBI-95M 12
1496	120Sq mm-M10	15.00	25.00	60.00	26.00	5.50	105.00	JBI-120M 10	608.26	50	
	120Sq mm-M12										JBI-120M 12
1497	150Sq mm-M10	16.50	25.00	60.00	26.00	5.50	105.00	JBI-150M 10	625.15	50	
	150Sq mm-M12										JBI-150M 12
1498	185Sq mm-M10	18.70	32.00	60.00	31	7.20	118.00	JBI-185M 10	963.07	25	
	185Sq mm-M12				31	7.20	118.00				JBI-185M 12
	185Sq mm-M16				35	6.50	122.00				JBI-185M 16
1499	240Sq mm-M10	20.00	32.00	60.00	31	7.20	118.00	JBI-240M 10	988.42	25	
	240Sq mm-M12				31	7.20	118.00				JBI-240M 12
	240Sq mm-M16				35	6.50	122.00				JBI-240M 16
1500	300Sq mm-M10	22.00	32.00	73.00	31	7.20	135.00	JBI-300M 10	1022.21	25	
	300Sq mm-M12				31	7.20	135.00				JBI-300M 12
	300Sq mm-M16				35	6.50	140.00				JBI-300M 16
1501	400Sq mm-M12	25.50	36.00	73.00	36.00	7.30	145.00	JBI-400M 12	1191.17	20	
	400Sq mm-M14										JBI-400M 14
	400Sq mm-M16										JBI-400M 16
1502	500Sq mm-M12	30.00	47.00	90.00	60x60	10.00	185.00	JBI-500M 12	4713.98	15	
	500Sq mm-M16										JBI-500M 16
	500Sq mm-M20										JBI-500M 20
1503	630Sq mm-M12	34.00	47.00	90.00	60x60	10.00	185.00	JBI-630M 12	4882.94	15	
	630Sq mm-M16										JBI-630M 16
	630Sq mm-M20										JBI-630M 20



**jainson**  
COMPRESSION TYPE  
ALUMINIUM TUBULAR  
TERMINAL FOR  
ALUMINIUM  
CONDUCTORS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
1504	2.5	3.2	119-151	3.10	2000
1505	2.5	3.7	119-309	3.10	2000
1506	4	4.2	119-155	3.10	2000
1507	4	5.2	119-317	3.30	2000
1508	6	5.2	119-158	3.30	2000
1509	6	6.5	119-313	3.30	2000
1510	10	4.2	119-159	3.85	1000
1511	10	6.4	119-214	4.50	1000
1512	10	8.2	119-215	4.50	1000
1513	16	6.4	119-252	5.00	1000
1514	16	8.2	119-216	5.00	1000
1515	16	10.2	119-217	5.00	1000
1516	25	6.4	119-253	6.70	500
1517	25	8.2	119-218	6.70	500
1518	25	10.2	119-219	6.70	500
1519	25	12.7	119-220	6.70	500
1520	35	6.4	119-254	8.80	500
1521	35	8.2	119-221	8.80	500
1522	35	10.2	119-222	8.80	500
1523	50	8.2	119-255	13.20	250
1524	50	10.2	119-312	13.20	250
1525	50	12.7	119-224	13.20	250
1526	70	8.2	119-256	20.90	200
1527	70	10.2	119-225	20.90	200
1528	70	12.7	119-226	20.90	200
1529	95	10.2	119-227	23.65	150
1530	95	12.7	119-228	23.65	150
1531	95	16.2	119-229	23.65	150
1532	120	10.2	119-257	33.20	100
1533	120	12.7	119-230	33.20	100
1534	120	16.2	119-231	33.20	100
1535	150	10.2	119-258	44.00	80
1536	150	12.7	119-232	44.00	80
1537	150	16.2	119-233	44.00	80
1538	185	10.2	119-311	56.65	75
1539	185	12.7	119-234	56.65	75
1540	185	16.2	119-235	56.65	75
1541	225	12.7	119-320	74.80	40
1542	240	12.7	119-236	94.60	40
1543	240	16.2	119-237	94.60	40
1544	300	16.2	119-300	126.50	30
1545	300	20.3	119-259	126.50	30
1546	400	20.3	119-260	198.00	20
1547	500	20.3	119-296	270.00	15
1548	630	20.3	119-261	352.00	10
1549	800	W/E	119-318	550.00	4
1550	1000	W/E	119-319	990.00	4

**jainson**  
ALUMINIUM TUBULAR  
TERMINAL ENDS WITH  
LONG BARREL FOR  
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm <sup>2</sup>	E Dia	jainson CAT. No.	PRICE EACH	STD PKG
1551	2.5	3.2	119-551	3.85	2000
1552	2.5	3.7	119-509	3.85	2000
1553	4	4.2	119-555	3.85	2000
1554	4	5.1	119-517	4.40	2000
1555	6	5.2	119-558	4.40	2000
1556	6	6.4	119-513	4.40	2000
1557	10	4.2	119-514	5.50	800
1558	10	6.4	119-515	5.50	800
1559	16	6.4	119-552	6.60	800
1560	16	8.2	119-516	6.60	800
1561	16	10.2	119-617	6.60	800
1562	25	8.2	119-518	7.70	500
1563	25	10.2	119-519	7.70	500
1564	25	12.7	119-520	7.70	500
1565	35	8.2	119-521	11.00	400
1566	35	10.2	119-522	11.00	400
1567	50	8.2	119-655	17.00	200
1568	50	10.2	119-512	17.00	200
1569	50	12.7	119-524	17.00	200
1570	70	8.2	119-556	27.50	125
1571	70	10.2	119-525	27.50	125
1572	70	12.7	119-526	27.50	125
1573	95	10.2	119-527	30.25	100
1574	95	12.7	119-528	30.25	100
1575	95	16.2	119-529	30.25	100
1576	120	10.2	119-557	41.00	80
1577	120	12.7	119-530	41.00	80
1578	120	16.2	119-531	41.00	80
1579	150	10.2	119-658	56.00	60
1580	150	12.7	119-532	56.00	60
1581	150	16.2	119-533	56.00	60
1582	185	10.2	119-511	72.60	50
1583	185	12.7	119-534	72.60	50
1584	185	16.2	119-535	72.60	50
1585	225	12.7	119-620	105.00	30
1586	240	12.7	119-536	117.70	30
1587	240	16.2	119-537	117.70	30
1588	300	16.2	119-500	155.00	25
1589	300	20.3	119-559	155.00	25
1590	400	20.3	119-560	243.00	12
1591	500	20.3	119-596	352.00	10
1592	630	20.3	119-561	462.00	8
1593	800	.....	119-618	722.00	4
1594	1000	.....	119-619	1342.00	4

**G. J METAL INDUSTRIES**  
MUMBAI -400 064  
OFF.- 022- 28440464

**jainson**  
COMPRESSION TYPE  
ALUMINIUM TUBULAR  
IN-LINE CONNECTORS FOR  
ALUMINIUM CONDUCTORS



ITEM NO.	AREA mm <sup>2</sup>	jainson CAT. No.	PRICE EACH	STD PKG
1595	2.5	119-145	2.30	2000
1596	2.5	119-6	2.30	2000
1597	4	119-5	2.30	2000
1598	6	119-13	2.30	2000
1599	10	119-146	2.65	1000
1600	10	119-14	3.00	1000
1601	16	119-4	4.00	1000
1602	25	119-3	5.70	500
1603	35	119-2	7.40	500
1604	50	119-12	10.50	250
1605	70	119-1	19.80	200
1606	95	119-15	21.50	150
1607	120	119-9	28.60	100
1608	150	119-10	34.65	80
1609	185	119-11	47.30	75
1610	225	119-147	80.00	40
1611	240	119-16	79.00	40
1612	300	119-17	114.40	30
1613	400	119-18	176.00	20
1614	500	119-19	236.00	15
1615	625	119-20	305.00	10
1616	800	119-148	635.00	4
1617	1000	119-149	820.00	4

ALUMINIUM SOCKET **jainson**



Specification of Raw Material

**ALUMINIUM**

RAW MATERIAL GRADE : Electrolytic Aluminium as per IS 5082  
 CONDUCTIVITY : 60 % IACS at 20°C  
 CHEMICAL COMPOSITION : Aluminium - 99.5%  
 Silicon - 0.15%  
 Iron max - 0.003%  
 Copper max - 0.4%  
 Titanium - 0.02%  
 Zirconium - 0.2%  
 TENSILE STRENGTH : 60 Mpa Min  
 RESISTIVITY : 0.02874 Ohm.mm/mm<sup>2</sup>

- PRICES ARE EXCLUSIVE OF ALL TAXES
- ALL PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
- ALL DISPUTES ARE SUBJECT TO MUMBAI JURISDICTION

**PRICE-LIST  
2022**



**Jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND



ITEM NO.	Core Size sq. mm	mm	Inch	Jainson CAT. No.	PRICE EACH	STD PKG
1	1.5 X 2	10	3/8"	JC-3/8"	48.48	200
2	1.5 X 3	12	1/2"	JC-1/2"L	46.43	150
3	1.5 X 3	12	1/2"	JC-1/2"M	55.21	150
4	1.5 X 3	12	1/2"	JC-1/2"H	65.34	100
5	2.5 X 3	16	5/8"	JC-5/8"L	46.36	150
6	1.5 X 4			JC-5/8"M	61.33	150
7				JC-5/8"H	75.32	100
8	1.5 X 5,6,7			JC-3/4"L	56.57	100
9	2.5 X 4	19	3/4"	JC-3/4"M	69.95	100
10				JC-3/4"H	96.12	100
11	4 X 6			JC-7/8"L	70.94	100
12	6 X 4	22	7/8"	JC-7/8"M	81.83	100
13				JC-7/8"H	103.46	100
14	2.5 X 7,10,12			JC-1"L	88.03	50
15	10 X 4	25	1"	JC-1"M	102.47	50
16				JC-1"H	137.71	50
17				JC-1"SP	146.79	40
18	16 X 3,4	28	1.1/8"	JC-1.1/8"	194.02	50
19				JC-1.1/8"L	149.43	50
20	25 X 3.5,4			JC-1.1/4"	231.57	30
21	35 X 3.5,4	32	1.1/4"	JC-1.1/4"L	188.56	30
22	50 X 3.5,4	35	1.3/8"	JC-1.3/8"	293.32	35
23				JC-1.3/8"L	235.45	40
24	70 X 3,3.5			JC-1.1/2"	327.79	25
25	95 X 3	38	1.1/2"	JC-1.1/2"L	273.71	25
26	95 X 3.5			JC-1 3/4"	412.63	16
27	120 X 3.5	45	1.3/4"	JC-1 3/4"L	317.36	20
28	150 X 3.5			JC-2"	529.40	12
29	185 X 3	50	2"	JC-2"L	484.02	14
30	185 X 3.5	57	2.1/4"	JC-2 1/4"	610.92	12
31				JC-2 1/4"L	510.59	12
32	240 X 3,3.5	63	2.1/2"	JC-2 1/2"	733.07	7
33				JC-2 1/2"L	558.97	8
34	300 X 3,3.5	70	2.3/4"	JC-2 3/4"	841.54	6
35				JC-2 3/4"L	727.53	7
36	400 X 3	75	3"	JC-3"	1021.57	6
37				JC-3"L	858.46	6
38	400 X 3.5	82	3.1/4"	JC-3 1/4"	1131.70	5
39				JC-3.1/4"L	952.31	5
40	500 X 3.5	88	3.1/2"	JC-3.1/2"	1764.52	3
41				JC-3.1/2L	1494.76	3
42	625 X 3.5	100	4"	JC-4"	2163.78	1
43	625 X 3.5	115	4.1/2"	JC-4.1/2"	3287.97	1

**Jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND SIBG  
(HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
44	9.0	12.0	1/2"	1612	87.84	150
45	9.0	16.0	5/8"	1616	122.94	100
46	10.0	16.0	3/4"	1619	133.85	100
47	14.0	20.0	3/4"	2119	159.39	60
48	14.0	20.0	1"	2125	172.12	40
49	20.0	26.0	1"	2925	251.42	30
50	24.0	29.0	1-1/4"	2932	290.24	30
51	24.0	29.0	1-1/2"	2938	290.24	20
52	31.0	37.0	1-1/2"	3638	451.05	12
53	42.0	45.0	2"	4251	701.21	12
54	44.0	50.0	2"	5451	797.27	8
55	44.0	50.0	2-1/2"	5463	819.72	8
56	54.0	60.0	2-1/2"	6063	1082.21	8
57	60.0	66.0	3"	6675	1231.08	4
58	70.0	77.0	3-1/4"	7882	1631.77	4
59	79.0	84.0	3-1/2"	8490	2354.48	2

**Jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND  
(LONG NIPPLE)



ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
60	1.5 X 3	12	JC-1/2"L.N.	74.16	150
61	2.5 X 3	1.5X4 16	JC-5/8"L.N.	76.69	150
62	1.5 X 5,6,7	2.5X4 16	JC-3/4"L.N.	103.57	100
63	4.0 X 6	6X4 22	JC-7/8"L.N.	111.32	100
64	2.5 X 7,10,12		JC-1"L.N.	147.69	50
65	10 X 4	25	JC-1"SP L.N.	166.51	75
66	16 X 3,4	28	JC-1.1/8"L.N.	212.20	50
67	25-35 X 3.5,4	32	JC-1.1/4"L.N.	260.43	30
68	50 X 3.5,4	35	JC-1.3/8"L.N.	333.01	30
69	70 X 3,3.5	38	JC-1.1/2"L.N.	411.76	25
70	95 X 3.5	120 X 3.5 45	JC-1.3/4"L.N.	435.63	16
71	150 X 3.5	50	JC-2"L.N.	544.98	12



**YASH TRADING CO.** MUMBAI -64

This Price-List cancels all our previous Price Lists.

**Jainson**  
**DOUBLE COMPRESSION FLAME**  
**PROOF TYPE BRASS CABLE GLAND**  
 (LIGHT DUTY)



ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
72	1.5 X 2	10	JPFL-3/8"	207.97	50
73	1.5 X 3	12	JPFL-1/2"	207.97	50
74	2.5 X 2 1.5 X 4	16	JPFL-5/8"	219.62	40
75	1.5 X 5,6,7 2.5 X 4	19	JPFL-3/4"	244.87	40
76	4 X 6 1.5 X 10	22	JPFL-7/8"	298.28	30
77	2.5 X 10,12 10 X 4	25	JPFL-1"	392.80	20
78	25 X 3.5 1.5 X 24	28	JPFL-1.1/8"	488.68	12
79	50-35 X 3.5	32	JPFL-1.1/4"	627.54	12
80	50 X 3.5,4	35	JPFL-1.3/8"	739.31	12
81	70-95 X 3	38	JPFL-1.1/2"	916.42	9
82	95-120 X 3.5	45	JPFL-1.3/4"	1072.06	7
83	150 X 3.5 185 X 3	50	JPFL-2"	1366.39	7
84	185 X 3.5	57	JPFL-2.1/4"	1524.90	6
85	240 X 3.5	63	JPFL-2.1/2"	2113.27	2
86	300 X 3.5	70	JPFL-2.3/4"	2395.50	2
87	400 X 3,3.5	75	JPFL-3"	3104.71	2
88			JPFL-3.1/4"	4332.56	2
89	500 X 3.5	88	JPFL-3.1/2"	5604.87	2
90	625 X 3.5	100	JPFL-4"	7836.72	1

**Jainson**  
**DOUBLE COMPRESSION WEATHER**  
**PROOF BRASS CABLE GLAND**  
 (HEAVY DUTY)



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
115	8.0	14.0	3/4"	JPW-001	211.07	50
116	10.5	15.0	3/4"	JPW-01S	287.98	30
117	13.5	18.5	3/4"	JPW-01	310.37	30
118	13.5	18.5	1"	JPW-01A	343.64	25
119	14.0	20.0	1"	JPW-02	412.16	20
120	14.0	20.0	3/4"	JPW-02A	421.08	20
121	17.0	23.0	1"	JPW-03	442.56	20
122	20.0	26.0	1"	JPW-04	565.37	12
123	20.0	26.0	1.1/4"	JPW-04A	650.38	12
124	24.0	30.0	1.1/4"	JPW-05	741.58	12
125	24.0	30.0	1.1/2"	JPW-05A	830.97	12
126	27.0	33.0	1.1/2"	JPW-06	976.92	12
127	27.0	33.0	1.1/4"	JPW-06A	1024.95	12
128	30.0	37.0	1.1/2"	JPW-07	1164.93	10
129	35.0	41.0	2"	JPW-08	1365.71	7
130	40.0	46.0	2"	JPW-09	1520.52	7
131	46.0	52.0	2"	JPW-010	1820.29	6
132	46.0	52.0	2.1/2"	JPW-010A	2184.66	5
133	54.0	60.0	2.1/2"	JPW-011	2618.29	2
134	60.0	67.0	3"	JPW-012	3161.58	2
135	72.0	78.0	3.1/4"	JPW-013	4055.62	2
136	66.0	72.0	3"	JPW-013A	4246.04	2
137	78.0	84.0	3.1/2"	JPW-014	4514.51	2
138	88.0	94.0	4"	JPW-015	6590.27	1
139	98.0	105.0	4.1/2"	JPW-016	7959.68	1
140	88.0	105.0	4"	JPW-017	8237.88	1

**Jainson**  
**DOUBLE COMPRESSION FLAME PROOF**  
**BRASS CABLE GLAND**



ITEM NO.	SUITABLE FOR CABLE OVERALL DIA			Jainson CAT. No.	PRICE EACH	STD PKG
	ABOVE	UPTO	NIPPLE			
91	10.5	15.0	3/4"	JPF-01S	326.93	30
92	13.5	18.5	3/4"	JPF-01	364.66	25
93	13.5	18.5	1"	JPF-01A	415.18	25
94	14.0	20.0	1"	JPF-02	466.68	20
95	14.0	20.0	3/4"	JPF-02A	511.45	20
96	17.0	23.0	1"	JPF-03	516.82	20
97	20.0	26.0	1"	JPF-04	647.88	12
98	20.0	26.0	1.1/4"	JPF-04A	740.90	12
99	24.0	30.0	1.1/4"	JPF-05	801.10	12
100	24.0	30.0	1.1/2"	JPF-05A	909.77	12
101	27.0	33.0	1.1/2"	JPF-06	1118.72	12
102	27.0	33.0	1.1/4"	JPF-06A	1230.72	12
103	30.0	37.0	1.1/2"	JPF-07	1292.81	10
104	35.0	41.0	2"	JPF-08	1599.39	7
105	40.0	46.0	2"	JPF-09	1819.54	7
106	46.0	52.0	2"	JPF-010	2093.30	6
107	46.0	52.0	2.1/2"	JPF-010A	2407.37	5
108	54.0	60.0	2.1/2"	JPF-011	2882.07	2
109	60.0	67.0	3"	JPF-012	3606.56	2
110	72.0	78.0	3.1/4"	JPF-013	4545.29	2
111	66.0	72.0	3"	JPF-013A	5227.05	2
112	78.0	84.0	3.1/2"	JPF-014	5366.80	2
113	88.0	94.0	4"	JPF-015	7879.82	1
114	98.0	105.0	4.1/2"	JPF-016	8953.70	1

**Jainson**  
**FLANGE TYPE BRASS CABLE GLAND**



ITEM NO.	Core Size sq. mm	mm	Jainson CAT. No.	PRICE EACH	STD PKG
141	1.5 X 2,3,4 2.5 X 2,3	16	JF 5	134.56	75
142	2.5 X 4 4-6 X 2,3,4	19	JF 4	184.85	50
143	10 X 2,3 6 X 4	22	JF 3	214.10	50
144	16 X 2,3,4 10 X 4	25	JF 2	291.11	40
145	25 X 2,3,3.5	28	JF 1SP	408.28	35
146	35 X 2,3,3.5	32	JF 1	383.69	35
147	50 X 3,3.5	35	JF 11	438.32	20
148	70 X 3.5 95 X 3	38	JF 0	446.39	20
149	70 X 3.5	38	JF 00	460.30	20
150	95 X 3.5 120 X 3	45	JF 38	561.66	16
151	150 X 3,3.5 120 X 3.5	45	JF 001	694.96	12
152	185 X 3,3.5	50	JF 002	746.11	12
153	225 X 3,3.5	57	JF 003	914.91	8
154	300 X 3,3.5 240 X 3.5	63	JF 0033	1070.66	6
155	400 X 3.5	75	JF 004	1481.63	6
156	500 X 3.5	100	JF 005	2224.19	2

# jainson CABLE GLAND SELECTION CHART



CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE			
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.	

## AYY (ARMoured & UNARMoured SINGLE CORE POWER CABLES) 650/1100V

	Armoured	Unarmoured	Armoured	Unarmoured	Armoured Unarmoured	Armoured Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured	Armoured	Unarmoured		
1 x 4	12.3	9.5	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-1/2"	JC-1/2"	1616	1616	1613	1609
1 x 6	12.8	10.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-3/8"	JF-5	JC-5/8"	JC-1/2"	1616	1616	1613	1611
1 x 10	13.5	11.0	JPW-001	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619,1619		1613	1611
1 x 16	15.5	12.5	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-1/2"	JF-5	JC-3/4"	JC-5/8"	1616,1619	1619	1615	1613
1 x 25	16.5	14.0	JPW-01S	JPW-001	JPF-01S	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2116	1613
1 x 35	17.0	15.0	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-5/8"	JF-5	JC-7/8"	JC-3/4"	2119	1619	2118	1615
1 x 50	18.5	16.5	JPW-01	JPW-01S	JPF-01	JPF-01S	JPFL-3/4"	JF-4	JC-1"	JC-3/4"	2125	1619	2118	1615
1 x 70	21.0	19.0	JPW-02	JPW-01	JPF-02	JPF-01	JPFL-7/8"	JF-3	JC-1"	JC-1"	2125	2125	2120	2118
1 x 95	23.0	21.0	JPW-03	JPW-02	JPF-03	JPF-02	JPFL-1"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2125	2923	2120
1 x 120	25.0	23.0	JPW-04	JPW-03	JPF-04	JPF-03	JPFL-1.1/8"	JF-2	JC-1.1/8"	JC-1.1/8"	2925,2932	2925	2925	2923
1 x 150	26.0	24.5	JPW-04	JPW-04	JPF-04	JPF-04	JPFL-1.1/8"	JF-1	JC-1.1/8"	JC-1.1/4"	2925,2932	2925,2932	2925	2925
1 x 185	29.0	27.0	JPW-05	JPW-04	JPF-05	JPF-04	JPFL-1.1/4"	JF-1	JC-1.1/4"	JC-1.1/4"	2932	2925,2932	2929	2927
1 x 225	31.5	29.5	JPW-06	JPW-05	JPF-06	JPF-05	JPFL-1.1/4"	JF-11	JC-1.3/8"	JC-1.3/8"	3638	2932,2938	3631	2929
1 x 240	33.5	32.0	JPW-06	JPW-06	JPF-06	JPF-06	JPFL-1.3/8"	JF-11	JC-1.3/8"	JC-1.1/2"	3638	3638	3633	3633
1 x 300	36.0	39.0	JPW-07	JPW-07	JPF-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	JC-1.3/4"	3638	3638	3637	3637
1 x 400	41.0	39.0	JPW-08	JPW-08	JPF-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	JC-2"	4251	4251	4240	4240
1 x 500	43.0	42.0	JPW-09	JPW-09	JPF-09	JPF-09	JPFL-1.3/4"	JF-001	JC-2"	JC-2"	4251	4251	4242	4242
1 x 625	49.0	47.0	JPW-010	JPW-09	JPF-010	JPF-09	JPFL-2"	JF-002	JC-2.1/4"	JC-2"	5451	5451,5463	5448	5448
1 x 800	54.0	52.0	JPW-011	JPW-010	JPF-011	JPF-010	JPFL-2.1/4"	JF-003	JC-2.1/4"	JC-2.1/4"	6063	5463	6055	5450
1 x 1000	59.0	57.0	JPW-011	JPW-011	JPF-011	JPF-011	JPFL-2.1/2"	JF-003	JC-2.1/2"	JC-2.1/2"	6063	6063	6060	6060

## AYWY (ARMoured TWIN CORE POWER CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001		JPF-01S		JPFL-1/2"	JF-5	JC-1/2"		1616		1615	
2 x 2.5	16.0	9.0	JPW-01S		JPF-01S		JPFL-1/2"	JF-5	JC-5/8"		1616,1619		1615	
2 x 4	17.5	10.5	JPW-01		JPF-01		JPFL-5/8"	JF-4	JC-3/4"		1616,1619,		1615	
2 x 6	18.5	11.5	JPW-01		JPF-01		JPFL-3/4"	JF-4	JC-7/8"		2119,2125		2118	
2 x 10	20.5	14.0	JPW-02		JPF-02		JPFL-7/8"	JF-3	JC-1"		2119,2125		2120	
2 x 16	22.5	16.5	JPW-03		JPF-03		JPFL-1"	JF-2	JC-1"		2125		2120	
2 x 25	25.0	19.0	JPW-04		JPF-04		JPFL-1"	JF-1	JC-1.1/8"		2925,2932		2925	
2 x 35	27.5	22.0	JPW-05		JPF-05		JPFL-1.1/8"	JF-1	JC-1.1/4"		2932,2938		2927	
2 x 50	29.0	23.5	JPW-05		JPF-05		JPFL-1.1/4"	JF-11	JC-1.1/4"		2932,2938		2927	
2 x 70	31.0	25.0	JPW-06		JPF-06		JPFL-1.1/4"	JF-11	JC-1.1/4"		2938		2929	
2 x 95	33.0	27.0	JPW-06		JPF-06		JPFL-1.3/8"	JF-11	JC-1.3/8"		2938		2929	
2 x 120	34.0	28.0	JPW-07		JPF-07		JPFL-1.3/8"	JF-11	JC-1.3/8"		3638		3633	
2 x 150	38.0	32.0	JPW-08		JPF-08		JPFL-1.1/2"	JF-00	JC-1.1/2"		3638		3637	
2 x 185	41.0	35.0	JPW-08		JPF-08		JPFL-1.3/4"	JF-001	JC-1.3/4"		4251		4242	
2 x 240	46.0	40.0	JPW-09		JPF-09		JPFL-1.3/4"	JF-002	JC-2"		5451		5446	
2 x 300	51.0	43.0	JPW-010		JPF-010		JPFL-2"	JF-003	JC-2.1/4"		5463		5450	
2 x 400	57.0	50.0	JPW-011		JPF-011		JPFL-2.1/4"	JF-003	JC-2.1/2"		6063		6060	

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

### AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

3 X 1.5	15.5	8.5	JPW-01S	JPF-01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 X 2.5	17.0	10.5	JPW-01S	JPF-01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
3 X 4	18.0	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2116
3 X 6	19.5	12.5	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
3 X 10	20.5	14.5	JPW-03	JPF-03	JPFL-1"	JF-3	JC-1"	2119, 2125	2120
3 X 16	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2925, 2932	2923
3 X 25	23.5	18.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-2	JC-1-1/8"	2932, 2938	2923
3 X 35	25.5	20.0	JPW-04	JPF-04	JPFL-1-1/4"	JF-1	JC-1-1/8"	2932, 2938	2925
3 X 50	29.0	23.0	JPW-05	JPF-05	JPFL-1-3/8"	JF-1	JC-1-1/4"	2932, 2938	2929
3 X 70	33.0	27.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-0	JC-1-3/8"	3638	3633
3 X 95	37.0	31.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
3 X 120	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3 X 150	44.0	38.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3 X 185	49.0	42.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5448
3 X 225	54.0	47.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/4"	6063	6053
3 X 240	56.0	49.0	JPW-011	JPF-011	JPFL-2-1/4"	JF-003	JC-2-1/2"	6063	6055
3 X 300	62.0	54.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-3/4"	6063	6060
3 X 400	68.0	60.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-004	JC-3"	7882	7868
3 X 500	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

### AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

3.5 X 25/16	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2925, 2932	2925
3.5 X 35/16	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
3.5 X 50/25	32.0	26.0	JPW-06	JPF-06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
3.5 X 70/35	35.0	29.0	JPW-07	JPF-07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3635
3.5 X 95/50	40.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240
3.5 X 120/70	43.0	37.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	4251	4242
3.5 X 150/70	48.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3.5 X 185/95	52.0	45.0	JPW-010	JPF-010	JPFL-2-1/4"	JF-002	JC-2-1/4"	5463	5450
3.5 X 225/120	58.0	50.0	JPW-011	JPF-011	JPFL-2-1/2"	JF-003	JC-2-1/2"	6063	6058
3.5 X 240/120	61.0	53.0	JPW-012	JPF-012	JPFL-2-1/2"	JF-0033	JC-2-1/2"	6063	6060
3.5 X 300/150	66.0	58.0	JPW-012	JPF-012	JPFL-2-3/4"	JF-0033	JC-2-3/4"	6675	6664
3.5 X 400/185	74.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874
3.5 X 500/240	82.0	72.0	JPW-014	JPF-014	JPFL-3-1/2"	JF-005	JC-3-1/2"	8490	8482

### AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 1.5	16.5	10.0	JPW-01S	JPF-01S	JPFL-5/8"	JF-5	JC-3/4"	1616, 1619	1615
4 X 2.5	17.5	11.0	JPW-01	JPF-01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
4 X 4	19.5	13.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2119, 2125	2118
4 X 6	20.0	14.0	JPW-02	JPF-02	JPFL-7/8"	JF-3	JC-7/8"	2125	2120
4 X 10	21.5	16.0	JPW-03	JPF-03	JPFL-1"	JF-2	JC-1"	2125	2120
4 X 16	25.5	20.0	JPW-04	JPF-04	JPFL-1"	JF-1	JC-1-1/8"	2925, 2932	2925
4 X 25	26.0	21.0	JPW-04	JPF-04	JPFL-1-1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
4 X 35	28.5	23.0	JPW-05	JPF-05	JPFL-1-1/8"	JF-1	JC-1-3/8"	2938	2927
4 X 50	33.0	26.0	JPW-06	JPF-06	JPFL-1-3/8"	JF-11	JC-1-3/8"	2938	2929

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

### AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

4 X 70	37.0	30.0	JPW-07	JPF-07	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
4 X 95	42.0	34.0	JPW-08	JPF-08	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4242
4 X 120	45.0	36.0	JPW-09	JPF-09	JPFL-1-3/4"	JF-001	JC-1-3/4"	5451	5446
4 X 150	50.0	43.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5463	5450
4 X 185	55.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2-1/4"	5463	5450
4 X 240	62.0	54.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2-1/2"	6063	6060
4 X 300	68.0	60.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-004	JC-2-3/4"	6675	6664
4 X 400	76.0	70.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3-1/4"	7882	7874

### YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 1.5	15.0	8.0	JPW-001	JPF -01S	JPFL-3/8"	JF-5	JC-1/2"	1616	1613
3 x 1.5	15.5	8.5	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-1/2"	1616, 1619	1615
4 x 1.5	16.5	9.5	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
5 x 1.5	17.0	10.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-4	JC-3/4"	1616, 1619	1615
6 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
7 x 1.5	18.0	11.0	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	2119, 2125	2118
10 x 1.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
12 x 1.5	20.5	14.0	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
14 x 1.5	21.0	15.0	JPW-03	JPF -03	JPFL-7/8"	JF-2	JC-1"	2125	2120
16 X 1.5	21.5	15.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
19 x 1.5	22.5	16.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
24 x 1.5	25.5	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
27 x 1.5	26.0	19.0	JPW-04	JPF -04	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
30 x 1.5	27.0	21.5	JPW-05	JPF -05	JPFL-1.1/8"	JF-1	JC-1-1/4"	2932, 2938	2925
37 x 1.5	29.0	23.0	JPW-05	JPF -05	JPFL-1.1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
44 x 1.5	33.0	26.0	JPW-06	JPF -06	JPFL-1.3/8"	JF-11	JC-1-3/8"	3638	3631
52 x 1.5	34.0	27.0	JPW-07	JPF -07	JPFL-1.3/8"	JF-0	JC-1-1/2"	3638	3633
61 x 1.5	36.0	29.0	JPW-07	JPF -07	JPFL-1.1/2"	JF-00	JC-1-1/2"	3638	3635

### YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

2 x 2.5	16.0	10.0	JPW-01S	JPF -01S	JPFL-1/2"	JF-5	JC-5/8"	1616, 1619	1615
3 x 2.5	17.0	11.0	JPW-01S	JPF -01S	JPFL-5/8"	JF-5	JC-5/8"	1616, 1619	1615
4 x 2.5	17.5	11.5	JPW-01	JPF -01	JPFL-3/4"	JF-4	JC-3/4"	1616, 1619	1615
5 x 2.5	19.0	12.5	JPW-02	JPF -02	JPFL-7/8"	JF-4	JC-7/8"	2119, 2125	2118
6 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
7 x 2.5	20.5	13.5	JPW-03	JPF -03	JPFL-7/8"	JF-3	JC-1"	2119, 2125	2118
10 x 2.5	22.0	16.5	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
12 x 2.5	22.5	17.0	JPW-03	JPF -03	JPFL-1"	JF-2	JC-1"	2125	2120
14 x 2.5	23.5	17.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925	2923
16 X 2.5	24.5	18.0	JPW-04	JPF -04	JPFL-1"	JF-2	JC-1-1/8"	2925, 2932	2923
19 x 2.5	25.5	19.0	JPW-04	JPF -04	JPFL-1-1/8"	JF-1	JC-1-1/8"	2932, 2938	2925
24 x 2.5	29.5	22.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2927
27 x 2.5	30.0	23.0	JPW-05	JPF -05	JPFL-1-1/4"	JF-1	JC-1-1/4"	2932, 2938	2929
30 x 2.5	32.0	25.0	JPW-06	JPF -06	JPFL-1-1/4"	JF-11	JC-1-3/8"	3638	3631
37 x 2.5	34.0	28.0	JPW-07	JPF -07	JPFL-1-3/8"	JF-0	JC-1-1/2"	3638	3633
44 x 2.5	38.0	31.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-00	JC-1-1/2"	3638	3637
52 x 2.5	39.0	32.0	JPW-08	JPF -08	JPFL-1-1/2"	JF-38	JC-1-3/4"	4251	4238
61 x 2.5	42.0	35.0	JPW-09	JPF -09	JPFL-1-3/4"	JF-38	JC-1-3/4"	4251	4240

CABLE CONSTRUCTION DETAILS			DOUBLE COMPRESSION TYPE			FLANGE TYPE	SINGLE COMPRESSION TYPE		
Core size sq.mm	Armoured Overall Dia mm(Approx)	Unarmoured Overall Dia mm(Approx)	Weatherproof (JPW)	Flameproof (JPF)	Flameproof Type (JPFL)	Type (JF)	Siemens Type (JC)	Heavy Duty (SIBG)	Rubber Ref. No.

### AYFY (ARMOURED THREE CORE POWER CABLES) 1900 /3300V

3 X 25	29.0	21.0	JPW-05	JPF-05	JPFL-1.1/4"	JF-1	JC-1.1/4"	2932, 2938	2927
3 X 35	31.0	24.0	JPW-06	JPF-06	JPFL-1.1/4"	JF-11	JC-1.3/8"	2932, 2938	2929
3 X 50	34.0	26.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-11	JC-1.1/2"	3638	3633
3 X 70	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 95	41.0	33.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4238
3 X 120	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 150	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 185	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 225	55.0	46.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 240	56.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6055
3 X 300	62.0	52.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6063	6060
3 X 400	69.0	59.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-3"	7882	7868
3 X 500	77.0	66.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

### AYFY (ARMOURED THREE CORE POWER CABLES) 3800/6600V

3 X 25	35.0	27.0	JPW-07	JPF-07	JPFL-1.3/8"	JF-0	JC-1.1/2"	3638	3635
3 X 35	37.0	29.0	JPW-07	JPF-07	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3635
3 X 50	40.0	32.0	JPW-08	JPF-08	JPFL-1.3/4"	JF-38	JC-1.3/4"	4251	4240
3 X 70	44.0	35.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4242
3 X 95	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 120	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 150	54.0	45.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/4"	6063	6053
3 X 185	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 225	61.0	51.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6060
3 X 240	63.0	53.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 300	67.0	57.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	7882	7870
3 X 400	73.0	63.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	79.0	68.0	JPW-014	JPF-014	JPFL-3.1/4"	JF-005	JC-3.1/4"	7882	7877

### AYFY (ARMOURED THREE CORE POWER CABLES) 6600V(UE GRADE)

3 X 25	38.0	30.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-00	JC-1.1/2"	3638	3637
3 X 35	40.0	32.0	JPW-08	JPF-08	JPFL-1.1/2"	JF-38	JC-1.3/4"	4251	4240
3 X 50	43.0	34.0	JPW-09	JPF-09	JPFL-1.3/4"	JF-001	JC-1.3/4"	4251	4240
3 X 70	47.0	38.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2"	5451	5446
3 X 95	50.0	41.0	JPW-010	JPF-010	JPFL-2"	JF-002	JC-2.1/4"	5451, 5463	5448
3 X 120	52.0	43.0	JPW-010	JPF-010	JPFL-2.1/4"	JF-002	JC-2.1/4"	6063	6053
3 X 150	57.0	48.0	JPW-011	JPF-011	JPFL-2.1/4"	JF-003	JC-2.1/2"	6063	6058
3 X 185	60.0	50.0	JPW-011	JPF-011	JPFL-2.1/2"	JF-0033	JC-2.1/2"	6063	6058
3 X 225	64.0	54.0	JPW-012	JPF-012	JPFL-2.1/2"	JF-0033	JC-2.3/4"	6675	6662
3 X 240	66.0	56.0	JPW-012	JPF-012	JPFL-2.3/4"	JF-0033	JC-2.3/4"	6675	6664
3 X 300	71.0	61.0	JPW-013	JPF-013	JPFL-2.3/4"	JF-004	JC-2.3/4"	7882	7870
3 X 400	76.0	65.0	JPW-013	JPF-013	JPFL-3"	JF-004	JC-3"	7882	7874
3 X 500	83.0	71.0	JPW-014	JPF-014	JPFL-3.1/2"	JF-005	JC-3.1/2"	8490	8482

**PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.**

NOTE : For selection of Cable Glands please ask for our glands Dimensional catalogue. Entire range of PVC shrouds, earth tag & reducer available. WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.

# PRODUCT RANGE OF **Jainson** GROUP



**S. J. METAL INDUSTRIES**  
Cable Terminal Ends



**YASH TRADING COMPANY**  
Cable Glands

Jain Estate, Jakeria Road, Malad (West) Mumbai-400 064. INDIA  
Tel.: 2880 7581, 2881 3169, 288202426.  
E-mail : [jainsongroup@hotmail.com](mailto:jainsongroup@hotmail.com)  
web: [www.jainsongroup.co.in](http://www.jainsongroup.co.in)