

minilec



PRICE LIST

WITH EFFECT FROM 23rd AUGUST, 2022

ISSUE NO. 37

MINILEC (INDIA) PVT.LTD.

S.NO. 1073/1-2-3, AT POST: PIRANGOOT,

TAL.: MULSHI, DIST.: PUNE - 412 111

TEL.: (020) 22922354-55 / 67920100

E-MAIL: mkt1@minilecgroup.com

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
A	Voltage Sensing Phase Failure Relays		HSN 85363000 & GST 18%
1	DIN Rail Mounted		
	VSP D1	Phase Failure Relay (Auto Reset, 40 Volts. Unbalance, 1 CO Contact)	860
	VSP D2	Phase Failure Relay (Auto / Manual / Remote Reset Adj. Unbalance, 2 CO Contact,)	1225
	USP D1	Phase Failure Relay (Auto Reset, 60 Volts Unbalance Fixed 1 Co Contact)	860
	S2 VMR 1	Phase Failure Relay (Auto/ Manual Reset, 2 CO Contact)	1370
	ALV D2	Phase Failure Relay with Under & Over Voltage setting (Variable), (Auto Reset 40 Volt Unbalance)	1825
	S2 VMR 2	Phase Failure Relay with Fixed Under & Over Voltage setting (Auto Reset, 2 CO Contact)	1385
	S2 VMR 7	Phase Failure Relay with Fixed Under & Over Voltage setting (Auto Reset, 2 CO Contact)	1770
	D2 VMR 2	Phase Failure Relay with Under & Over Voltage Relay setting (Variable), (Auto Reset, 4% - 20% Unbalance) with Neutral Fail Protection	2335
	S2 VMR 3	Phase Failure with Under & Over Voltage Relay setting (Variable), (Auto Reset, 4% - 20% Unbalance)	1440
	S2 VMR 6	Phase Failure Relay with Under & Over voltage setting (Variable), Neutral Fail Indication, Auto / Manual Reset, Fixed Trip Time / Power ON Delay, OV/UV adjustable, 94V + 4V Unbalance	2225
	S2 VMR 8	Phase Failure Relay with Under & Over Voltage Relay	1850
	2 ALO-10-323	Line Monitoring Relays with Fixed Under & Over Voltage setting (Auto Reset 1 CO, 3 Ph 4 W.)	2080
	VPG D1	Phase Failure Relay with Water Level Guard (Auto Reset, 40 Volts Unbalance, 1CO Contact,)	1110
	S1 VMR 7	Phase Sequence Relay (Built-in Aux.Supply, 1 CO Contact)	735
2	8 PIN & 11 PIN Socket Mounted (w/o socket base)		HSN 85363000 & GST 18%
	P1 PFS 1	Phase Sequence Relay (Built-in Aux.Supply, 1 CO Contact)	985
	P1 PFS 2	Phase Failure Relay (Auto Reset, 40 Volts Unbalance, Built in Aux.Supply, 1 CO Contact)	985
3	Panel Wall Mounted (For Agriculture Pump & Motor Starters)		HSN 85363000 & GST 18%
	VSP 2	Single Phasing Preventor (Auto Reset, 40 Volts Unbalance)	775
	VSP 3	Single Phasing Preventor (Auto Reset, 50 Volts Unbalance)	675
	Autoswitch 2	Single Phasing Preventor with Auto/Manual Switch and Fixed ON Delay Timer (Auto Reset, 50 Volts Unbalance, 1 NO Contact)	720
	Autoswitch 3	Single Phasing Preventor with Auto start ON Delay Timer (Auto Reset, 50 Volts Unbalance, 1 NO Contact) Provision for connection of Auto/Manual switch externally	820

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
	Autoswitch 4	Single Phasing Preventor with Auto/Manual Switch & variable ON Delay (1-5 Min.)	955
	Autoswitch 5	Single Phasing Preventor with provision to connect Auto/Manual Switch externally & variable ON Delay (1-10 Min.)	930
	Autoswitch 7	Single Phasing Preventor used for semi-automatic star delta starter with (9 wire) ON Delay Timer (2-3 min.) and Auto/Manual Switch	1125
	Autoswitch 9	Single Phasing Preventor with Auto/Manual & By Pass Switch and Fixed ON Delay Timer (Auto Reset, 50 Volts Unbalance, 1 NO Contact)	720
B 3 Ph. Motor Protection Relays			
		HSN 85363000 & GST 18%	
1	DIN Rail Mounted		
	MPR D2	Current Sensing Phase Failure Relay with Overload Protection (O/L Curve - 2 & 5 Sec. selectable or 10 Sec or 15 Sec.or 20 Sec. (Optional), Without CTS, (Selectable) Auto / Manual / Remote Reset, 1CO Contact	1880
	MPR D2	Current Sensing Phase Failure Relay with Overload Protection (O/L Curve - 5 Sec. or 10 Sec or 15 Sec.or 20 Sec. (Optional), Without CTS, Selectable Auto / Manual / Remote Reset, 2CO Contact	1965
2 Panel Door Mounted			
		HSN 85363000 & GST 18%	
	F3 MPR1	Microprocessor Based Motor Protection Relay (without Current Sensor CTS, Auto/Manual Reset, Error display, 2CO Contact) with current protection. (without RS 485 Output.)	5820
C 3 Ph. Pump Protection Relays			
		HSN 85363000 & GST 18%	
1	DIN Rail Mounted		
	SPG D2	Current Sensing Phase Failure Relay with selectable Dry Run & Overload Protection, (Selectable) Auto / Manual / Remote Reset, 1 CO Contact, overload curve - 2 & 5 sec. selectable or 10 sec. (Optional)	2010
	SPG D2	Current Sensing Phase Failure Relay with selectable Dry Run & Overload Protection, (Selectable) Auto / Manual / Remote Reset, 2 CO Contact , overload curve - 5 sec. or 10 sec. (Optional)	2090
	D2 MPR 2	Current Sensing Phase Failure & UV + OV Relay with Dry Run & Overload Protection (Delayed Auto Reset, 2 CO Contact)	2520
	D2 MPR 3	Current Sensing Phase Failure Relay with Dry Run & Overload Protection (2 CO Contact)	1765
	D2 MPR 4	Current Sensing Phase Failure Relay with Lock Rotor (1.5 amp), Reverse Phase protection with 1 CO & 2 NO contact	2015
	D3 MPR 1	3 Phase Current Sensing Phase Failure Relay with Lock Rotor Overload Earth Fault Protection, Fault Logging (Auto / Manual, 2 CO Contact) Inbuilt CT 5 / 20 / 50 AMP	5320

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.
D5 MPR 1	3 Phase Current Sensing Phase Failure Relay with Lock Rotor Overload Earth Fault Protection, Fault Logging (Auto / Manual, 2 CO Contact) inbuilt CT 35 to 175 AMP	6970
D3 DMPR 1 WITH CT 5	3 Phase Current Sensing Phase Failure Relay with Overload Stalling, Earth Fault, Short Circuit, Under & Over Current Protection with Detachable Display & Fault Logging of Last 10 Faults with inbuilt CT 5 AMP	5645
D3 DMPR 1 WITH CT 50	3 Phase Current Sensing Phase Failure Relay with Overload Stalling, Earth Fault, Short Circuit, Under & Over Current Protection with Detachable Display & Fault Logging of Last 10 Faults with inbuilt CT 50 AMP	6190
D3 MPR 3	Current Sensing Motor Protection Relay having Single Phasing, Current Unbalance & Over Load Protections. Built in 3 CTs 5A / 20A / 50A / 100A	3240
D5 DMPR 1	3 Phase Current Sensing Phase Failure Relay with Overload, Over Current, Phase Failure, Reverse Phasing, Current Unbalance, Lock Rotor, Stalling, Short Circuit, Earth Fault, Seperate Display with logging of last 10 faults with inbuilt CT 1 to 60 AMP.	6970
S2 CMR 1	Current Sensing Phase Failure Relay with selectable Dry Run & Overload Protection (Auto/Manual Reset, 2 CO Contact)	2305
PGS D2	Single Phase Pump Protection Relay of system supply 240V AC, with 5 & 10 AMP selectable	2225
For D3 MPR 1 and D5 MPR 1 AUX supply 415 V AC available with additional converter @ Rs. 400 Extra		
D Current Sensors		HSN 85041010 & GST 18%
1 DIN Rail Mounted		
S2 CTS 1/1.25	Current Sensor (up to 0.75 H.P.) (1.25 Amp.)	630
S2 CTS 1/2.5	Current Sensor (up to 1.5 H.P.) (2.5 Amp.)	630
S2 CTS 1/5	Current Sensor (up to 3.00 H.P.) (5 Amp.)	630
S2 CTS 1/10	Current Sensor (up to 6.00 H.P.) (10 Amp.)	630
S2 CTS 1/20	Current Sensor (up to 12.5 H.P.) (20 Amp.)	630
S2 CTS 1/40	Current Sensor (up to 25 H.P.) (40 Amp.)	630
S2 CTS 1/80	Current Sensor (up to 50 H.P.) (80 Amp.)	770
CTS 120 (Pair)	Current Sensor (up to 75.0 H.P.) (120 Amp.), Panel Mounted	980
2 DIN Rail Mounted (For F3 MPR1)		HSN 85041010 & GST 18%
CT-1		630
CT-2.5		630
CT-5		630
CT-20		630
CT-50		630

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
E Thermistor Relays		HSN 85363000 & GST 18%	
1	DIN Rail Mounted		
	S2 WTR1	Winding Temperature Relay (Auto / Manual Reset, 2 CO Contact) Sensing through PTC	1425
	D2 BTR 1	Bearing Temperature Relay (Auto / Manual Reset, 1CO +1CO) Sensing through PT 100	2520
2 PTC Thermistor Sensors		HSN 85363000 & GST 18%	
	Single element with Teflon wire		320
	Triple element with Teflon wire		715
F 3 Phase Voltage Monitoring Relays		HSN 85363000 & GST 18%	
1	DIN Rail Mounted		
	S1 UVR 4	1 Phase, Under Voltage Relay Power ON Delay 5-15 min. Adjustable	905
	S1 UVR 5	3 Phase, 4 Wire Under Voltage Relay Power ON Delay 5-15 min. Adjustable	905
	D2 VCT 1	3 Phase, 3 Wire & 3 Phase, 4 Wire, Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - adjustable, Neutral fail indication / 2CO	2240
	D2 VCT 1	3 Phase, 3 Wire & 3 Phase, 4 Wire, Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - adjustable, Neutral fail indication / 1CO+1CO	2360
	S2 VMR 4	3 Phase, 3 Wire Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - Adjustable / 2CO	2265
	S2 VMR 4	3 Phase, 3 Wire Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - Adjustable/ 1CO+1CO	2375
	S2 VMR 5	3 Phase, 4 Wire Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - Adjustable / 2CO	2265
	S2 VMR 5	3 Phase, 4 Wire Under & Over Voltage Relay (Auto / Manual Reset, Trip Time & Power ON Delay 1-10 Sec.) OV/UV - Adjustable / 1CO+1CO	2375
G Microprocessor Based Digital Voltage Scanners		HSN 85363000 & GST 18%	
	Monitoring Relay		
1	Panel Door Mounted (96 x 96 mm)		
	F3 VSR 4	Microprocessor Based Voltage Scanner (3 Ph 3 Wire & 4 Wire) (Without Serial Port Option)	5460
	F3 VSR 4	Microprocessor Based Voltage Scanner (3 Ph 3 Wire & 4 Wire) (With Serial Port)	5830
H 1 Phase Voltage Monitoring Relays		HSN 85363000 & GST 18%	
1	DIN Rail Mounted		

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
	D1 VCR 1	Single Phase Under and Over Voltage Relay (Variable-OV/UV) (Auto Reset)	1360
I Monitoring Relays			HSN 85363000 & GST 18%
(1 Phase Current, Frequency, Earth Fault, Reverse Power)			
1	DIN Rail Mounted		
	OCS D1	Single Phase Over Current Relay (Variable-OC) (1 CO Contact, Auto Reset) Trip delay 1 - 10 Sec.	1405
	OCS D1	Single Phase Over Current Relay (0.25 A /0.5 A) (1 CO Contact, Auto Reset) Trip delay 1 - 10 Sec.	1405
	S2 FMR 1	Under & Over Frequency Relay (Variable-UF/OF) (Auto / Manual Reset, 1CO+1CO Contact) Power ON delay & Trip delay 1 - 10 Sec.	2465
	D2 EFR 1	Earth Fault Relay, (Instant / Delayed Trip, Manual Reset)	1850
	F3 EFR 1	Flush Mounting Earth Fault Relay (Instant / Delayed Trip, Manual Reset)	2130
	F3 ELR 1	Flush Mounting Earth Leakage Relay (Instant / Delayed Trip, Manual Reset)	2130
	F3 EFR 2	Flush Mounting Earth Fault Relay with Adjustable earth fault trip setting & delay	4030
	F3 ELR 2	Flush Mounting Earth Leakage Relay (Instant / Delayed Trip, Manual Reset) (30- 300 mA Primary Current)	2520
	RPT D2	Reverse Power Relay (3 Ph, 3 Wire)	2500
	RPF D2	Reverse Power Relay (1 Ph)	2500
	S2 CMR 3	Earth Fault Relay, Power ON delay 1-10 Sec., Trip delay 0.1-1 Sec.	1945
	S2 CMR 4	Earth Leakage Relay, Power ON delay 1-10 Sec., Trip delay 0.1-1 Sec.	2080
	S2 ELR 2	Earth Leakage Relay, Power ON delay 1-10 Sec., Trip delay 0.1-1 Sec. (30-300 mA Primary Current)	2440
	S2 CMR 5	Single Phase Under & Over Current Relay (0.25 A / 0.5 A) & 1/5 amp. (Variable- UC/OC) (Auto / Manual Reset) Power ON delay & Trip Time Delay 1-10 Sec. / 2CO	2410
	S2 CMR 5	Single Phase Under & Over Current Relay (0.25 A / 0.5 A) & 1/5 amp. (Variable- UC/OC) (Auto / Manual Reset) Power ON delay & Trip Time Delay 1-10 Sec. / 1CO +1CO	2525
J Water Level Controllers & Moisture Relay			HSN 90328910 & GST 18%
1	DIN Rail Mounted		
	WLC D1	Water Level Controller (Adj. Sensitivity, 1 CO Contact), Single tank 2 Level control without electrodes	1120
	S2 WLC1	Water Level Controller (Adj. Sensitivity, 1 CO Contact), Single tank 2 Level control without electrodes	1410

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
	D2 WLC1	Water Level Controller for Dual Tank (Suction & Delivery)	1410
	Sensor Electrode for WLC D1, P1 LCW1, VPG D1, S2 WLC1 (Each)		65
2 8 PIN & 11 PIN Socket Mounted (w/o socket base)			
			HSN 90328910 & GST 18%
	P1 LCW 1	Water Level Controller (1 CO Contact), Single tank 2 level control	1085
K Diesel Level Control Relay & Sensor			
			HSN 90328910 & GST 18%
1	DIN Rail Mounted		
	DLC D1	Diesel Level Controller (One Level, 1 CO Contact)	1140
	FRKP 6	Fork Type Sensor Prod, To Be used with DLCD1 Relay	860
	FRKP 5	Sensor switch for diesel/oil with open collector output 10-28V DC, High / Low Level Sensor Switch	995
L Electronic Timers			
			HSN 91061000 & GST 18%
1	DIN Rail Mounted		
	S1 ETS1	On Delay Timer (Time Range 0-10 Sec / 0-30 Sec / 0-60 Sec)	640
	S1 ETM1	On Delay Timer (Time Range 0-30 Min / 0-60 Min)	755
	ETS D1	On Delay Timer (Time Range 0.1 Sec to 209 Hrs.)	895
	S1 ESD1	Star Delta Timer, (1 NO Star Relay, 1 NO - Delta Relay, Time Range 0.75 to 7.5 Sec. / 6-60 Sec)	1005
	D1 ETM 1	Multi Function Timer (2 x 1CO Contact), 415V AC, 240V AC, 110V AC, 12V DC, 24V DC	1175
	D1 ETM 1	Multi Function Timer (2 x 1CO Contact), 24-240 V AC/DC	1300
	S2 ETM 1	Multi Function Timer (2 x 1CO Contact)	1910
	S2 ETM 2	Cyclic & Forward-Reverse Timer (1CO+1CO Contact)	2015
	ESR D1	MULTI START ATTEMPT TIMER	1465
	ETA D1	On Delay Timer (upto 0.7 Secs. - 30 Mins. 4 Ranges)	1135
M Pump Automation System Products			
			HSN 85363000 & GST 18%
1	S2 ALT 1	Alternating Relay (2 NO Contact)	1200
2 Panel Mounted Card Assembly			
			HSN 90328910 & GST 18%
	(Booster Pump Controller)		

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



	Product	Description	List Price Rs.
*	F3 BPC1 (2 PUMP)	Pump Controller Relay for 2 Pumps (6 I/P, 3+1 O/P, Aux.Supply 90-270 V AC)	4615
*	F3 BPC1 (3 PUMP)	Pump Controller Relay for 3 Pumps (9 I/P, 3+1 O/P, Aux.Supply 90-270 V AC)	4885
*	F5 BPC1 (4 PUMP)	Pump Controller Relay for 4 Pumps (11 I/P, 4+1 O/P, Aux.Supply 90-270 V AC)	7860
*	F5 BPC1 (5 PUMP)	Pump Controller Relay for 5 Pumps (13 I/P, 5+1 O/P, Aux.Supply 90-270 V AC)	8590

*** These models are also available with Rs 485 modbus RTU Protocol, with extra cost of Rs. 1625/-**

N Power Line Transducers		HSN 90302000 & GST 18%		
1	DIN Rail Mounted	Single	Dual	
	D2 PTV 1	Single Phase AC Voltage Transducer	2435	2555
	D1 PTV 1	Single Phase AC Voltage Transducer (Single Output)	1900	-
	D2 PTC1	Single Phase AC Current Transducer	2315	2435
	D1 PTC1	Single Phase AC Current Transducer (Single Output)	1800	-
	D3 PTF 1	Line Frequency Transducer	3505	3620
	D5 PTA1	Power Factor Transducer	6235	6710
	D5 PAT1	Phase Angle Transducer	6115	6590
	D5 PTW1	Active Power Transducer (3ph,3w)	5755	6235
	D5 PTW1	Active Power Transducer (3ph,4w)	6590	7065
	D5 PTW2	Reactive Power Transducer (3ph,3w)	5755	6235
	D5 PTW2	Reactive Power Transducer (3ph,4w)	6590	7065
	D5 PTW3	Apparent Power Transducer (3ph, 3w)	5755	6235
	D5 PTW3	Apparent Power Transducer (3ph, 4w)	6590	7065
	D1 IST1	Loop Powered DC Isolation Transducer	2195	-
	D3 IST1	DC Isolation Transducer	4095	4270
	D5 IST1	DC Isolation Transducer (Three and Four O/P)	6115	7475
	D3 TTT1	Transformer Tap Position Transducer	3705	4205
	D3 RET1	Resistance Transducer	3705	4205
	D3 TET1	Temperature Transducer	3705	4205
	D5 PTC1	3 Phase combined AC Current Transducer	5400	-

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.				
D5 PTV1	3 Phase combined AC Voltage Transducer	5875 -				
D1 PTC3	2 wire Type AC Current Transducer with 24V DC	2970 -				
D1 PTV3	2 wire Type AC Voltage Transducer with 24V DC	2970 -				
D5 MFT1	Multifunction Transducer (Analog Outputs)	9680 -				
D3 MFT1	Multifunction Transducer with Modbus RTU output (without Display)	6415 -				
D3 MFT1	Multifunction Transducer with Modbus RTU output (with Display)	6625 -				
2 Multifunction Meter		HSN 90302000 & GST 18%				
* F3 MFM1	Any 10 Parameters selectable	6355				
* F3 MFM2	Basic Parameters display	8505				
* F3 MFM3	Basic & Energy Parameters display	9815				
* F3 MFM4	Basic, Energy & Demand parameter display	12440				
* These models are also available with RS 232 or RS 485 with extra cost of Rs. 1625/-						
O Microprocessor Based Alarm Annunciators		HSN 85318000 & GST 18%				
1 Series MBAS 0600						
Models	Box	No. of	Push	Windows		
	Size	Pts.	Buttons	Big	Small	
1 4B 0S MP0	1D	4	Yes	4	0	6055
1 0B 4S P0	1D	4	Yes	0	4	5810
1 0B 6S P0	1D	6	Yes	0	6	7160
1 0B 8S MP0	1D	8	Yes	0	8	8570
2 6B 0S P0	2D	6	Yes	6	0	8515
2 8B 0S MP0	2D	8	Yes	8	0	9855
2 4B 8S MP0	2D	12	Yes	4	8	12590
2 0B 12S P0	2D	12	Yes	0	12	12440
2 2B 10S P0	2D	12	Yes	2	10	12480
2 0B 16S MP0	2D	16	Yes	0	16	16225
3 12B 0S MP0	3D	12	Yes	12	0	12760
3 0B 24S MP0	3D	24	Yes	0	24	20200
4 16B 0S MP0	4D	16	Yes	16	0	18030

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.
4 0B 32S MP0	4D 32 Yes 0 32	27030

ALL ABOVE ANNUNCIATORS ARE AVAILABLE WITH BUILT IN BUZZERS AS OPTIONAL FEATURE

@ 1000/- EXTRA EACH.

ALL ABOVE ANNUNCIATORS ARE AVAILABLE WITHOUT PUSH BUTTONS AT SAME PRICES.

2 Series MICRO-17 HSN 85318000 & GST 18%

Models	Box	No. of	Push	Windows		
	Size	Pts.	Buttons	Big	Small	
1 4B 0S MP0	1D	4	Yes	4	0	6175
1 0B 4S P0	1D	4	Yes	0	4	5925
1 0B 6S P0	1D	6	Yes	0	6	7305
1 0B 8S MP0	1D	8	Yes	0	8	8735
2 6B 0S P0	2D	6	Yes	6	0	8680
2 8B 0S MP0	2D	8	Yes	8	0	10050
2 4B 8S MP0	2D	12	Yes	4	8	12590
2 0B 12S P0	2D	12	Yes	0	12	12690
2 2B 10S P0	2D	12	Yes	2	10	12480
2 0B 16S MP0	2D	16	Yes	0	16	16535
3 12B 0S MP0	3D	12	Yes	12	0	13015
3 0B 24S MP0	3D	24	Yes	0	24	20595
4 16B 0S MP0	4D	16	Yes	16	0	18380
4 0B 32S MP0	4D	32	Yes	0	32	27560
5 0B 40S MPO	5D	40	Yes	0	40	32675
6 0B 48S MPO	6D	48	Yes	0	48	38615
5 20B 0S MPO	5D	20	Yes	20	0	23170
6 24B 0S MPO	6D	24	Yes	24	0	27215

ALL ABOVE ANNUNCIATORS ARE AVAILABLE WITH BUILT IN BUZZERS AS OPTIONAL FEATURE

@ 1000/- EXTRA EACH.

ALL ABOVE ANNUNCIATORS ARE AVAILABLE WITHOUT PUSH BUTTONS AT SAME PRICES.

3 Series MICROWARN 0600 HSN 85318000 & GST 18%

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.
MICROWARN-0600	6 Yes	8270
	8 Yes	11120
	12 No	14350
4 Series MBAS 08		HSN 85318000 & GST 18%
37 x 27 mm	4 BIG WIN+PB & BUZZER	5625
37 x 17 mm	4 SMALL WIN+PB & BUZZER	5245
37 x 17 mm	6 SMALL WIN+PB & BUZZER	6490
37 x 17 mm	7 WINDOW + PB	6490
37 x 17 mm	8 WINDOW	6240
5 Series MBAS 11		HSN 85318000 & GST 18%
(SINGLE LED ANNUNCIATORS)		
16 Pts with Potential input 24 / 110 / 125 / 220 V DC, with Push Buttons		16150
16 Pts with Potential input 24 / 110 / 125 / 220 V DC, with Push Buttons and Repeat Relays.		33455
6 Series MBAS 18		HSN 85318000 & GST 18%
(SINGLE LED ANNUNCIATORS)		
16 Pts with Potential Free Input with Push Buttons		13265
7 Series MBAS 1800		HSN 85318000 & GST 18%
20B12SP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	14655
312B0SMP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	15385
20B16SMP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	18170
416B0SMP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	21195
30B24SMP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	21805
40B32SMP0	WITH POTENTIAL INPUTS OF 24 / 48 / 110 / 220 V DC	29070
8 MICROFACIA (LED Window)		HSN 85318000 & GST 18%
951 (4 Big windows) 1 D	12/24VDC	1330
	110/230V AC	1900
	110/220V DC	2180

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.
955 (8 Small Windows) 1D	12/24VDC	1450
	110/230V AC	2220
	110/220V DC	2420
9 Series MBAS 9700 (Split Architecture)		
With RS 485 MODBUS RTU PROTOCOL or RS 232.		HSN 85318000 & GST 18%
16 PTS (BIG) 30 x 65 mm (Big) Win		30980
16 PTS (SMALL) 30 x 30 mm (Small) Win		26905
24 PTS (BIG) 30 x 65 mm (Big) Win		35345
24 PTS (SMALL) 30 x 30 mm (Small) Win		33245
32 PTS (BIG) 30 x 65 mm (Big) Win		42450
32 PTS (SMALL) 30 x 30 mm (Small) Win		38570
48 PTS (BIG) 30 x 65 mm (Big) Win		56590
48 PTS (SMALL) 30 x 30 mm (Small) Win		51540
64 PTS (BIG) 30 x 65 mm (Big) Win		74615
64 PTS (SMALL) 30 x 30 mm (Small) Win		68085
80 PTS (BIG) 30 x 65 mm (Big) Win		83980
80 PTS (SMALL) 30 x 30 mm (Small) Win		75695
96 PTS (BIG) 30 x 65 mm (Big) Win		99840
96 PTS (SMALL) 30 x 30 mm (Small) Win		92995
112 PTS (BIG) 30 x 65 mm (Big) Win		110170
112 PTS (SMALL) 30 x 30 mm (Small) Win		103685
128 PTS (BIG) 30 x 65 mm (Big) Win		124150
128 PTS (SMALL) 30 x 30 mm (Small) Win		113470
P Special Application Products		
1 Twin AC Controller		HSN 91061000 & GST 18%
Protocom -4	230V AC, Power Relays & with Voltage, Current and Room Temp.Display, 2 NO Contacts	7310
Q CBCT		
1 . TAPE WOUND (RING TYPE)		HSN 85041010 & GST 18%
CBCT ID mm up to ID MM UP TO	S2 CMR 4/ F3 ELR 1 (EL300mA)	D2 EFR 1 / S2 CMR 3 / F3 EFR 1 (EF 1A)
		D2 EFR 1 / S2 CMR 3 / F3 EFR 1 (EF5A)
1	50	1375
2	100	1435
3	120	1470
		1490
		1525
		1550
		1585
		1625

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description			List Price Rs.
4	150	1525	1645	1685
5	200	1570	1685	1745
6	220	1625	1685	1820
7	250	2550	1785	1885
8	300	3035	1880	1920
2 . TAPE WOUND (RECTANGULAR TYPE)				
	CBCT ID mm up to ID MM UP TO	S2 CMR 4/ F3 ELR 1 (EL 300mA)	D2 EFR 1 / S2 CMR 3 / F3 EFR 1 (EF 1A)	D2 EFR 1 / S2 CMR 3 / F3 EFR 1 (EF 5A)
1	50 X 50	2615	2700	2800
2	100 X 50	2775	2920	2990
3	120 X 50	2800	3010	3080
4	150 X 50	3010	3165	3290
5	200 X 50	3115	3200	3445
6	220 X 50	3255	3365	3555
7	250 X 50	3370	3555	3650
8	300 X 50	3540	3735	3865
R	Spares for Series		HSN 85318000 & GST 18%	
	MICROWARN 0600			
	Main CPU Card 12 Points			7875
	Main CPU Card (6 / 8 pts)			5895
	LED Window Card (12 pts)			2240
	LED Window Card (6 / 8 pts)			1515
	SMPS Card (24/48 AC/DC, 90/270 V AC/DC)			3635
	Exchange of SMPS (Conversion Charges)			1210
	Spares for Series MBAS 0600, MICRO-17 and MBAS-1800		HSN 85318000 & GST 18%	
	Complete Small Window			120
	Complete Big Window			155
	Small Size window Lens			30
	Big Size window Lens			45
	LED Board for 4 pts			1210
	LED Board for 6 pts / 8 pts			1820
	Main CPU Card (4 pts)			4326
	Main CPU Card (6 / 8 pts)			5780

Price List 2022

A30/ FM/17 Issue no 37... w e f 23th August, 2022



Product	Description	List Price Rs.
	Main CPU Card (12,16 pts)	11020
	Main CPU Card (24 pts)	12095
	Main CPU Card (32 pts)	14540
	SMPS Card (90 / 270 V AC / DC & 20-60V AC/DC)	2425
	Push Button Capsule	620
	Repeat Relay Per Point (Window)	490
	Repeat Relay Per Point for MBAS-11	1210
Spares for Series MBAS 9700		
		HSN 85318000 & GST 18%
	CPU Card (24, 32,48,64,80,96, 128 pts)	5445
	PSU Card (For 16 pts or Redundant PSU)	3400
	IOC Card (16pts) without Plate	4490
	DFU 1 (16 pts) Small Window	3740
	DFU 2 (16 pts) Big Window	4425
	MCU to RS 232 Converter Cable Per Meter	120
	RS 232 Converter to PC Cable Per Meter	120
	Interconnecting 20 way Pre Fab Flat Cable (MCU to DFU) Per Meter	155
	Interconnecting 20 way Pre Fab Shielded Cable (MCU to DFU) Per Meter	220
	Repeat Relay Per Point (Window)	490
Common Accessories		
		HSN 85318000 & GST 18%
	Non Standard Operating Sequence (Software)	16960
	EEPROM (Microprocessor IC)	1700
	PC Based Software (For MBAS 9700)	33920
	AC / DC Supply Fail Annunciation (Same Voltage Value)	805
	AC / DC Supply Fail Annunciation (With Diff. Voltage Value)	2070
	Supply Fail Indication (Same Voltage Value)	1210
	Supply Fail Indication (With Different Voltage Value)	2425
	Supervisory Relay Contract Facility	1210
	F3 MEH 1 / Electronic Hooter 24-250 V AC/DC With Volume & Tone Control	995
	Dummy Window (Inactive)	120
	Push Buttons Set (4 nos)	725
	RS 485 Builtin Facility with MODBUS RTU/ASCII Protocol (NFID)	1625

Terms : GST is extra as applicable. Prices are FOR destination by any surface (courier) / road transport. Any air shipment freight will be extra as applicable.

Contact Minilec for items not listed or with non standard specs.