





**MRP LIST No 01/22**  
**EFFECTIVE FROM 01.04.2022**

<b>CONTENTS</b>	<b>Page No</b>
• CAM OPERATED ROTARY SWITCHES	1-3
• LIMIT SWITCHES	4
• PLUG IN RELAYS	4
• CONTROL & SIGNALLING UNITS	5-8
• PUSH BUTTON STATIONS	9
(In FRP, Cast Aluminum, Thermoplastic Enclosure)	
• JUNCTION BOXES	9
(In FRP, Cast Aluminum, Sheet Steel Enclosure)	
• NEON JEWEL LIGHTS	9
• ANALOG & DIGITAL PANEL METERS	10
• INDUSTRIAL HOOTERS	11
• ELECTRONIC BUZZERS	11
• HRC FUSE FITTINGS	11
• HRC FUSE BASES	11
• HEAVY DUTY FOOT SWITCHES	11

<b>Rotary Switches</b> 6A - 200A 	<b>Limit Switches</b> IP-65, Ip-67 	<b>Plug in Relay</b> 2C/O & 3C/O 
<b>Control &amp; Signaling Units</b> Ø 22.5, 25.5, 30.5 MM 	<b>Push Button Stations</b> 	<b>Junction Boxes</b> 
<b>Neon Jewel Light</b> Ø 8, 10, 15 M $\mu$ 	<b>Analog &amp; Digital Panel Meters</b> 	<b>Current Transformers</b> Tape Wound & Resin Cast 
<b>DC Shunts</b> 	<b>Industrial Hooters</b> 12V - 220V AC/DC 	<b>Electronic Buzzers</b> 12V - 220V AC/DC 
<b>HRC Fuse Fittings</b> 20A-125A 	<b>H.R.C. Fuse Bases</b> 160A-630A 	<b>Heavy Duty Foot Switches</b> 1NO+1NC & 2NO+2NC 



Mfd. By :  
**Hotline Switchgear & Controls**  
 (ISO 9001 : 2015 CERTIFIED)  
 D-2, SECTOR-8, NOIDA (U.P.)-201301 INDIA  
 PH. : +91-9650599170  
 e-mail : [sales@hsc.in](mailto:sales@hsc.in) ; [marketing@hsc.in](mailto:marketing@hsc.in)  
 Website : [www.hsc.in](http://www.hsc.in)



**CAUTION !**

THIS IS TO BRING IN THE KNOWLEDGE OF ALL CONCERNED THAT ORIGINAL **VAISHNO** **HOTLINE** PRODUCTS ARE MANUFACTURED BY ONLY **HOTLINE SWITCHGEAR & CONTROLS**, SINCE 1972 AND THIS ORIGINAL **VAISHNO** **HOTLINE** BRAND HAS THE APPROVALS FROM MAJOR CONSULTANTS, OEMs, INDUSTRY, PANEL BUILDERS & OTHER CUSTOMERS.

WHILE BUYING VAISHNO PRODUCTS LOOK FOR **VAISHNO** **HOTLINE** TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS & PACKING.

























# VAISHNO **HOTLINE**

## Cam Operated Rotary Switches

### SWITCHES -6 AMPS. TYPE "HG 91C"

### SWITCHES -6 AMPS. TYPE "HG 91C"

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
ON-OFF 	1	HG001	110	SIX WAY NO-OFF 60° 	1	HG052	210
	2	HG002	130		2	HG072	400
	3	HG003	140		3	HG092	490
	4	HG004	170				
TWO WAY NO - OFF 90° 	1	HG037	130	SIX WAY WITH - OFF 45° 	1	HG063	250
	2	HG038	170		2	HG083	400
	3	HG039	210		3	HG103	570
	4	HG040	255				
TWO WAY WITH - OFF 60° 	1	HG025	130	SEVEN WAY NO - OFF 45° 	1	HG064	255
	2	HG026	170		2	HG084	425
	3	HG027	205		3	HG104	590
	4	HG028	250				
THREE WAY NO - OFF 60° 	1	HG049	135	SEVEN WAY WITH - OFF 45° 	1	HG053	250
	2	HG069	205		2	HG073	425
	3	HG089	300		3	HG093	590
	4	HG120	380				
THREE WAY WITH - OFF 90° 	1	HG060	150	EIGHT WAY NO - OFF 45° 	1	HG054	290
	2	HG080	205		2	HG074	470
	3	HG100	330		3	HG094	580
	4	HG131	410				
FOUR WAY NO - OFF 90° 	1	HG050	160	EIGHT WAY WITH - OFF 30° 	1	HG065	290
	2	HG070	220		2	HG085	470
	3	HG190	310				
	4	HG121	490				
FOUR WAY WITH - OFF 60° 	1	HG061	175	NINE WAY NO - OFF 30° 	1	HG055	300
	2	HG081	300		2	HG075	500
	3	HG101	400				
	4	HG132	500				
FIVE WAY WITH - OFF 60° 	1	HG051	190	NINE WAY WITH - OFF 30° 	1	HG066	310
	2	HG071	340		2	HG086	550
	3	HG091	450				
FIVE WAY NO - OFF 60° 	1	HG062	180	TEN WAY WITH - OFF 30° 	1	HG056	320
	2	HG082	335		2	HG076	550
	3	HG102	450				

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
TEN WAY NO-OFF 30° 	1	HG067	540	ELEVEN WAY WITH - OFF 90° 	1	HG068	410
	2	HG087	580		2	HG088	620
ELEVEN WAY NO - OFF 30° 	1	HG057	665	TWELEVE WAY NO - OFF 30° 	1	HG058	610
	2	HG077	720		2	HG078	725

### AMMETER SELECTOR SWITCHES

SWITCHING	POLE	AMP.	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF B ● R Y	3	6	HG91C	<b>HG325</b>	To read current to be used with CT with off -DO-	210
	3	10	HG101C	<b>HG325</b>		250
L OFF B ● R Y	3	10	HG101C	<b>HG721</b>	Current in each phase and leakage or out of balance current with off	470
	3	16	HG121C	<b>HG710</b>		Ammeter Selector Switch without CT's
3	25	HG241C	<b>HG710</b>	995		
3	40	HG461C	<b>HG710</b>	2110		
3	63	HG561C	<b>HG710</b>	2210		

### VOLTMETER SELECTOR SWITCHES

OFF B ● R Y	3	6	<b>HG91C</b>	HG312	Voltage between Phase with off -DO-	150
	3	10	<b>HG101C</b>	HG312		225
OFF RY RN YB YN BR BN	3	6	<b>HG91C</b>	HG313	Voltage between Phase and neutral with off -DO-	260
	3	10	<b>HG101C</b>	HG313		445
OFF BN ● RN YN	3	10	<b>HG101C</b>	HG314	Voltage between Phase to Phase and phase to neutral without off	435
	3	6	<b>HG91C</b>	HG311	Voltage between Phase to neutral with off	270
	3	10	<b>HG101C</b>	HG311	Voltage between Phase to neutral with off	310

### AMMETER VOLTMETER COMBINED SELECTOR -10 AMPS

SWITCHING	POLE	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF P ● P1 P2	3	<b>HG101C</b>	HG338	Voltage between Phase to neutral in current off that phase	480

### SWITCHES WITH METAL BOX: (60 DEG)

SWITCHING	AC3	TYPE	CAT NO.	PRICE (IN RS.)
Three poles reversing	16	H220	HG913	650
	25	H241	HG913	800
Three pole ON-OFF	16	H220	HG244	650
	25	H241	HG244	800

Prices mentioned above is for Switch+SS Enclosure + Operating handle



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL













TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

# VAISHNO **HOTLINE**






## Cam Operated Rotary Switches

### SWITCHES-6A,10A,16A,25A,32A,40A,63A,100A


SWITCHES	POLE	CAT NO.	6 A (Rs.)	10 A (Rs.)	16 A HG121C (Rs.)	25 A HG241/H220 (Rs.)	32 A HG341/H225	40 A H461C H540C (Rs.)	63 A H561C H563C (Rs.)	100 A HG608 (Rs.)
ON-OFF 	1	HG195	110	185	220	250	305	400	465	2320
	2	HG198	130	225	260	315	360	505	610	2940
	3	HG197	140	250	295	385	430	550	790	3540
	4	HG196	170	285	315	470	500	615	910	4040
ON-OFF 	1	HG191	110	185	220	250	305	400	465	2320
	2	HG192	130	225	260	315	360	505	610	2940
	3	HG199	140	250	295	385	430	550	790	3540
	4	HG194	170	285	315	470	500	615	910	4040
TWO WAY-WITH NO-OFF 	1	HG037	130	235	280	305	335	480	535	2980
	2	HG038	170	282	315	405	470	620	910	4340
	3	HG039	205	340	422	600	650	775	1220	5610
	4	HG040	250	400	480	800	846	930	1520	7060
TWO WAY-WITH-OFF 	1	HG151	130	235	280	305	335	460	615	2980
	2	HG152	170	285	315	405	470	620	910	4340
	3	HG153	205	340	425	600	650	775	1220	5610
	4	HG154	250	400	480	785	830	930	1520	7060
THREE WAY-WITH-OFF 	1	HG060	150	265	290	300	355	530	590	3020
	2	HG080	205	310	350	475	515	750	860	4410
	3	HG100	330	410	580	705	765	990	1280	5770
	4	HG131	410	520	710	880	960	1310	1540	7280
FOUR WAY-WITH NO-OFF 	1	HG050	160	275	358	445	470	660	900	3030
	2	HG070	230	390	415	525	570	780	995	4650
	3	HG090	310	390	650	825	915	1015	1320	6110
	4	HG121	490	520	730	1010	1050	1360	1760	7500
FIVE WAY-WITH-OFF 	1	HG051	190	290	385	500	570	790	880	-
	2	HG071	340	450	525	-	-	-	-	-
	3	HG091	450	820	1020	1175	1220	1440	1660	-
SIX WAY-WITH NO-OFF 	1	HG052	205	390	450	565	635	675	770	4430
	2	HG072	390	520	650	990	1010	1050	1295	8780
	3	HG092	480	980	1100	1145	1180	1340	1740	14800
SEVEN WAY-WITH-OFF 	1	HG064	255	435	505	635	665	705	1070	-
	2	HG084	425	570	665	985	1010	1065	1680	-
	3	HG104	580	870	1070	1285	1395	1980	2330	-
EIGHT WAY WITH NO-OFF 	1	HG054	-	515	542	565	665	795	-	-
	2	HG074	-	618	905	1000	1090	1320	-	-
	3	HG094	-	952	1290	1355	1390	1590	-	-

PRICES OF CAM SWITCHES FOR DC RATINGS ON REQUEST.

### SPRING RETURN SWITCHES FOR CONTROL CIRCUITS

SWITCHING 60°/45°	POLE	CAT NO.	DESCRIPTION	16A PRICE (IN RS.)	HG-241 (25A) PRICE (IN RS.)
	1	HG351	ON-OFF with Spring Return to OFF	470	715
	2	HG352		495	805
	3	HG353		560	965
	4	HG354		650	1055
	1	HG361	Double Throw spring return both sides to OFF	495	805
	2	HG362		720	1055
	3	HG363		790	1305
	1	HG364	Three positions with one position spring to OFF	450	805
	2	HG365		660	1055
	3	HG369		710	1305
	1	HG371	Two position spring return Switch 2 To 1	450	805
	2	HG372		660	1055
	3	HG373		710	1305
	1	HG300	Start Stop Switches Spring Return to center position	560	815
	2	HG388		660	1055

### SPRING RETURN SWITCHES FOR CONTROL CIRCUITS (T.N.C)

SWITCHING	POLE	CAT NO.	AMPS	CONTACT CONFIGURATION	PRICE (IN Rs.)
	2	HG009	25	2NO+2NC	1050
	3	HG244	25	3NO+3NC	1500
	2	HG009	32	2NO+2NC	1450
	3	HG244	32	3NO+3NC	1850

\*TNCswitches as per requirement in different contact configuration specific programmed can also be manufactured at short notice.

### ROTARY SWITCHES FOR MOTOR DUTIES

Vaishno Hotline make cam operated rotary switches suitable for switching, controlling & starting three phases for 440-volt 50 Hz squirrel cage induction motors up to 55kw & for AC3 & AC4 duties conforming to IS: and IEC: DIN/VDE

TYPE	AC3	ON-OFF 60Deg. HG-003,	3PoleForward-Off Rev. HG-211	Star-Delta HG-200	Two speed forward HG-212	Two speeds Rev. HG217
HG121	16	425	310	410	-	-
HG241/H220	25	715	415	545	864	895
HG341/H225	32	895	425	695	-	-
HG461/H540	40	1030	1090	1090	-	-
HG561/H563	63	1230	1315	1350	-	-
H608	100	3600	3350	-	-	-



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL  TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

**Cam Operated Rotary Switches  
SPARES FOR ROTARY SWITCHES  
INDICATING PLATES (FRONT PLATES)**

S.No.	Description	Size in mm.	Price (in Rs.)	S.No.	Description	Size in mm.	Price (in Rs.)
1	6 & 10 Amps	32 X 32	20	3	25 & 32 Amps	64 X 64	50
2	6 & 10 Amps	48 X 48	30	4	40- 200 Amps	88 X 88	55

Plates of size 32\*32, 48\*48 and 48\* 60 can be supplied with of hot stamping aluminum finish.  
Price will be higher by 20% over the normal plate price.

**SPECIAL INDICATING PLATES**

1	Up to 16 Amps	48 x 60	35	3	40 To 200 Amps	104 X 104	80
2	16 to 32 Amps	64 x 18	60	4	Up to 16 Amps	48 X 60 Alum. Finish	85

**SCRIPT PLATE (MARKING PLATE)**

1	FOR 6 & 10 Amps	32*32	10	4	40 To 200 Amps	88 *88	20
2	Up to 16 Amps	48*48	12	5	Up to 16 Amps Small Legend	48*60	10
3	16 to 32 Amps	64*64	20	6	Plate16 - 32 Amps Big Legend Plate		10

\* HOT STAMPING ALUMINIUM PLATE CAN ALSO BE OFFERED IN SIZE 32\*32, 48\*48 ,48\*60 & 64\*60.  
PRICE WILL BE HIGHER BY 20% OVER THE NORMAL PRICE

**KNOBS**

1	Round Knob 6 & 10A	48 *48 48 *60	25	3	Tear drop for16 to 32 A	64*64 64*80	35
2	Tear drop for 6 to 16 A	48 *48 48 *60	25	4	Tear drop for 40 to 200 A	88*88 104*104	60

**HANDLE**

1	Flag handle for 6-10 A.	32*32	20	5	Ball handle for 40 to 200A	88*88 104*104	100
2	Flag handle for 16 A.	48*48 48*60	30	6	Pistol Grip handle for 16 to 32A	64*64 64*80	70
3	Flag handle for 25 &32 A.	64*64 64*80	40	7	Long handle for 16 to 32A	64*64 64*80	70
4	Ball handle for 16-32A	64*64 64*80	60	8	Lever handle for 40 to 200A	88*88 104*104	100

**MOUNTING PLATES (USED FOR REAR MOUNTING)**

1	6 to 16A	48*48	15				
2	25 & 32A	64*64	20				
3	40 & 63A	88*88	30				

**WALL TYPE MOUNTING BOXES (UPTO 32 AMPS-MAX. 4 CONTACTS)**

1	Aluminum Enclosure-B17	650	2	SS Enclosure-B-17 (Metal Box) M-17	450
---	------------------------	-----	---	------------------------------------	-----

**LOCKS**

1	B63 for 16-32A (25&32A only in H220/H225 Type)	300	2	B63 for 16-63A (40 and 63A only in H540/H563 Type)	450
---	---	-----	---	---	-----

**PAD LOCKS**

1	B33 for 16A	65*65	125	4	B33 for 100&200A	95*95	450
2	B33 for 25&32A	80*80	200	5	B30 for 40-63A	98*126	400
3	B33 for 40& 63 A	95*95	300	6	B30 for 100 &200 A	98*126	460

**DOOR INTERLOCK(B42)**

1	For 16,25 &32A	260	1	For 48*48 & 48*60 Plate	60
2	For 40 & 63A	360	2	For 64*64 &64*80 Plate	95
3	For 100& 200A	510	3	For 88*88 &104*104 Plate	160

**PANEL FIXING screws (100 Nos./Pkt.)**

Door clutch (B41 without interlock) can also be offered and the price will be same as per the price of door interlock(B42)

**SHROUDING COVER (Maximum 6 Contact round type)**

1	For 16A	40	1	For 100&200 Amps	80
2	For 25-63A	65	2	Special Cover for extended terminal 63-200 Amp(Maximum 2 contact stage (ie) 4contacts)	460

**FIGURE KEY (C/W) LOCK (CASTLE LOCK)**

**PRICE (IN RS.)**

1	Any alpha bate /Numeric 1 lock & 1Key	680
---	---------------------------------------	-----

Tailor made Rotary Cam Switches as per specific customer requirement can also be manufactured at very short notice on request.



# VAISHNO **HOTLINE**

## Limit Switch

### IP-67 OIL TIGHT LIMIT SWITCH WITH 1 NO + 1 NC CONTACTS WITH METAL ROLLER LEVER

DESCRIPTION	LEVER LENGTH (mm)	ROLLER		SPRING RETURN TYPE		MAINTAINED TYPE	
ROLLER LEVER	38MM	DIA. 19MM	WDTH. 8MM	CAT NO. VLL1	PRICE 700	CAT NO. VLL1-M	PRICE 770
ROLLER LEVER	76.2MM	19MM	8MM	VLL2	700	VLL2-M	770
ROLLER LEVER	50MM	19MM	8MM	VLL3	730	-	-
ROLLER LEVER	64MM	19MM	8MM	VLL4	700	-	-
OFFSET ROLLER LEVER	50MM	16MM	16MM	VLL0	700	-	-
ADJUSTABLE ROLLER LEVER	From 32MM TO 82.5MM	19MM	8MM	VLLA	700	VLLA-M	770
FORK ROLLER LEVER	Both Roller in line	19MM	8MM	VLLF	770	VLLF-M	900
OFFSET FORK ROLLER LEVER	Both in Offset	19MM	8MM	VLLFO	770	VLLFO-M	900
TOP PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLTPR	680	-	-
TOP PUSH BUTON OPERATOR	Adjustable upto 8MM	11.1MM	4MM	VLLTPBA	700	-	-
SIDE PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLSPR	770	-	-
SIDE PUSH BUTTON OPERATOR	Adjustable upto 8MM	-	-	VLLSPBA	770	-	-
CAT WHISKER (Nylon Rod)	130MM Long	-	-	VLLCW	700	-	-
SIDE OPERATING LEVER WITH STEEL ROD	-	-	-	VLLJW	700	VLLJW-M	800
PULL CORD TYPE	-	-	-	VLLPC	1050	-	-
BELT SWAY TYPE	-	-	-	VLLBS	1050	-	-
TOP PUSH NORMAL ROLLER OPERATOR	-	-	-	VLLTPN	700	-	-
GENERAL PURPOSE TOP PLUNGER OPERATOR	-	-	-	VLLGS	600	-	-
GENERAL PURPOSE ANGULAR ROLLER LEVER	-	-	-	VLLGSA	600	-	-

# FOR LIMIT SWITCH WITH 2NO+2NC CONTACTS PLEASE ADD RS. 410/- IN THE ABOVE PRICES

### LIMIT SWITCH - 1NO + 1NC CONTACT ARRANGEMENT

Execution	Design	Arrangement	STD PKG	NO. OF CONTACTS	CAT NO.	PRICE (in Rs.)
OPEN	With Push Button	Normal Action	30	INO+INC	LS-000-0	120
		Snap Action	30	INO+INC	LS-000-1	130
	With Push Rod and Protective Cover	Normal Action	30	INO+INC	LS-1010-0	140
		Snap Action	30	INO+INC	LS-1010-1	150
In Oil tight Die Cast Aluminum Enclosure	With Normal Roller Lever IP-65 D.O.P	Normal Action	1	INO+INC	LS-100-0	422
		Snap Action	1	INO+INC	LS-100-1	435
In Non-Oil tight Die Cast Aluminum Enclosure	With Normal Roller Lever	Normal Action	1	INO+INC	ELS-100-0	335
		Snap Action	1	INO+INC	ELS-100-1	345

A=AC D=DC

### HSC SERIES PLUG-IN RELAY


PART NUMBER	COIL VOLTS	COIL OHMS	PRICE(Rs.)
2C/O HSC 6D	6V DC	30	140
2C/O HSC 12D	12V DC	200	140
2C/O HSC 24D	24V DC	500	135
2C/O HSC48D	48V DC	2250	160
2C/OHSC 110D	110V DC	10	190
3C/O HSC 12D	12V DC	150	180
3C/O HSC 24D	24V DC	500	180
3C/O HSC 48D	48V DC	2250	210
3C/O HSC 110D	110V DC	10K	225
2C/O HSC 6A	6V AC	7	150
2C/O HSC 12A	12V AC	30	150
2C/O HSC 24A	24V AC	110	150
2C/OHSC 110A	110V AC	2400	160
2C/O HSC 240A	240VAC	9500	200
3C/O HSC 24A	24V AC	110	190
3C/O HSC 110A	110V AC	2400	195
3C/O HSC 240A	240V AC	9500	225

### SCREW TERMINAL RELAY SOCKETS WITH DIN RAIL MOUNTING, PANEL MOUNTING

PART NUMBER	PRICE(Rs.)
RS 8E (8 PIN)	55
RS 11E(11PIN)	60
RETAINING CLIP	10



\*OPTION: Relays with LED can be supplied at an additional charge of Rs. 10/



**CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL  TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.**

# VAISHNO HOTLINE

Control & Signaling Devices  $\phi$  22.5mm

## PUSH BUTTON $\phi$ 22.5MM

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
FLUSH BUTTON	24	2XVAF-1 2XVAF-2 2XVAF-3 2XVAF-4 2XVAF-5 2XVAF-6	56	6XVAF-1 6XVAF-2 6XVAF-3 6XVAF-4 6XVAF-5 6XVAF-6 6XVAF-8	52
PROJECTING BUTTON	12	2XVAP-2 2XVAP-3 2XVAP-4 2XVAP-6 2XVAP-8	60	6XVAP-2 6XVAP-3 6XVAP-4 6XVAP-6 6XVAP-8	54
BOOTED BUTTON	24	2XVAB-2 2XVAB-3 2XVAB-4 2XVAB-6 2XVAB-8	90	6XVAB-2 6XVAB-3 6XVAB-4 6XVAB-6 6XVAB-8	85
MUSHROOM BUTTON	10	2XVAM-2 2XVAM-3 2XVAM-4	90	6XVAM-2 6XVAM-3 6XVAM-4	80
JUMBO MUSHROOM BUTTON	10	2XVAJ-3 2XVAJ-4	130	6XVAJ-3 6XVAJ-4	125
PUSH TO ON PUSH TO OFF	12	2XVAPPN-3 2XVAPPN-4	120	6XVAPPN-3 6XVAPPN-4	115
MUSHROOM PRESS TO LOCK TURN TO RESET	10	2XVAPR-3 2XVAPR-4	125	6XVAPR-3 6XVAPR-4	115
TWIN ACTUATOR SPRING RETURN GREEN KNOB MARKED 1 & RED KNOB MARKED 0	12	2XVADB	120	6XVADB	110

## KEY LOCKABLE MAINTAINED POSITION

DESCRIPTION	STD. PKG.	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
KEY REMOVABLE IN-PRESSED (ACTUATED) POSITION	10	2XVAK-1L-4	250	-	-
BOTH PRESSED AND UNPRESSED POSITION	10	2XVAK-3L-4	250	-	-
KEY REMOVABLE IN-UNPRESSED (UNACTUATED) POSITION	10	2XVAK-2L-4	250	-	-
EMERGENCY STOP PRESS TO LOCK KEY TO RESET	10	2XVAK-PL-4	270	6XVAK-PL-4	250

## SELECTOR MAINTAINED CONTACT

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2 POSITION	12	2XVA2S	170	6XVA2S	150
*3 POSITION	12	2XVA3S	170	6XVA3S	150

## KEY SELECTOR WITH LOCKING OPTION

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT POSITION -LEFT POSITION -RIGHT & LEFT POSITION	12	2XVA1-2CL	250	-	-
		2XVA2-2CL	250	6XVA2-2CL	240
		2XVA3-2CL	250	-	-
-3- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT & LEFT POSITION -LEFT,CENTRE & RIGHT POSITION -CENTRE POSITION	12	2XVA4-3CL	250	-	-
		2XVA5-3CL	250	-	-
		2XVA6-3CL	250	6XVA6-3CL	240

3 position Selector with or without key locking Option,all contacts open in centre position



## SPRING RETURN SELECTOR BUTTON WITH LOCKING OPTION $\phi$ 22.5mm

DESCRIPTION	STD. PKG.	METALIC BEZEL			PLASTIC BEZEL		
		WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE	WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE
		CAT NO.	PRICE IN Rs.)	CAT NO.	CAT NO.	PRICE IN Rs.)	CAT NO.

### -2 POSITION- Spring Return from:

Left to Right	12	2XVAS-1	180	2XVAS-1A	250	6XVAS-1	160	6XVAS-1A	230
Right to Left	12	2XVAS-2	180	2XVAS-2A	250	6XVAS-2	160	6XVAS-2A	230

### -3 POSITION- Spring Return from:

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITHOUT KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in centre position	12	2XVAS-3	180	6XVAS-3	-
Right to Centre maintained on Left all contact open in centre position	12	2XVAS-4	180	6XVAS-4	-
Left to Centre & Right to centre all contacts open in centre position	12	2XVAS-5	180	6XVAS-5	160

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITH KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in centre position	12	2XVAS-3A	230	6XVAS-3A	-
Right to Centre maintained on Left all contact open in centre position	12	2XVAS-4A	230	6XVAS-4A	-
Left to Centre & Right to centre all contacts open in centre position	12	2XVAS-5A	230	6XVAS-5A	200

## CONTACT BLOCK SUITABLE FOR $\phi$ 22.5MM BUTTON

DESCRIPTION	STD. PKG.	FOR 2XV SERIES		FOR 6XV SERIES	
		REAR CONNECTION		REAR CONNECTION	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
With NO Contacts	50	V1	50	H1	46
With NC Contacts	50	V2	50	H2	46
With NO Contact Gold plated	50	V7	85	-	-
*With 1NO +1NC Contacts	20	*V3	95	-	-
10 A NO / NC	50	V1/V2	65	-	-
<b>FRONT CONNECTION</b>					
With NO Contacts	50	V4	50	-	-
With NC Contacts	50	V5	50	-	-
*With 1NO +1NC Contacts	20	V6	95	-	-

\*\*V3 (1NO+1NC) Blocks are supplied with Special Mounting Bracket, only these Brackets should be used while mounting Push Button. Contact Blocks are added on Type and can be stacked up to 4NO+4NC Contact

\*SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



**LUMINOUS BUTTON Ø22.5MM WITH BA-9S FILAMENT BULB**

DESCRIPTION	STD. PKG.	LUMINOUS SPRING RETURN				LUMINOUS 2 POSITION SELECTOR				LUMINOUS 3 POSITION SELECTOR			
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
Luminous Button with Lamp Holder with Polycarbonate Lense with Bulb but without Contact Element	12	2XVALSTR-3 2XVALSTR-4 2XVALSTR-5 2XVALSTR-6 2XVALSTR-7 2XVALSTR-8	150	2XVALST-3 2XVALST-4 2XVALST-5 2XVALST-6 2XVALST-7 2XVALST-8	135	2XVA2SILR-3 2XVA2SILR-4 2XVA2SILR-5 2XVA2SILR-6 2XVA2SILR-7 2XVA2SILR-8	270	2XVA2SIL-3 2XVA2SIL-4 2XVA2SIL-5 2XVA2SIL-6 2XVA2SIL-7 2XVA2SIL-8	260	2XVA3SILR-3 2XVA3SILR-4 2XVA3SILR-5 2XVA3SILR-6 2XVA3SILR-7 2XVA3SILR-8	260	2XVA3SIL-3 2XVA3SIL-4 2XVA3SIL-5 2XVA3SIL-6 2XVA3SIL-7 2XVA3SIL-8	270

**PILOT LIGHT Ø22.5MM WITH BA-9S FILAMENT BULB**

DESCRIPTION	STD PKG	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Pilot Light with Polycarbonate Lense with Lamp Holder and Lense Assembly with BA-9S Filament Bulb	12	2XVILR-3 2XVILR-4 2XVILR-5 2XVILR-6 2XVILR-7	115	2XVIL-3 2XVIL-4 2XVIL-5 2XVIL-6 2XVIL-7	110

**Luminous Twin Button Ø22.5 mm With BA-9S Filament Bulb**

DESCRIPTION	STD. PKG.	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
TWIN LUMINOUS ACTUATOR WITH FLUSH GREEN KNOB MARKED 1 & RED KNOB MARKED 0 WITH LAMP HOLDER, WITH AMBER LENSE WITH BULB BUT WITHOUT CONTACT ELEMENT	12	2XVADBLSTR-3 2XVADBLSTR-4	220 220	2XVADBLST-3 2XVADBLST-4	200 200

**SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8**





# VAISHNO **HOTLINE**

## LED CONTROL & SIGNALLING DEVICES Ø22.5MM LED INDICATORS

DESCRIPTION	STD KG.	STANDARD		STANDARD TYPE		BAREL TYPE			
		CAT NO.	PRICE	CAT NO.	PRICE	CAT NO.	PRICE		
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, ,110V,48V,24V AC/DC supply	12	2XVLDIL-S-1	220	6XVLDIL-S-1	210	2XVLDIL-BN-1	180		
		2XVLDIL-S-3	150	6XVLDIL-S-3	130	2XVLDIL-BN-3	105		
		2XVLDIL-S-4	150	6XVLDIL-S-4	130	2XVLDIL-BN-4	105		
		2XVLDIL-S-5	150	6XVLDIL-S-5	130	2XVLDIL-BN-5	105		
		2XVLDIL-S-6	220	6XVLDIL-S-6	210	2XVLDIL-BN-6	180		
		2XVLDIL-S-8	150	6XVLDIL-S-8	130	2XVLDIL-BN-8	105		
		Do- but suitable for common voltages from 24V AC/DC to 220V AC/DC ratings- Multivoltages	12	2XVLDIL-U1	290	-	-	2XVLDIL-BN-U1	260
				2XVLDIL-U2	220			2XVLDIL-BN-U2	185
2XVLDIL-U3	220			2XVLDIL-BN-U3	185				
2XVLDIL-U4	220			2XVLDIL-BN-U4	185				
2XVLDIL-U5	220			2XVLDIL-BN-U5	185				
2XVLDIL-U6	290			2XVLDIL-BN-U6	260				
2XVLDIL-U7	290			2XVLDIL-BN-U7	260				
2XVLDIL-U8	220			2XVLDIL-BN-U8	185				

## LED LUMINOUS BUTTON Ø22.5MM

DESCRIPTION	STD PKG	METAL BEZEL		PLASTIC BEZEL			
		CAT NO.	PRICE	CAT NO.	PRICE		
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, ,110V,48V,24V AC/DC supply Luminous Spring Return	12	2XVLDLST-1	260	6XVLDLST-1	250		
		2XVLDLST-3	190	6XVLDLST-3	180		
		2XVLDLST-4	190	6XVLDLST-4	180		
		2XVLDLST-5	190	6XVLDLST-5	180		
		2XVLDLST-6	260	6XVLDLST-6	250		
		2XVLDLST-8	190	6XVLDLST-8	180		
		Do-But 2-Position Luminous Selector	12	2XVLD2SL-1	410	-	-
				2XVLD2SL-3	320		
2XVLD2SL-4	320						
2XVLD2SL-5	320						
2XVLD2SL-6	410						
2XVLD2SL-8	320						
Do-But 3-Position Luminous Selector	12	2XVLD3SL-1	425	-	-		
		2XVLD3SL-3	340				
		2XVLD3SL-4	340				
		2XVLD3SL-5	340				
		2XVLD3SL-6	425				
		2XVLD3SL-8	340				

### Luminous Twin Button Ø22.5MM With Led Indicators

DESCRIPTION	STD. PKG.	IN METALIC BAZEL		IN PLASTIC BAZEL	
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
LED TWIN LUMINOUS ACTUATOR WITH FLUSH GREEN KNOB MARKED 1 & RED KNOB MARKED 0 WITH CLUSTER/ CHIP LED, WITH AMBER LENSE BUT WITHOUT CONTACT ELEMENT FOR 24V,110V,220V SUPPLY	12	2XVADBLD	220	6XVADBLD	210

## PUSH BUTTON Ø30.5MM

DESCRIPTION	STD PKG	STANDARD		BARREL TYPE	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Flush	30	ASRM-2	150	STS-2	120
		ASRM-3	150	STS-3	120
		ASRM-4	150	STS-4	120
		ASRM-6	150	STS-6	120
		ASRM-8	150	STS-8	120
		Projecting	20	ASRU-2	160
ASRU-3	160				
ASRU-4	160				
ASRU-6	160				
ASRU-8	160				
Mushroom	20			AST-2	190
		AST-3	190	STM-3	130
		AST-4	190	STM-4	130
		AST-6	190	STM-6	130
		AST-8	190	STM-8	130
		ASPR-4	210	STP-4	180
AS-2S	260				
AS-3S	260				
Stayput	10	AS-IPL	380	-	-
Selector 2-Position	20	AS-2L	370		
Selector 3-Position	20				
Emergency Stop-Press to Lock & Key to Reset	10				

## CONTACT BLOCK SUITABLE FOR Ø30.5MM BUTTON

DESCRIPTION	STD. PKG.	CAT NO.	PRICE (in Rs.)
1NO +1NC- Suitable for AS Series	30	ES-1	130
1 NO -Do-	50	ES-2	110
1NC-Do-	50	ES-3	110
1NO+1NC-Suitable for ST Series			
Rear Connection	10	TS-1R	200
Front Connection	20	TS-1	175

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



**LED INDICATORS Ø 6.5, 8.5, 9.5, 12.5, 14.5, 16.5, 19.5 MM**

DESCRIPTION	STD PKG	SUITABLE PANEL Ø	CAT NO.	With Flying Leads Input (FL)	With Solderable Lugs Input (S.L)	With Screw Terminals Input (S.T)
-------------	---------	------------------	---------	------------------------------	----------------------------------	----------------------------------

LED Indicators in Nickel Chrome Plated Brass Body-Barrel Shape, Integral Circuit Suitable for common voltages: 5V,6V,12V,18V,24V,30V,40V,50V,60V AC/DC

Single or Cluster LED's of 3mm,5mm size	20	6.5MM	2XVLD-6-3 2XVLD-6-4 2XVLD-6-8	80 80 80	80 80 80	- - -
-DO-	20	8.5MM	2XVLD-8-3 2XVLD-8-4 2XVLD-8-8	85 85 85	85 85 85	100 100 100
-DO-	20	9.5MM	2XVLD-9-3 2XVLD-9-4 2XVLD-9-8	90 90 90	90 90 90	- - -

-DO-but suitable for voltages:24V,110V,220V AC or DC

-DO-	20	12.5MM	2XVLD-12-3 2XVLD-12-4 2XVLD-12-8	95 95 95	95 95 95	105 105 105
-DO-	20	14.5MM	2XVLD-14-3 2XVLD-14-4 2XVLD-14-8	100 100 100	100 100 100	110 110 110
-DO-	20	16.5MM	2XVLD-16-3 2XVLD-16-4 2XVLD-16-8	120 120 120	120 120 120	135 135 135
-DO-	12	19.5MM	2XVLD-19-3 2XVLD-19-4 2XVLD-19-8	- - -	- - -	135 135 135
HVCC Unit FOR Voltages above 60V for VLD6 Please specify required voltage 110V or 220V AC or DC	20	-	HVCC VOLTAGE	-	-	100

Please suffix FL, SL or ST for type of Input Terminal required.

For LED INDICATORS in White, Blue & Clear color Please Add Rs. 40/- in above Prices.

**LED INDICATORS SUITABLE FOR Ø 25.5 MM & 30.5 MM**

DESCRIPTION	In thermo plastic housing with plastic lens holder & Nut					
	Ø25.5mm IN BARREL SHAPE		Ø30.5mm IN BARREL SHAPE		Ø30.5mm IN SQUARE SHAPE	
	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)
LED Pilot Light barrel type with Polycarbonate Lense, cluster LED with integral circuit suitable for operating at 220V, 110V,48V,24V, AC/DC Supply	2XVLDIL-25BN-1	210	2XVLDIL-30BN-1	220	SM-4LED-3	200
	2XVLDIL-25BN-3	140	2XVLDIL-30BN-3	150	SM-4LED-4	200
	2XVLDIL-25BN-4	140	2XVLDIL-30BN-4	150	SM-4LED-5	200
	2XVLDIL-25BN-5	140	2XVLDIL-30BN-5	150	SM-4LED-6	260
	2XVLDIL-25BN-6	210	2XVLDIL-30BN-6	220	SM-4LED-7	260
	2XVLDIL-25BN-7	210	2XVLDIL-30BN-7	220	SM-4LED-8	200
	2XVLDIL-25BN-8	140	2XVLDIL-30BN-8	150		

Standard Packing for Pilot Light in Ø30.5 MM & 25.5MM is 15&10 respectively.

**PILOT LIGHTS SUITABLE FOR Ø30.5 MM**

DESCRIPTION	STG PKG	MM	CAT NO.	PRICE (IN RS.)
PILOT LIGHT -White Phenolic & Metallic Body/Polycarbonate Lense &Metallic Lense Holder suitable for beyonet type filament Bulb 7W/10W Supply but without Bulb.	10	30.5	SM-4R-3	150
			SM-4R-4	150
			SM-4R-5	150
			SM-4R-6	150
			SM-4R-7	150
			SM-4R-8	150
			SM-4P	150

**SPARES FOR 22.5MM- SERIES 2XV**

SPARES FOR 22.5MM	TYPE	PRICE (IN RS.)
Filament Bulb BA-9S 2.6 Watt (Max)	2XVBLB	20
Polycarbonate Lense for Pilot Light	2XVILP	20
Lense Holder Assembly for Pilot Light	2XVIL-CP	40
Lense Holder Assembly for Luminous Button	2XVILST/R-CP	48
Adaptor for Assembly of 30.5mm in 22.5 mm	2XVADP	20
Lense Holder Assembly for 2 Position & 3 Position Selector	2XVA2/3SIL-CP	135
Inscription Plates with Start, stop, On, Off, forward, Reverse Legends	2XV-IP	20
Padlocking Device for Projecting Head	XVAP-PD	65
Padlocking Device for Mushroom Head	2XVAM-PD	70
Transparent Silicon Protective boot for Actuator	2XVBB	36
Lense for Twin Actuator	2XVADB-LP	20
Bulb Extractor- to remove or fit the Bulb from front	2XV-DBE	25
Blanking Plug for 22.5mm Hole	2XV-BL	20

**SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8**



# VAISHNO **HOTLINE**

## LOCAL CONTROL STATIONS

### PUSH BUTTON STATION IN CAST ALUMINIUM & THERMO PLASTIC ENCLOSURE

UNITS	WITH Ø22.5MM ACTUATOR AND INO OR INC CONTACT BLOCK				WITH Ø30.5MM ACTUATOR AND INO+1NC CONTACT BLOCK	
	IN CAST ALUMINIUM ENCLOSURE		IN THERMO PLASTIC ENCLOSURE		IN CAST ALUMINIUM ENCLOSURE	
DESCRIPTION	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)
ONE UNIT	PS-2219	430	PS-3219	400	PS-1519	500
TWO UNIT	PS-2229	600	PS-3229	550	PS-1529	760
THREE UNIT	PS-2239	800	PS-3239	725	PS-1539	1000
FOUR UNIT	PS-2249	1050	PS-3249	980	PS-1549	1310

For Push Button Station with Canopy, extra Price @ 12% will be charged  
 PBS Tailor made to customers specification can be made available in Cast Aluminum Enclosure.  
 P.B.S in Plastic enclosure are available only without Canopy.

### F.R.P PUSH BUTTON STATION (HOT MOULDED FIBRE REINFORCED POLYSTER)

TYPE	STYLE NO.	SIZE OF BOXES L*W*H	NUMBER OF 2.5MM <sup>2</sup> 4MMCLIP ONTYPETERMINAL BLOCK	CABLE ENTRY	Price (Rs.)
FRP/2291S	1 PUSH BUTTON	140*95*70	-	1 WITH PLUG	910
FRP/2292S	2 PUSH BUTTON	140*95*70	-	1 WITH PLUG	1060
FRP/2293S	3 PUSH BUTTON	140*135*70	-	2 WITH PLUG	1500
FRP/2294S	4 PUSH BUTTON	140*135*70	-	2 WITH PLUG	1440
FRPB/2295S	5 PUSH BUTTON	170*170*90	-	2 WITH PLUG	1610
FRPB/2296S	6 PUSH BUTTON	170*170*90	-	2 WITH PLUG	1840
FRPB/2291T*	1 PUSH BUTTON	140*95*70	4 TB	1 WITH PLUG	1290
FRPB/2292T*	2 PUSH BUTTON	150*120*70	6 TB	2 WITH PLUG	1815
FRPB/2293T*	3 PUSH BUTTON	170*170*90	8 TB	2 WITH PLUG	2120
FRPB/2294T*	4 PUSH BUTTON	230*130*80	10 TB	2 WITH PLUG	2460
FRPB/2294T*	4 PUSH BUTTON	170*170*90	10 TB	2 WITH PLUG	2440
FRPB/2292AM72*	2 PUSH BUTTON+ AMMETER	230*130*80	10 TB	2 WITH PLUG	3630
FRPB/2291AM72*	1 PUSH BUTTON + AMMETER	170*170*90	10 TB	2 WITH PLUG	2200
FRPB/2292 SS72*	2 PUSH BUTTON+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	3800
FRPB/2290 AMSS72*	AMMETER + SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4000
FRPB/2291 AMSS72*	1 PUSH BUTTON WITH AMMETER+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4200

Push Button Station\*marked are duly wired - Prices are with INO or INC Contact Blocks for each Button  
 Prices are with Standard Shrouded Spring Return Actuator, however in case of requirement of other Push Button instead of standard, please deduct the List Price of Shrouded Button and add the Price of the required button.

### PENDENT PUSH BUTTON STATIONS(CAST ALUMINIUM ENCLOSURE)

TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)	TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)
ONE UNIT	SINGLE	PS-P1	570	TEN UNIT	Double	PS-P10	2990
TWO UNIT	SINGLE	PS-P2	850	TWELVE UNIT	Double	PS-P12	3550
THREE UNIT	SINGLE	PS-P3	1100	FOURTEEN UNIT	Double	PS-P14	3810
FOUR UNIT	SINGLE	PS-P4	1425	SIXTEEN UNIT	Double	PS-P16	4220
FIVE UNIT	SINGLE	PS-P5	1630	EIGHTEEN UNIT	Double	PS-P18	4985
SIX UNIT	SINGLE	PS-P6	1890	TWENTY UNIT	Double	PS-P20	5355
EIGHT UNIT	SINGLE	PS-P8	2350				

Pendent Push Button Stations are Supplied with 1NO+NC Contact Blocks

### F.R.P. EMPTY ENCLOSURE (FIBRE GLASS REINFORCED POLYSTER ENCLOSURE)

TYPE'	L*W*H	PRICE (in Rs.)	TYPE'	L*W*H	PRICE (in Rs.)
FRP-1413 EY	140*135*70	910	FRP-1512 EY	150*120*70	1200
FRP-1495 EY	140*95*70	835	FRP-1717 EY	170*170*90	1350
FRP-2313 EY	230*130*80	1400			

### JUNCTION BOX (CAST ALUMINIUM AND F.R.P ENCLOSURE)

JUNCTION BOX-CAST ALUMINIUM				JUNCTION BOX-F.R.P ENCLOSURE			
TYPE	SIZE	NUMBER OF 2.5MM <sup>2</sup> MM <sup>2</sup> TERMINAL BLOCK	PRICE (IN RS.)	TYPE	SIZE	NUMBER OF 2.5MM <sup>2</sup> MM <sup>2</sup> TERMINAL BLOCK	PRICE (IN RS.)
CAJB-4	125*70*55	4	1500	FRJB-4	140*135*70	4	1205
CAJB-6	125*70*55	6	1600	FRJB-6	140*135*70	6	1310
CAJB-10	125*70*55	10	1675	FRJB-10	140*135*70	10	1560
CAJB-12	125*70*55	12	1750	FRJB-12	150*120*70	12	1750
CAJB-18	180*70*55	18	2310	FRJB-18	230*130*80	18	2365
CAJB-20	225*125*55	20	2715	FRJB-20	230*130*80	20	2430
CAJB-24	225*125*55	24	2790	FRJB-24	230*130*80	24	2615
CAJB-36	325*300*70	36	5600	FRJB-36	320*170*80	36	3725
CAJB-50	325*300*70	50	6130	FRJB-50	320*170*80	50	4130

### NEON JEWEL LIGHT

TYPE	STD PKG	Panel Cutout mm	CAT NO.	PRICE (IN RS.)
FRONT ROUND NUT FIXING WITH LEAD	50	10	MS-7-3, MS-7-4, MS-7-5, MS-7-6, MS-7-7, MS-7-8	30
FRONT ROUND NUT FIXING WITH LEAD	100	10	MS-14-3, MS-14-4, MS-14-5, MS-14-6, MS-14-7, MS-14-8	40
FRONT ROUND NUT FIXING WITH LEAD	50	8	MS-19-3, MS-19-4, MS-19-5, MS-19-6, MS-19-7, MS-19-8	35
FRONT ROUND NUT FIXING WITH BRASS TERMINAL & SCREW CONNECTION	50	15	MS-17-3, MS-17-4, MS-17-5, MS-17-6, MS-17-7, MS-17-8	40



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL  TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.



NS-EN ISO 14001 : 2004 / ISO 14001 : 2004 CERTIFIED COMPANY

MRP NO 01/22 W.E.F 01-04-2022

**VAISHNO**



**HOTLINE**

**MEASURING INSTRUMENTS**

**ANALOG PANEL METERS**

VOLTMETERS AC		SQUARE INSTRUMENTS			AMMETERS AC			
RANGES	72-MM	96-MM	144-MM	RANGES	72-MM	96-MM	144-MM	
	SIF-72	SIF-96	SIF-144		SIF-72	SIF-96	SIF-144	
Any Single Range 15v to 300V	380.00	430.00	600.00	Any Single Range Up to 30 Amps	380.00	390.00	550.00	
Any Single Range 0-500 to 600V	410.00	450.00	650.00	Any Single Range 35A to 100A 0-150 to 0-200A	430.00	450.00	600.00	
					-	550.00	725.00	
VOLTMETERS DC				AMMETERS DC				
UPTO 30 VOLT	550.00	630.00	940.00	UPTO 30 A	520.00	550.00	950.00	
35 TO 300 VOLT	630.00	675.00	960.00					
UPTO 500 VOLT	670.00	700.00	990.00					



CAUTION! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

**INDUSTRIAL HOOTERS**

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 105db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD.PKG	CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD.PKG
HH001-A	220 V A.C.	RANGE WILL BE ± 10% OF RATED VOLTAGE	525	01	HH001-D	220 V D.C.	RANGE WILL BE ± 10% OF RATED VOLTAGE	680	01
HH002-A	110 V A.C.		525	01	HH002-D	110 V D.C.		680	01
HH003-A	24 V A.C.		525	01	HH003-D	24 V D.C.		680	01
HH004-A	12 V A.C.		525	01	HH004-D	12 V D.C.		700	01
HH005-A	30 V A.C.		525	01	HH005-D	30 V D.C.		700	01
HH006-A	50 V A.C.		525	01	HH006-D	50 V D.C.		700	01
HH007-A	65 V A.C.		525	01	HH007-D	65 V D.C.		700	01

RANGE WILL BE ± 10% OF RATED VOLTAGE

**ELECTRONIC BUZZERS**

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 95db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT		CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	
			SINGLE TONE	THREE TONE				SINGLE TONE	THREE TONE
			RS.	RS.				RS.	RS.
HSB001-A	220 V A.C.	RANGE WILL BE ± 10% OF RATED VOLTAGE	640	700	HSB001-D	220 V D.C.	RANGE WILL BE ± 10% OF RATED VOLTAGE	650	700
HSB002-A	110 V A.C.		640	700	HSB002-D	110 V D.C.		650	700
HSB003-A	24 V A.C.		640	700	HSB003-D	24 V D.C.		650	700
HSB004-A	12 V A.C.		650	710	HSB004-D	12 V D.C.		650	700
HSB005-A	30 V A.C.		650	710	HSB005-D	30 V D.C.		650	700
HSB006-A	48 V A.C.		650	710	HSB006-D	48 V D.C.		650	700
HSB00U	24-240V AC/DC		730	760	50*50 Mini Buzzer			450	

**HRC FUSE HOLDERS (ENCLOSED TYPE)**

CAT NO.	RATING VOLTAGE	CONNECTION	PRICE PER UNIT (RS.)	STD. PKG.
VMF-20	20 AMP	FRONT	90	5
VMB-20		BUS BAR	95	5
VMP-20		REAR	100	5
VMF-32	32 AMP	FRONT	130	5
VMB-32		BUS BAR	140	5
VMF-63	63 AMP	FRONT	180	5
VMB-63		BUS BAR	220	5
VMF-125	125 AMP	FRONT	440	5
VMB-125		BUS BAR	520	1

**HRC FUSE BASES-OPEN TYPE**


BAKELITE MOULDED BASE				DMC MOULDED BASE		PROCELAIN MOULDED BASE	
RATING	CONNECTION	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)
160 AMP.	Circlip	FBO-125	180	FBO-160 (CD)	180	FBO-160 (C)	125
250 AMP.	Circlip	FBO-250C	352	FBO-250 (SD)	390	FBO-250 (CP)	380
250 AMP.	Spring Loaded	FBO-250 (S)	362	FBO-250 (CD)	400	FBO-250 (SP)	390
400 AMP.	Circlip	FBO-400C	418	FBO-400 (SD)	470	FBO-400 (CP)	460
400 AMP.	Spring Loaded	FBO-400 (S)	440	FBO-400 (SD)	475	FBO-400 (SP)	465
630 AMP.	Spring Loaded	FBO-630 (S)	590	FBO-630 (SD)	640	FBO-630(SP)	620

**HEAVY DUTY FOOT SWITCHES**

CAT NO.	CONNECTION	TYPE	PRICE PER UNIT
VFS-C1	1 NO + 1 NC	WITH GUARD	1980
VFS-C2	1 NO + 1 NC	WITHOUT GUARD	1820
VFS-C3	2 NO + 2NC	WITH GUARD	2260
VFS-C4	2 NO + 2 NC	WITHOUT GUARD	2200
VFS-C5	1 NO + 1 NC	WITH SHIELD GUARD	2200
VFS-C6	2 NO + 2 NC	WITH SHIELD GUARD	2500
FS-CLW-OC	1 NO+1 NC		1500



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.



MRP LIST No 01/22

**EFFECTIVE FROM 01.04.2022  
TERMS & CONDITIONS**

- **Prices**  
The Prices mentioned in this Price List No. 01/22 effective 01-04-2022 supersedes all previous Price Lists and are standard Prices ruling at the time of dispatch on F.O.R Noida basis.
- **Alteration**  
The Prices are subject to change without notice.
- **Jurisdiction**  
The courts at Noida will have jurisdiction to settle all disputes raised.
- **Duties and Taxes**  
Prices do not Include Any Taxes & Levies
- **Insurance**  
Insurance will be to your Account.
- **Others**





Authorized Stockist

Mfd. By:  
**Hotline Switchgear & Controls**

(ISO 9001: 2015 CERTIFIED)

D-2, SECTOR- 8, NOIDA (U.P.)-201301 INDIA

PH.: +91-9650599170,9818644135, 9810431003

e-mail: [sales@hsc.in](mailto:sales@hsc.in) ; [marketing@hsc.in](mailto:marketing@hsc.in)

