




Switch to Smart. Secure. Sustainable Solutions

State of the Art, Beyond the Latest Technology, High Level of Protection, Control & Monitoring, Communicable and Monitored in Latest Mediums Cloud IoT on PC and Mobile making the Electricity More Advantageous Safe & Cost Effective



ATS with CME 310, 320 & 330

- Power Supply & Control without external wiring
- ATS with Fire Linkage, LED Indication on Switch, Display of VIF on Panel Door & RS 485 Communication



ATS with CME 360 & 370

- Measure, Control, Enable & Disable over 45 Parameters & last 6 Month's Event History
- Communication via PLC/ SCADA/ EMS, RS 485 MODBUS, Ethernet & Cloud Connectivity

Smart Pump Controller

- Range 5 HP to 75 HP
- Remote operation Control via Mobile App
- All voltage & current based protection



MCCB Smart Panel

- Remote Operation & Monitoring with GPRS & Cloud Connectivity
- Theft Protection with GPS Tagging, Pass Word Protection



HPL Changeover Family

Switch for Green Building Concept, NO TOXIC emissions
unsafe for Nature or Humans

High thermal resist capacity evades chance of
Mold melting near terminals

Fixed Operating Shaft, No extension Shaft required &
evading risks of Mechanism or Handle damage

Universal Terminals lets Aluminum or Copper Bus without
Terminal Extension which doubles chances of loose termination
which finally results in switch burning

Live Terminals are at safe distance and covered with Shroud

Protection against Arc on every Power Contact point.

A strong, reliable double break mechanism for safe
changeover of sources remotely.

Shroud, Source Separator & Phase Barrier as standard
part of switch no extra cost.

HPL Changeover – Range 63A to 3150A in 3Pole & 4Pole
versions with Enclosure or in Open Execution

HPL Load Break Switch – Range 63A to 3150A in 3Pole &
4Pole versions with Enclosure or in Open Execution

LBS is available in Modified version for Government Schemes
like RDSS & others or can be tailored for specific need based on
Product Application, Parameters & Volume

HPL By Pass Switch – Range 63A to 1600A in 4Pole version
with Enclosure or in Open Execution

By Pass Switch has Unique Benefit of Safety for Operator/ User/
Maintenance Personnel by Disconnecting Servo/ Stabilizer/
UPS etc. with Breaking contacts Positively by Single Handle
safeguarding chances of electrocution.

HPL Switch Fuse Changeover – Range 125A to 630A
in 4Pole version with Enclosure or in Open Execution with
Protection against Overloads & Short Circuits

Switch Fuse Changeover Switch has Unique Benefit of Safety for
Operator/ User/ Maintenance Personnel from accidental touch of
live conductors by Safety Lid avoiding chances of electrocution.

HPL Load Break Switch for DC Voltage – Range 125A
to 630A for DC Voltage 1000V & 1500V in 2Pole & 4Pole version
with Enclosure or in Open Execution

HPL has its own R&D is equipped with testing facility of DC
components up to 1500V DC & 630A DC guaranteeing each
produce tested for consumer's aid.

HPL Changeover Switch for DC Voltage – Range 125A
to 630A for DC Voltage 1000V & 1500V in 2Pole & 4Pole version
with Enclosure or in Open Execution

Changeover Switch for AC & DC Voltage are also available –
Range 125A to 630A for DC Voltage 1000V for Govt Projects PM
Kusum Yojna PM Jal Jeevan Mission Yojna, etc

HPL VCS Protection Switch – Range 50A to 250A in SS
Enclosure Designed for AC23A load breaking

Switch for Protection during Electrical/ Mechanical/ Emergency
Maintenance ensuring isolation from live voltage, accidental
restart of machine, risk of physical damage or casualty

Local disconnection without going to the main panel & with only
the targeted machine is switched off and rest of the installations
can continue operating

Ensure total safety, Visual Indication of contacts, Flag indicator,
door interlocked & switch lockable in OFF position

On Load Changeover Switches 4 Pole

Conforms to IEC 947-3, EN - 60947-3 AC-23A, Front operated 4 Pole 415V, 50Hz.

HSN Code: 85365010



Accessories:

Auxiliary contacts kit 1NO-1NC from 250A onwards as standard feature and 2NO-2NC on request at extra cost.

Rating Amps.	Open Execution		Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	CDC00634POAV	8466	CDC00634PEAV	14066
80A	CDC00804POAV	10171	CDC00804PEAV	15327
100A	CDC01004POAV	11156	CDC01004PEAV	16280
125A	C01254POAV	15301	C01254PEAV	23549
160A	C01604POAV	20378	C01604PEAV	29860
200A	C02004POAV	24831	C02004PEAV	32454
250A	C02504POAV	33167	C02504PEAV	44339
320A	C03204POAV	34673	C03204PEAV	48058
400A	C04004POAV	51145	C04004PEAV	66627
630A	C06304POAV	66192	C06304PEAV	84989
800A	C08004POAV	86512	C08004PEAV	137729
1000A	C10004POAV	184384	C10004PEAV	232503
1250A	C12504POAV	220494	C12504PEAV	292114
1600A	C16004POAV	271040	C16004PEAV	382821
2000A	C20004POAV	398649	C20004PEAV	555655
2500A	C25004POAV	511752	C25004PEAV	671421
3150A	C31504POAV	669607	C31504PEAV	845042

On Load Changeover Switches 3 Pole

Conforms to IEC 947-3, EN - 60947-3 AC-23A, Front operated 3 Pole 415V, 50Hz.

HSN Code: 85365010



Rating Amps.	Open Execution		Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	C00633POAV	8127	C00633PEAV	13504
80A	C00803POAV	9764	C00803PEAV	14714
100A	C01003POAV	10710	C01003PEAV	15629
125A	C01253POAV	14689	C01253PEAV	22607
160A	C01603POAV	19563	C01603PEAV	28665
200A	C02003POAV	23838	C02003PEAV	31156
250A	C02503POAV	31841	C02503PEAV	42565
320A	C03203POAV	33286	C03203PEAV	46135
400A	C04003POAV	49099	C04003PEAV	63962
630A	C06303POAV	63545	C06303PEAV	81590
800A	C08003POAV	81246	C08003PEAV	129345
1000A	C10003POAV	177008	C10003PEAV	223203
1250A	C12503POAV	211674	C12503PEAV	280429
1600A	C16003POAV	260199	C16003PEAV	367508
2000A	C20003POAV	382703	C20003PEAV	533428
2500A	C25003POAV	491282	C25003PEAV	644564
3150A	C31503POAV	642823	C31503PEAV	811240

Switch Fuse Changeover

Conforms to IEC 947-3 AC-23A, Front operated 4 Pole 415V, 50Hz. Suitable for BS or Bolted type HRC fuses.

HSN Code: 85365010



Rating Amps.	Open Execution				Sheet Steel Enclosure			
	Item Code	Without Fuses BS Type List Price Per Unit (₹)	Item Code	With Fuses BS Type List Price Per Unit (₹)	Item Code	Without Fuses BS Type List Price Per Unit (₹)	Item Code	With Fuses BS Type List Price Per Unit (₹)
125 A	F01254POXAV	21528	F01254POWAV	23040	F01254PEXAV	27588	F01254PEWAV	29232
200 A	F02004POXAV	39349	F02004POWAV	40908	F02004PEXAV	52151	F02004PEWAV	56904
250 A	F02504POXAV	39708	F02504POWAV	41785	F02504PEXAV	55188	F02504PEWAV	60864
320 A	F03204POXAV	41015	F03204POWAV	43416	F03204PEXAV	56460	F03204PEWAV	62184
400 A	F04004POXAV	58824	F04004POWAV	63576	F04004PEXAV	79356	F04004PEWAV	92905
630 A	F06304POXAV	74805	F06304POWAV	77188	F06304PEXAV	94572	F06304PEWAV	110557

* For fuse link, refer column 1st on page no. 10

Fuse Links for Switch Fuse Changeover

HSN Code: 85365010

Rating Amps.	Size	Item Code	Standard Packaging Nos.	List Price Per Unit (₹)
125 A	A-4	FULKBSTCP125	10	487
200 A	A-4	FULKBSTSF200	3	727
250 A	B-1	FULKBSTSK250-S	3	1125
320 A	B-1	FULKBSTSK315-S	3	1125
400 A	C-1	FULKBSTSMS400-S	1	1626
630 A	C-1	FULKBSTTS630	1	3332

Load Break Switches 4 Pole

Conforms to IEC 947-3 AC-23A, Front operated 4 Pole 415V, 50Hz.

HSN Code: 85365010



Please specify while ordering switch with direct mounted handle in 63A-100A LBS

Rating Amps.	Open Execution		Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	L00634POAV	5249	L00634PEAV	9709
80A	L00804POAV	6773	L00804PEAV	10057
100A	L01004POAV	8532	L01004PEAV	11249
125A	L01254POAV	9273	L01254PEAV	12569
160A	L01604POAV	12883	L01604PEAV	18975
200A	L02004POAV	14527	L02004PEAV	22740
250A	L02504POAV	18632	L02504PEAV	25795
320A	L03204POAV	21691	L03204PEAV	31401
400A	L04004POAV	27400	L04004PEAV	39285
630A	L06304POAV	34800	L06304PEAV	46900
800A	L08004POAV	43102	L08004PEAV	63459
1000A	L10004POAV	81503	L10004PEAV	111004
1250A	L12504POAV	104911	L12504PEAV	147689
1600A	L16004POAV	141986	L16004PEAV	183055
2000A	L20004POAV	204246	L20004PEAV	208690
2500A	L25004POAV	242937	L25004PEAV	284661
3150A	L31504POAV	325142	L31504PEAV	384912

Load Break Switches 3 Pole

Conforms to IEC 947-3 AC-23A, Front operated 3 Pole 415V, 50Hz.

HSN Code: 85365010



- Please specify while ordering switch with direct mounted handle in 63A-100A LBS
- 100A~630A, 3P switches in 3P frame is available with separate booking reference code

Rating Amps.	Open Execution		Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	L00633POAV	4574	L00633PEAV	7285
80A	L00803POAV	5876	L00803PEAV	7625
100A	L01003POAV	7414	L01003PEAV	9350
125A	L01253POAV	8804	L01253PEAV	11942
160A	L01603POAV	10958	L01603PEAV	14030
200A	L02003POAV	12338	L02003PEAV	19527
250A	L02503POAV	15838	L02503PEAV	22997
320A	L03203POAV	15948	L03203PEAV	26611
400A	L04003POAV	23534	L04003PEAV	36631
630A	L06303POAV	30778	L06303PEAV	43705
800A	L08003POAV	36643	L08003PEAV	55581
1000A	L10003POAV	69271	L10003PEAV	95362
1250A	L12503POAV	89175	L12503PEAV	127120
1600A	L16003POAV	121383	L16003PEAV	158877
2000A	L20003POAV	180062	L20003PEAV	173015
2500A	L25003POAV	207198	L25003PEAV	235987
3150A	L31503POAV	278003	L31503PEAV	319098

Load Break Switches 3 Pole in 3P Frame

Conforms to IEC 947-3 AC-23A, Front operated 3Pole 415V, 50Hz.

HSN Code: 85365010

Rating Amps.	Direct Mounted		Open Execution	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
125A	1LBS0125AC3PDMN	5586	1LBS0125AC3POEN	5805
160A	1LBS0160AC3PDMN	6564	1LBS0160AC3POEN	6784
200A	1LBS0200AC3PDMN	7786	1LBS0200AC3POEN	8006
250A	1LBS0250AC3PDMN	10710	1LBS0250AC3POEN	10930
320A	2LBS0320AC3PDMN	10780	2LBS0320AC3POEN	11000
400A	2LBS0400AC3PDM-N	15355	2LBS0400AC3POE-N	15575
630A	2LBS0630AC3PDMN	18403	2LBS0630AC3POEN	18788
800A	2LBS0800AC3PDMN	28921	2LBS0800AC3POEN	29351
1000A	3LBS1000AC3PDMN	41250	3LBS1000AC3POEN	41525
1250A	3LBS1250AC3PDMN	57200	3LBS1250AC3POEN	57475
1600A	3LBS1600AC3PDMN	74800	3LBS1600AC3POEN	75075

LBS with Factory Fitted 1NO+1NC Auxillary Contact

HSN Code: 85365010



Rating Amps.	3P Open Execution		4P Open Execution	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	L00633POWIAV	5243	L00634POWIAV	5899
80A	L00803POWIAV	6545	L00804POWIAV	7423
100A	L01003POWIAV	8083	L01004POWIAV	9183
125A	L01253POWIAV	9534	L01254POWIAV	9924
160A	L01603POWIAV	11613	L01604POWIAV	13535
200A	L02003POWIAV	12992	L02004POWIAV	15178
250A	L02503POWIAV	16492	L02504POWIAV	19283
320A	L03203POWIAV	16603	L03204POWIAV	22444
400A	L04003POWIAV	24299	L04004POWIAV	28152
630A	L06303POWIAV	31498	L06304POWIAV	35486
800A	L08003POWIAV	37360	L08004POWIAV	43814
1000A	L10003POWIAV	69989	L10004POWIAV	82217
1250A	L12503POWIAV	89853	L12504POWIAV	105585
1600A	L16003POWIAV	122070	L16004POWIAV	142664
2000A	L20003POWIAV	180829	L20004POWIAV	204980
2500A	L25003POWIAV	207881	L25004POWIAV	243615
3150A	L31503POWIAV	278687	L31504POWIAV	325819



Rating Amps.	3P Sheet Steel Enclosure		4P Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	L00633PEWIAV	7956	L00634PEWIAV	10463
80A	L00803PEWIAV	8294	L00804PEWIAV	10801
100A	L01003PEWIAV	10020	L01004PEWIAV	11931
125A	L01253PEWIAV	12707	L01254PEWIAV	13250
160A	L01603PEWIAV	14796	L01604PEWIAV	19700
200A	L02003PEWIAV	20294	L02004PEWIAV	23492
250A	L02503PEWIAV	23762	L02504PEWIAV	26520
320A	L03153PEWIAV	27367	L03154PEWIAV	32155
400A	L04003PEWIAV	37396	L04004PEWIAV	39978
630A	L06303PEWIAV	44470	L06304PEWIAV	47594
800A	L08003PEWIAV	56302	L08004PEWIAV	64155
1000A	L10003PEWIAV	96126	L10004PEWIAV	111755
1250A	L12503PEWIAV	127860	L12504PEWIAV	148414
1600A	L16003PEWIAV	159577	L16004PEWIAV	183736
2000A	L20003PEWIAV	173683	L20004PEWIAV	209372
2500A	L25003PEWIAV	236656	L25004PEWIAV	285343
3150A	L31503PEWIAV	319767	L31504PEWIAV	385594

LBS 3 Pole in 4P Fr POE & PDM

HSN Code: 85365010

Rating Amps.	Open Execution		Direct Mount Handle	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
40A	0LBS0040AC3POE	3520	0LBS0040AC3PDM	3080
63A	0LBS0063AC3POE	3574	0LBS0063AC3PDM	3168
80A	0LBS0080AC3POE	3663	0LBS0080AC3PDM	3245
100A	0LBS0100AC3POE	3740	0LBS0100AC3PDM	3465
125A	1LBS0125AC3POE	8351	1LBS0125AC3PDM	8131
160A	1LBS0160AC3POE	10340	1LBS0160AC3PDM	9900
200A	1LBS0200AC3POE	10978	1LBS0200AC3PDM	10890
250A	2LBS0250AC3POE	14300	2LBS0250AC3PDM	13860
320A	2LBS0320AC3POE	15168	2LBS0320AC3PDM	14553
400A	3LBS0400AC3POE	20130	3LBS0400AC3PDM	19690
630A	3LBS0630AC3POE	23285	3LBS0630AC3PDM	22845
800A	4LBS0800AC3POE	36300	4LBS0800AC3PDM	35640
1000A	5LBS1000AC3POE	65120	5LBS1000AC3PDM	64900
1250A	5LBS1250AC3POE	69520	5LBS1250AC3PDM	68860
1600A	5LBS1600AC3POE	107800	5LBS1600AC3PDM	107140
2000A	5LBS2000AC3POE	168850	5LBS2000AC3PDM	168300
2500A	5LBS2500AC3POE	205700	5LBS2500AC3PDM	205150
3150A	5LBS3150AC3POE	275000	5LBS3150AC3PDM	273900

LBS 4 Pole POE & PDM

HSN Code: 85365010

Rating Amps.	Open Execution		Direct Mount Handle	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
40A	0LBS0040AC4POE	3872	0LBS0040AC4PDM	3388
63A	0LBS0063AC4POE	3931	0LBS0063AC4PDM	3485
80A	0LBS0080AC4POE	4029	0LBS0080AC4PDM	3570
100A	0LBS0100AC4POE	5346	0LBS0100AC4PDM	3812
125A	1LBS0125AC4POE	7025	1LBS0125AC4PDM	6758
160A	1LBS0160AC4POE	8209	1LBS0160AC4PDM	7943
200A	1LBS0200AC4POE	9688	1LBS0200AC4PDM	9422
250A	2LBS0250AC4POE	13225	2LBS0250AC4PDM	12959
320A	2LBS0320AC4POE	13310	2LBS0320AC4PDM	13044
400A	3LBS0400AC4POE	18845	3LBS0400AC4PDM	18579
630A	3LBS0630AC4POE	22734	3LBS0630AC4PDM	22268
800A	4LBS0800AC4POE	35515	4LBS0800AC4PDM	34995
1000A	5LBS1000AC4POE	49383	5LBS1000AC4PDM	48785
1250A	5LBS1250AC4POE	67509	5LBS1250AC4PDM	66911
1600A	5LBS1600AC4POE	86803	5LBS1600AC4PDM	86244
2000A	5LBS2000AC4POE	185735	5LBS2000AC4PDM	185130
2500A	5LBS2500AC4POE	226270	5LBS2500AC4PDM	225665
3150A	5LBS3150AC4POE	286000	5LBS3150AC4PDM	301290

Please note : LBS Prices are without triple safety feature, Bolt support & 1No+1NC

By Pass Switch

Conforms to IS 13947-3/IEC 947-3. Tested at CPRI for AC 23A duty of utilization.

HSN Code: 85365010



Rating Amps.	Open Execution		Sheet Steel Enclosure	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A	BP00634POAV	15457	BP00634PEAV	20768
100A	BP01004POAV	18493	BP01004PEAV	24846
125 A	BP01254POAV	28347	BP01254PEAV	46033
200 A	BP02004POAV	35529	BP02004PEAV	55692
250 A	BP02504POAV	51349	BP02504PEAV	79564
320 A	BP03204POAV	53660	BP03204PEAV	82184
400 A	BP04004POAV	77967	BP04004PEAV	118671
630 A	BP06304POAV	93066	BP06304PEAV	138671
800 A	BP08004POAV	198796	BP08004PEAV	263790
1000 A	BP10004POAV	283211	BP10004PEAV	375806
1250 A	BP12504POAV	351521	BP12504PEAV	464010
1600 A	BP16004POAV	435787	BP16004PEAV	618977



AV ATS

Advance Version Automatic Transfer Switch Changeover application 40A-1600A

ATS for Green Building Concept with NO TOXIC emissions harmful for Nature or Humans

High thermal resist capacity evades chance of Mold melting near terminals

Universal Terminals lets Aluminum or Copper Bus without Terminal Extension which doubles chances of loose termination which finally results in switch burning

Unique Fire Linkage Protection to pair with Fire Panel or with Seismographic Panels also

Protection against Arc on every Power Contact point.

A strong, reliable double break mechanism for safe changeover of sources remotely.

Widest Operating Control Voltage 150V AC to 330V AC to sustain voltage outages

Widest Operating Temperature for Control Circuit -30°C to +70°C

Circuits with Surge tolerance of up to 10kV robust for any stringent voltage condition

ATS protrusion off panel knockout for manual operation and display without opening Panel Door and exposing operator may be unskilled like residential users, to live conductors.

Safe space amid panel door & live Terminals for Protrusion.

Shroud, Source Separator & Phase Barrier as standard part of switch no extra cost.

LOTO ensuring Operator or Maintenance Personnel's safety

Modular Motor Module detached without disconnecting Power devoid ATS Downtime

PAN India network of qualified Customer Support Engineers



The ATS with CME 310

arrangement Range from 40A to 1600A

No external control input supply or logic control wiring, inevitably selects Priority or available source & Starts & Stops DG without human intervention

Control indicates via LED the available Source, Switch Position & Auto/ Manual mode

The ATS with CME 311

arrangement Range from 40A to 1600A

ATS with CME 310 enhanced version with Source switching & DG Cool down Time Delay via Dip switches – Instantaneous & up to 3 minutes in five steps

The ATS with CME 320

arrangement Range from 40A to 1600A

ATS without controller/ CME 310/ CME 311 version with VIF & PF Display unit on Panel Door Knockout 92X92

The ATS with CME 330

arrangement Range from 40A to 1600A

ATS without controller/ CME 310/ CME 311 version with VIF & PF Display unit and Communicate via RS485 on desired PC or other Control unit

The ATS with CME 360

Controller for all ratings from 40A to 1600A for Operating voltage 24V DC or 230V ac (other voltages on request)

Control measures over 45 parameters including VIF, kW, kVA, kVAr, PF, Active/ Reactive/ Apparent Energy for Mains Generator & MD in kW and kVA for Mains & Generator separately with Date & Time, Run Hour, Power ON Hour

All Protection Parameters are with Enable & Disable function ensuring user personal settings

Remote operation through PLC/ SCADA/ EMS & Communicated on remote PC

Monitor & Control on Mobile App for immediate remote action

Event Recording of last 6 months, Communication via RS485 MODBUS, Optional Ethernet Communication


The ATS with CME 370, CME 360

arrangement Range from 40A to 1600A

ATS without controller/ CME 310/ CME 311 version with VIF & PF Display unit and Communicate via RS485 on desired PC or other Control unit

AV ATS

Advance Version Automatic Transfer Switch
Changeover applications 40A-1600A



AV ATS (Motor Operated)

HSN Code: 85365010

Rating Amps.	Item Code	List Price per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
	ATS without Controller		ATS with 310 Open		ATS with 311 Open		ATS with 320 Open		ATS with 330 Open	
40A	ATS0404POXS	37048	ATS0404POX310	44540	ATS0404POX311	48994	ATS0404POX320	53448	ATS0404POX330	55675
63A	ATS0634POXS	39100	ATS0634POX310	46115	ATS0634POX311	50727	ATS0634POX320	55338	ATS0634POX330	57644
80A	ATS0804POXS	42075	ATS0804POX310	48796	ATS0804POX311	53676	ATS0804POX320	58555	ATS0804POX330	60995
100A	ATS1004POXS	47593	ATS1004POX310	53274	ATS1004POX311	58602	ATS1004POX320	63929	ATS1004POX330	66593
125A	ATS1254POXS	51014	ATS1254POX310	56139	ATS1254POX311	60630	ATS1254POX320	66243	ATS1254POX330	68489
125A	ATS01254POXS	88345	ATS01254POX310	90928	ATS01254POX311	95475	ATS01254POX320	100021	ATS01254POX330	104567
160A	ATS01604POXS	91550	ATS01604POX310	94227	ATS01604POX311	98938	ATS01604POX320	103650	ATS01604POX330	106477
200A	ATS02004POXS	93405	ATS02004POX310	96137	ATS02004POX311	100944	ATS02004POX320	105750	ATS02004POX330	107673
250A	ATS02504POXS	113982	ATS02504POX310	117314	ATS02504POX311	123180	ATS02504POX320	129045	ATS02504POX330	131392
320A	ATS03204POXS	115513	ATS03204POX310	118890	ATS03204POX311	124835	ATS03204POX320	130779	ATS03204POX330	133157
400A	ATS04004POXS	142651	ATS04004POX310	146823	ATS04004POX311	154164	ATS04004POX320	161505	ATS04004POX330	164441
500A	ATS05004POXS	152897	ATS05004POX310	157367	ATS05004POX311	165235	ATS05004POX320	173104	ATS05004POX330	176251
630A	ATS06304POXS	178359	ATS06304POX310	183575	ATS06304POX311	192753	ATS06304POX320	201932	ATS06304POX330	205604
800A	ATS08004POXS	256388	ATS08004POX310	258148	ATS08004POX311	278800	ATS08004POX320	286544	ATS08004POX330	296870
1000A	ATS10004POXS	296538	ATS10004POX310	298573	ATS10004POX311	313502	ATS10004POX320	328430	ATS10004POX330	334402
1250A	ATS12504POXS	375688	ATS12504POX310	378267	ATS12504POX311	397180	ATS12504POX320	416094	ATS12504POX330	423659
1600A	ATS16004POXS	466886	ATS16004POX310	470092	ATS16004POX311	493596	ATS16004POX320	517101	ATS16004POX330	526503
Rating Amps.	ATS with 360 Open		ATS with Loose 360 Open				ATS with 370 Open		ATS with Loose 370 Open	
40A	ATS0404POX360	64537	ATS0404POX-360	64537			ATS0404POX370	70991	ATS0404POX-370	70991
63A	ATS0634POX360	66036	ATS0634POX-360	66036			ATS0634POX370	72639	ATS0634POX-370	72639
80A	ATS0804POX360	69129	ATS0804POX-360	69129			ATS0804POX370	76042	ATS0804POX-370	76042
100A	ATS1004POX360	73719	ATS1004POX-360	73719			ATS1004POX370	81090	ATS1004POX-370	81090
125A	ATS1254POX360	76770	ATS1254POX-360	76770			ATS1254POX370	84447	ATS1254POX-370	84447
125A	ATS01254POX360	110044	ATS01254POX-360	110044			ATS01254POX370	121048	ATS01254POX-370	121048
160A	ATS01604POX360	113717	ATS01604POX-360	113717			ATS01604POX370	125089	ATS01604POX-370	125089
200A	ATS02004POX360	115602	ATS02004POX-360	115602			ATS02004POX370	127163	ATS02004POX-370	127163
250A	ATS02504POX360	138247	ATS02504POX-360	138247			ATS02504POX370	152072	ATS02504POX-370	152072
320A	ATS03204POX360	139836	ATS03204POX-360	139836			ATS03204POX370	153819	ATS03204POX-370	153819
400A	ATS04004POX360	171467	ATS04004POX-360	171467			ATS04004POX370	188613	ATS04004POX-370	188613
500A	ATS05004POX360	183497	ATS05004POX-360	183497			ATS05004POX370	201847	ATS05004POX-370	201847
630A	ATS06304POX360	216444	ATS06304POX-360	216444			ATS06304POX370	238089	ATS06304POX-370	238089
800A	ATS08004POX360	318534	ATS08004POX-360	318534			ATS08004POX370	350387	ATS08004POX-370	350387
1000A	ATS10004POX360	374525	ATS10004POX-360	374525			ATS10004POX370	411977	ATS10004POX-370	411977
1250A	ATS12504POX360	436124	ATS12504POX-360	436124			ATS12504POX370	479736	ATS12504POX-370	479736
1600A	ATS16004POX360	533178	ATS16004POX-360	533178			ATS16004POX370	586495	ATS16004POX-370	586495

AV ATS (Motor Operated)

HSN Code: 85365010



Rating Amps.	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
ATS WITH 331 Open			ATS WITH 335 Open	
40A	ATS0404POS	78090	ATS0404PO3S	98960
63A	ATS0634POS	79903	ATS0634PO3S	100331
80A	ATS0804POS	83646	ATS0804PO3S	104513
100A	ATS1004POS	89200	ATS1004PO3S	108190
125A	ATS1254POS	92892	ATS1254PO3S	112847
125A	ATS01254POS	133153	ATS01254PO3S	151860
160A	ATS01604POS	137598	ATS01604PO3S	156930
200A	ATS02004POS	139879	ATS02004PO3S	159531
250A	ATS02504POS	167279	ATS02504PO3S	190781
320A	ATS03204POS	169201	ATS03204PO3S	192973
400A	ATS04004POS	207475	ATS04004PO3S	236624
500A	ATS05004POS	222031	ATS05004PO3S	253226
630A	ATS06304POS	261897	ATS06304PO3S	298693
800A	ATS08004POS	385426	ATS08004PO3S	439577
1000A	ATS10004POS	453175	ATS10004PO3S	528591
1250A	ATS12504POS	527710	ATS12504PO3S	644840
1600A	ATS16004POS	645145	ATS16004PO3S	788341

ATS with SS Enclosure

HSN Code: 85365010

Rating Amps.	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
	ATS without Controller Enclosed		ATS with 310 Enclosed		ATS with 311 Enclosed		ATS with 320 Enclosed		ATS with 330 Enclosed	
40A	ATS0404PEXS	48242	ATS0404PE310	57891	ATS0404PE311	69469	ATS0404PE320	72364	ATS0404PE330	78153
63A	ATS0634PEXS	50947	ATS0634PE310	61137	ATS0634PE311	73364	ATS0634PE320	76421	ATS0634PE330	82535
80A	ATS0804PEXS	54164	ATS0804PE310	64997	ATS0804PE311	77997	ATS0804PE320	81247	ATS0804PE330	87746
100A	ATS1004PEXS	60952	ATS1004PE310	73142	ATS1004PE311	87770	ATS1004PE320	91428	ATS1004PE330	98742
125A	ATS1254PEXS	64944	ATS1254PE310	77933	ATS1254PE311	93520	ATS1254PE320	97416	ATS1254PE330	105210
125A	ATS01254PEXS	104363	ATS01254PE310	125236	ATS01254PE311	150283	ATS01254PE320	156545	ATS01254PE330	169069
160A	ATS01604PEXS	106439	ATS01604PE310	127727	ATS01604PE311	153272	ATS01604PE320	159658	ATS01604PE330	172431
200A	ATS02004PEXS	108092	ATS02004PE310	129711	ATS02004PE311	155653	ATS02004PE320	162138	ATS02004PE330	175110
250A	ATS02504PEXS	125115	ATS02504PE310	150138	ATS02504PE311	180166	ATS02504PE320	187673	ATS02504PE330	202686
320A	ATS03204PEXS	129327	ATS03204PE310	155192	ATS03204PE311	186231	ATS03204PE320	193990	ATS03204PE330	209509
400A	ATS04004PEXS	160656	ATS04004PE310	192788	ATS04004PE311	231345	ATS04004PE320	240984	ATS04004PE330	260263
500A	ATS05004PEXS	168862	ATS05004PE310	202635	ATS05004PE311	243162	ATS05004PE320	253293	ATS05004PE330	273557
630A	ATS06304PEXS	193045	ATS06304PE310	231655	ATS06304PE311	277985	ATS06304PE320	289568	ATS06304PE330	312734
800A	ATS08004PEXS	on request	ATS08004PE310	on request	ATS08004PE311	POR	ATS08004PE320	on request	ATS08004PE330	on request
1000A	ATS10004PEXS		ATS10004PE310		ATS10004PE311		ATS10004PE320		ATS10004PE330	
1250A	ATS12504PEXS		ATS12504PE310		ATS12504PE311		ATS12504PE320		ATS12504PE330	
1600A	ATS16004PEXS		ATS16004PE310		ATS16004PE311		ATS16004PE320		ATS16004PE330	
Rating Amps.	ATS with 360 Open		ATS with 370 Open				ATS with 331 Open		ATS with 335 Open	
40A	ATS0404PE360	84212	ATS0404PE370	92633			ATS0404PES	101896	ATS0404PE3S	120423
63A	ATS0634PE360	86224	ATS0634PE370	99158			ATS0634PES	109073	ATS0634PE3S	128905
80A	ATS0804PE360	89176	ATS0804PE370	102552			ATS0804PES	112807	ATS0804PE3S	133318
100A	ATS1004PE360	94606	ATS1004PE370	108797			ATS1004PES	119677	ATS1004PE3S	141436
125A	ATS1254PE360	97935	ATS1254PE370	112625			ATS1254PES	123888	ATS1254PE3S	146413
125A	ATS01254PE360	130781	ATS01254PE370	150398			ATS01254PES	165438	ATS01254PE3S	195518
160A	ATS01604PE360	133382	ATS01604PE370	153389			ATS01604PES	168728	ATS01604PE3S	199406
200A	ATS02004PE360	135454	ATS02004PE370	155772			ATS02004PES	171349	ATS02004PE3S	202504
250A	ATS02504PE360	162319	ATS02504PE370	186667			ATS02504PES	205334	ATS02504PE3S	242667
320A	ATS03204PE360	164014	ATS03204PE370	188616			ATS03204PES	207478	ATS03204PE3S	245201
400A	ATS04004PE360	202304	ATS04004PE370	232650			ATS04004PES	255915	ATS04004PE3S	302445
500A	ATS05004PE360	212309	ATS05004PE370	244155			ATS05004PES	268571	ATS05004PE3S	317402
630A	ATS06304PE360	242752	ATS06304PE370	279165			ATS06304PES	307082	ATS06304PE3S	362915
800A	ATS08004PE360	on request	ATS08004PE370	on request			ATS08004PES	on request	ATS08004PE3S	on request
1000A	ATS10004PE360		ATS10004PE370				ATS10004PES		ATS10004PE3S	
1250A	ATS12504PE360		ATS12504PE370				ATS12504PES		ATS12504PE3S	
1600A	ATS16004PE360		ATS16004PE370				ATS16004PES		ATS16004PE3S	

Protection Switch in Sheet Steel Enclosure with 1 ON & 1 Off Push Button

HSN Code: 85365010



Rating Amps.	Item Code	Description	List Price Per Unit (₹)
50A	PS2PB00504PSE	3 Phase Neutral	26204
63A	PS2PB00634PSE	3 Phase Neutral	29770
80A	PS2PB00804PSE	3 Phase Neutral	33999
100A	PS2PB01004PSE	3 Phase Neutral	37707
125A	PS2PB01254PSE	3 Phase Neutral	49779
160A	PS2PB01604PSE	3 Phase Neutral	78494
200A	PS2PB02004PSE	3 Phase Neutral	98714
250A	PS2PB02504PSE	3 Phase Neutral	104230

**Fuse Holder for 1000V & 1500V DC

- Range upto 80A & Voltage :1000V DC & 1500V DC
- Operating temperature -55°C to +125°C
- ROHS Compliance & UL 94 V-0 Flammability rated.

HSN Code: 85361090



Rating Amps.	1000V DC Fuse Link		1500V DC Fuse Link	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
2A	DCFL-02S	on request	--	--
5A	DCFL-05S	on request	DCFL-05H	on request
8A	DCFL-08S	on request	DCFL-08H	on request
10A	DCFL-10S	on request	DCFL-10H	on request
12A	DCFL-12S	on request	DCFL-12H	on request
15A	DCFL-15S	on request	DCFL-15H	on request
20A	DCFL-20S	on request	DCFL-20H	on request
25A	DCFL-25S	on request	DCFL-25H	on request
30A	DCFL-30S	on request	DCFL-30H	on request
1000V DC Fuse Holder			1500V DC Fuse Holder	
32A	DCFH-32S	on request	DCFH-32H	on request

**Please Note : For other Ratings, Please Contact Branch Offices.

AC LBS + DC LBS Changeover Switch



Rating Amps.	1000V DC Changeover		415V AC & 1000V DC Changeover	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
40A	0CDC004042PO10	on request	0CACDC00404-2PO10	on request
63A	1CDC006342PO10	on request	1CACDC00634-2PO10	on request
100A	1CDC010042PO10	on request	1CACDC01004-2PO10	on request
160A	2CDC016042PO10	on request	2CACDC01604-2PO10	on request
200A	2CDC020042PO10	on request	2CACDC02004-2PO10	on request
250A	2CDC025042PO10	on request	2CACDC02504-2PO10	on request
320A	3CDC032042PO10	on request	3CACDC03204-2PO10	on request
400A	3CDC040042PO10	on request	3CACDC04004-2PO10	on request
630A	4CDC063042PO10	on request	4CACDC06304-2PO10	on request

Please Note : *For Prices / Delivery, Please Contact Branch Offices.

Industrial Products

Products for Solar Application



LBS 2 Pole (1000V DC & 1500V DC)

HSN Code: 85365010



Rating Amps.	Item Code for 2 Pole 1000V DC	List Price Per Unit (₹)	Item Code for 2 Pole 1500V DC	List Price Per Unit (₹)
100A	1SD0100A2PDC10	on request	1SD40100A2PDC15	on request
125A	1SD0125A2PDC10	on request	1SD40125A2PDC15	on request
160A	1SD0160A2PDC10	on request	1SD40160A2PDC15	on request
200A	1SD0200A2PDC10	on request	1SD40200A2PDC15	on request
250A	1SD0250A2PDC10	on request	1SD40250A2PDC15	on request
315A	2SD0315A2PDC10	on request	2SD40315A2PDC15	on request
400A	2SD0400A2PDC10	on request	2SD40400A2PDC15	on request
500A	2SD0500A2PDC10	on request	3SD40500A2PDC15	on request
630A	2SD0630A2PDC10	on request	3SD40630A2PDC15	on request

LBS 3 Pole (800V AC)

HSN Code: 85365010



Rating Amps.	Panel Mounted		Direct Mounted	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
100A	L01003POE800V	on request	L01003PDM800V	on request
125A	L01253POE800V	on request	L01253PDM800V	on request
160A	L01603POE800V	on request	L01603PDM800V	on request
200A	L02003POE800V	on request	L02003PDM800V	on request
250A	L02503POE800V	on request	L02503PDM800V	on request
320A	L03203POE800V	on request	L03203PDM800V	on request
400A	L04003POE800V	on request	L04003PDM800V	on request
630A	L06303POE800V	on request	L06303PDM800V	on request

LBS 4 Pole (800V AC)


HSN Code: 85365010



Rating Amps.	Panel Mounted		Direct Mounted	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
100A	L01004POE800V	on request	L01004PDM800V	on request
125A	L01254POE800V	on request	L01254PDM800V	on request
160A	L01604POE800V	on request	L01604PDM800V	on request
200A	L02004POE800V	on request	L02004PDM800V	on request
250A	L02504POE800V	on request	L02504PDM800V	on request
320A	L03204POE800V	on request	L03204PDM800V	on request
400A	L04004POE800V	on request	L04004PDM800V	on request
630A	L06304POE800V	on request	L06304PDM800V	on request

Spares for AV Changeover Switches

HSN Code: 85365010



Rating Amps.	Extension Shaft		1NO + 1NC		2NO + 2NC	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A-100A	P-EXTNSHCD-63AV	1072	P-C1NONC-FR0-COAV	632	P-C2NONC-FR0-COAV	812
125-320A	P-EXTNSH-FR1-5AV	1120	P-C1NONC-FR1-3COAV		P-C2NONC-FR1-3COAV	
400A, 630A						
800A, 1000A, 1250A			P-C1NONC-FR4-5COAV		P-C2NONC-FR4-5COAV	
1600A-2000A						
2500A-3150A						



Rating Amps.	Fixed Terminal Assembly Fitted on Top Housing		Moving Carrier assembly with Moving Contacts, Back up Spring		Handle with Padlock Lever Assembly	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63A-100A	P-FTASM-63AV	2958	P-MCASM-63AV	1789	P-HAPLLVR-63CDAV	238
125A	P-FTASM-125AV	3029	P-MCASM-125AV	2003	P-HAPLLVR-125AV	716
200A	P-FTASM-200AV	4459	P-MCASM-200AV	2457	P-HAPLLVR-200AV	716
250A	P-FTASM-250AV	7573	P-MCASM-250AV	3184	P-HAPLLVR-250AV	1180
320A	P-FTASM-320AV	8657	P-MCASM-320AV	3733	P-HAPLLVR-320AV	1180
400A	P-FTASM-400AV	13189	P-MCASM-400AV	6368	P-HAPLLVR-400AV	1587
630A	P-FTASM-630AV	17340	P-MCASM-630AV	7251	P-HAPLLVR-630AV	1587
800A	P-FTASM-800AV	24304	P-MCASM-800AV	15134	P-DHAPLLVR-800AV	2016
1000A	P-FTASM-1000AV	49909	P-MCASM-1000AV	19618	P-DHAPLLVR-1000AV	3386
1250A	P-FTASM-1250AV	50434	P-MCASM-1250AV	22993	P-DHAPLLVR-1250AV	3386
1600A	P-FTASM-1600AV	88668	P-MCASM-1600AV	23338	P-DHAPLLVR-1600AV	3386
2000A	P-FTASM-2000AV	88679	P-MCASM-2000AV	23338	P-DHAPLLVR-2000AV	3386
2500A	P-FTASM-2500AV	88679	P-MCASM-2500AV	23338	P-DHAPLLVR-2500AV	3386
3150A	P-FTASM-3150AV	88679	P-MCASM-3150AV	23338	P-DHAPLLVR-3150AV	3386

Rating Amps.	Interlock assembly*		*Safety KIT	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
40A-100A	P-INTRLKCD-63AV	441	SAFETYKITFRAME0	138
125-200A	P-INTRLK-FR1-3AV	739	SAFETYKITFRAME1	169
250A-320A			SAFETYKITFRAME2	224
400A			SAFETYKITFRAME3	276
630A				
800A	P-INTRLK-FR4-5AV	812	SAFETYKITFRAME4	350
1000A-1250A			SAFETYKITFRAME5	552
1600A-3150A				

*Including Legend Plate, Bracket, Interlock Shaft, Indicator Label, etc. (Not for LBS)



Rating Amps.	Interlock Spindle 63-630A-Nylon 800-3150-Aluminium		Handle for By Pass Switch	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
40A-100A	P-NYSP-63CDAV	191		
125-200A	P-NYSP-I-FR1-3AV		P-HAPLLVRBP-FR1-3AV	3161
250A-320A			P-DHAPLLVRBP400AV	3386
400A			P-DHAPLLVRBP630AV	
630A			P-DHAPLLVRBP800AV	
800A	P-ALSP-I-FR4-5AV	667	P-DHAPLLVRBP1250AV	
1000A-1250A			P-DHAPLLVRBP1600AV	
1600A-3150A				

*Safety KIT-Phase Barrier, terminal Shroud & Source separator

LBS Interlock Assembly		
Rating Amps.	Item Code	List Price Per Unit (₹)
63A-100A	P-INTLKLBS-FR0AV	393
125A-320A 400A-630A	P-INTLKLBS-FR1-3AV	658
800A-1250A 1600A-2000A 2500A-3150A	P-INTLKLBS-FR4-5AV	722

LBS 1NO 1NC Auxiliary Contact		
Rating Amps.	Item Code	List Price Per Unit (₹)
125A-3150	P-C1NONC-FR15LBSAV	562

LBS 2NO 2NC Auxiliary Contact		
Rating Amps.	Item Code	List Price Per Unit (₹)
125A-3150	P-C2NONC-FR15LBSAV	647

ATS Controller CME360 with Power Supply Unit

HSN Code: 85365010

Code	List Price Per Unit (₹)
PMCMCC1LCDAT-E360	42128
SAAS23D007R0CO00	6240

ATS Controller CME370 with Power Supply Unit

Code	List Price Per Unit (₹)
PMCMCC5LCBAT-E370	69127
SAAS23D007R0CO00	7544

CTs for ATS with CME360/ 370 CT-/5A, 2.5VA (SET-3N)

Code	List Price Per Unit (₹)
ATS360CT-40/5ASET	3062
ATS360CT-63/5ASET	3780
ATS360CT-80/5ASET	4725
ATS360CT-100/5ASET	5594
ATS360CT-125/5ASET	6048
ATS360CT-160/5ASET	6615
ATS360CT-200/5ASET	7258
ATS360CT-250/5ASET	7258

ATS CME310 PCB & Motor Module ATS CME310 PCB Module

Code	List Price Per Unit (₹)
ATS310MTRMOD0125SP	28828
ATS310MTRMOD0160SP	28828
ATS310MTRMOD0200SP	28828
ATS310MOTRMOD063SP	23910
ATS310MOTRMOD100SP	23910
ATS310MOTRMOD125SP	23910
ATS310MTRMOD0250SP	31484
ATS310MTRMOD0320SP	31484
ATS310MTRMOD0400SP	31484
ATS310MTRMOD0500SP	31484
ATS310MTRMOD0630SP	31484

ATS CME310 Motor Module

Code	List Price Per Unit (₹)
ATS310PCBMOD0125SP	11171
ATS310PCBMOD0160SP	11171
ATS310PCBMOD0200SP	11171
ATS310PCBMOD0250SP	11171
ATS310PCBMOD0320SP	11171
ATS310PCBMOD0400SP	11171
ATS310PCBMOD0500SP	11171
ATS310PCBMOD0630SP	11171

Loose Wire Harness for ATS with CME360

Code	Length in Meters	Description	List Price Per Unit (₹)
ATSCON360LHARN1-F0	0.75M	ATS Cont CME360 Loose Harness 0.75M F0	2659
ATSCON360LHARN2-F0	1M	ATS Cont CME360 Loose Harness 1M F0	2815
ATSCON360LHARN3-F0	1.5M	ATS Cont CME360 Loose Harness 1.5M F0	3120
ATSCON360LHARN4-F0	2M	ATS Cont CME360 Loose Harness 2M F0	3440
ATSCME360LHARN1-F1	0.75M	ATS Cont CME370 Loose Harness 0.75M-F1	3026
ATSCME360LHARN2-F1	1.0M	ATS Cont CME370 Loose Harness 1.0M-F1	3183
ATSCME360LHARN3-F1	1.5M	ATS Cont CME370 Loose Harness 1.5M-F1	3487
ATSCME360LHARN4-F1	2.0M	ATS Cont CME370 Loose Harness 2.0M-F1	3807
ATSCME360LHARN1-F2	0.75M	ATS Cont CME370 Loose Harness 0.75M-F2	3604
ATSCME360LHARN2-F2	1.0M	ATS Cont CME370 Loose Harness 1.0M-F2	3760
ATSCME360LHARN3-F2	1.5M	ATS Cont CME370 Loose Harness 1.5M-F2	4065
ATSCME360LHARN4-F2	2.0M	ATS Cont CME370 Loose Harness 2.0M-F2	4385
ATSCME360LHARN1-F3	0.75M	ATS Cont CME370 Loose Harness 0.75M-F3	4181
ATSCME360LHARN2-F3	1.0M	ATS Cont CME370 Loose Harness 1.0M-F3	4338
ATSCME360LHARN3-F3	1.5M	ATS Cont CME370 Loose Harness 1.5M-F3	4642
ATSCME360LHARN4-F3	2.0M	ATS Cont CME370 Loose Harness 2.0M-F3	4962
ATSCME360LHARN1-F4	0.75M	ATS Cont CME370 Loose Harness 0.75M-F4	4811
ATSCME360LHARN2-F4	1.0M	ATS Cont CME370 Loose Harness 1.0M-F4	4968
ATSCME360LHARN3-F4	1.5M	ATS Cont CME370 Loose Harness 1.5M-F4	5272
ATSCME360LHARN4-F4	2.0M	ATS Cont CME370 Loose Harness 2.0M-F4	5592

Loose Wire Harness for ATS with CME370

Code	Length in Meters	Description	List Price Per Unit (₹)
ATSCME370LHARN1-F0	0.75M	ATS Cont CME360 Loose Harness 0.75M F0	3026
ATSCME370LHARN2-F0	1M	ATS Cont CME360 Loose Harness 1M F0	3183
ATSCME370LHARN3-F0	1.5M	ATS Cont CME360 Loose Harness 1.5M F0	3487
ATSCME370LHARN4-F0	2M	ATS Cont CME360 Loose Harness 2M F0	3807
ATSCME370LHARN1-F1	0.75M	ATS Cont CME370 Loose Harness 0.75M-F1	3394
ATSCME370LHARN2-F1	1.0M	ATS Cont CME370 Loose Harness 1.0M-F1	3550
ATSCME370LHARN3-F1	1.5M	ATS Cont CME370 Loose Harness 1.5M-F1	3855
ATSCME370LHARN4-F1	2.0M	ATS Cont CME370 Loose Harness 2.0M-F1	4175
ATSCME370LHARN1-F2	0.75M	ATS Cont CME370 Loose Harness 0.75M-F2	4181
ATSCME370LHARN2-F2	1.0M	ATS Cont CME370 Loose Harness 1.0M-F2	4338
ATSCME370LHARN3-F2	1.5M	ATS Cont CME370 Loose Harness 1.5M-F2	4642
ATSCME370LHARN4-F2	2.0M	ATS Cont CME370 Loose Harness 2.0M-F2	4962
ATSCME370LHARN1-F3	0.75M	ATS Cont CME370 Loose Harness 0.75M-F3	4759
ATSCME370LHARN2-F3	1.0M	ATS Cont CME370 Loose Harness 1.0M-F3	4915
ATSCME370LHARN3-F3	1.5M	ATS Cont CME370 Loose Harness 1.5M-F3	5220
ATSCME370LHARN4-F3	2.0M	ATS Cont CME370 Loose Harness 2.0M-F3	5540
ATSCME370LHARN1-F4	0.75M	ATS Cont CME370 Loose Harness 0.75M-F4	5441
ATSCME370LHARN2-F4	1.0M	ATS Cont CME370 Loose Harness 1.0M-F4	5598
ATSCME370LHARN3-F4	1.5M	ATS Cont CME370 Loose Harness 1.5M-F4	5902
ATSCME370LHARN4-F4	2.0M	ATS Cont CME370 Loose Harness 2.0M-F4	6222

Spares for AV ATS Switches

HSN Code: 85365010



DGPS for CM331 & CM335		Rating Amps.	ATS PCB & Motor Module for Frame zero		ATS Manual operating Handle	
Item Code	List Price Per Unit (₹)		Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
ATSCONTPOSUP331SP	6200	40A	ATSPCBMODFR040ASP	25138	ATSHDLASM040ASPFR0	236
ATSCONTPOSUP335SP	8110	63A	ATSPCBMODFR063ASP	25138	ATSHDLASM063ASPFR0	236
CONTROLLER CM331 & CM335		80A	ATSPCBMODFR080ASP	25138	ATSHDLASM080ASPFR0	236
ATSCONTROLLER331SP	45288	100A	ATSPCBMODFR100ASP	25138	ATSHDLASM100ASPFR0	236
ATSCONTROLLER335SP	74312	125A	ATSPCBMODFR125ASP	25138	ATSHDLASM125ASPFR0	236



Rating Amps.	ATS PCB Module for Frame 1-3		ATS Motor Module for Frame 1-3		ATS Manual operating Handle	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
125A	ATSPCBMODFR1125ASP	11444	ATSMOTMODFR1125ASP	30426	ATSHDLASM125ASPFR1	255
160A	ATSPCBMODFR1160ASP	11444	ATSMOTMODFR1160ASP	30426	ATSHDLASM160ASPFR1	255
200A	ATSPCBMODFR1200ASP	11444	ATSMOTMODFR1200ASP	30426	ATSHDLASM200ASPFR1	255
250A	ATSPCBMODFR2250ASP	11444	ATSMOTMODFR2250ASP	33281	ATSHDLASM250ASPFR2	382
320A	ATSPCBMODFR2320ASP	11444	ATSMOTMODFR2320ASP	33281	ATSHDLASM320ASPFR2	382
400A	ATSPCBMODFR3400ASP	11444	ATSMOTMODFR3400ASP	33281	ATSHDLASM400ASPFR3	382
630A	ATSPCBMODFR3630ASP	11444	ATSMOTMODFR3630ASP	33281	ATSHDLASM630ASPFR3	382

Spares for LK Switches

HSN Code: 85365010

Rating Amps.	Switch Handle LK S-Line		Interlock Nylon Spindle S-Line		Interlock Assembly S-Line	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
32/63/100	SPSFL-HANS--	879	SPSFL-NYSPDL--	145	SPSFL-IA---	476
125/160	SPSFL-HANS1--	879	SPSFL-NYSPDL---	158	SPSFL-IA125	526
200/250/315	SPSFL-HANS---	1489	SPSFL-NYSPDL---	281	SPSFL-IA250	526
400	SPSFL-HANS400	1489	SPSFL-NYSPDL400	281	SPSFL-IA400	526
630	SPSFL-HANS630	1562	SPSFL-ALSPDL630	573	SPSFL-IA630	526
800	SPSFL-HANS800	1562	SPSFL-ALSPDL800	573	SPSFL-IA800	526

Rating Amps.	1NO + 1NC		2NO + 2NC		Addon 4th Pole Block For Lk Sw 630a	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
32/63/100	SPSW-1NO+1NC	526	SPSW-2NO+2NC	1049	----	----
125/160	SPSW-1NO+1NC	526	SPSW-2NO+2NC	1049	----	----
200/250/315	SPSW-1NO+1NC	526	SPSW-2NO+2NC	1049	----	----
400	SPSW-1NO+1NC	526	SPSW-2NO+2NC	1049	----	----
630	SPSW-1NO+1NCLK- ---A	1782	SPSW-2NO+2NCLK ---A	2283	SPSW-ADNBL----	1214
800	SPSW-1NO+1NCLK- ---A	1782	SPSW-2NO+2NCLK ---A	2283	SPSW-ADNBL----	1214

Switch Disconnecter Fuse

Open Execution (QSA - Series) Conforms to IS-13947 - Part I & III / IEC-947 Part I & III, AC-23A, 415V, 50 Hz

- Range : 32A to 800A, TPN , 415V, 50Hz.
- Confirms to latest IS/IEC 60947-3.
- Multiple Roller Contact Mechanism for long life and better performance.
- Available in open execution and sheet steel enclosure.
- Available in BS & DIN type HRC fuse links.
- Excellent performance for capacitor duty applications also.

HSN Code: 85365010



without HRC Fuses (DIN/BS type) Ref : IS 13703				
Rating Amps.	Size DIN	Type BS	TPN Item Code	List Price Per Unit (₹)
32 A	000	LK TSA	FS032A-TPN DIN/BS	3184
63 A	000	LKTSS	FS063A-TPN DIN/BS	4267
100 A	000	LKTSD	FS100A-TPN DIN/BS	8360
125 A	00	LKTSD	FS125A-TPN DIN/BS	10595
160 A	00	LKTSD	FS160A-TPN DIN/BS	11501
200 A	1	LKT SF	FS200A-TPN DIN/BS	15916
250 A	1	LKT SK	FS250A-TPN DIN/BS	18881
315 A	2	LKT SK	FS315A-TPN DIN/BS	22535
400 A	2	LKT SMS	FS400A-TPN DIN/BS	26949
630 A	3	LKT TM	FS630A-TPN DIN/BS	45020
800 A	3	-----*	FS800A-TPN DIN/BS	49985

Note : While ordering, please mention DIN / BS whichever type is required.



Fitted with 3Nos. HRC Fuses (DIN Type)			
Rating Amps.	Size DIN	TPN Item Code	List Price Per Unit (₹)
32 A	000	FS032A-TPNFDIN	3690
63 A	000	FS063A-TPNFDIN	4755
100 A	000	FS100A-TPNFDIN	10037
125 A	00	FS125A-TPNFDIN	12079
160 A	00	FS160A-TPNFDIN	13344
200 A	1	FS200A-TPNFDIN	17923
250 A	1	FS250A-TPNFDIN	19460
315 A	2	FS315A-TPNFDIN	26388
400 A	2	FS400A-TPNFDIN	30709
630 A	3	FS630A-TPNFDIN	51895
800 A	3	FS800A-TPNFDIN	58850



Fitted with 3Nos. HRC Fuses (BS Type)			
Rating Amps.	Type BS	TPN Item Code	List Price Per Unit (₹)
32 A	LK TSA	FS032A-TPN FBS	3360
63 A	LKTSS	FS063A-TPN FBS	4446
100 A	LKTSD	FS100A-TPN FBS	8781
125 A	LKTSD	FS125A-TPN FBS	11053
160 A	LKTSD	FS160A-TPN FBS	11976
200 A	LKT SF	FS200A-TPN FBS	16191
250 A	LKT SK	FS250A-TPN FBS	19168
315 A	LKT SK	FS315A-TPN FBS	22819
400 A	LKT SMS	FS400A-TPN FBS	28034
630 A	LKT TM	FS630A-TPN FBS	49144
800 A	-----*	FS800A-TPN FBS	61208

Switch Disconnecter Fuse (Sheet Steel Enclosure)

HSN Code: 85365010



without HRC Fuses (DIN / BS type)				
Rating Amps.	Size DIN	Type BS	TPN Item Code	List Price Per Unit (₹)
32 A	000	LKTS A	FS032A-TPN DINE/BSE	8014
63 A	000	LKTS S	FS063A-TPN DINE/BSE	9523
100 A	000	LKTS D	FS100A-TPN DINE/BSE	15527
125 A	00	LKTS D	FS125A-TPN DINE/BSE	17626
160 A	00	LKTS D	FS160A-TPN DINE/BSE	18487
200 A	1	LKTS F	FS200A-TPN DINE/BSE	26163
250 A	1	LKTS K	FS250A-TPN DINE/BSE	28080
315 A	2	LKTS K	FS315A-TPN DINE/BSE	34007
400 A	2	LKTS MS	FS400A-TPN DINE/BSE	38058
630 A	3	LKTS M	FS630A-TPN DINE/BSE	59594
800 A	3	-----*	FS800A-TPN DINE/BSE	63139

Note: While ordering, please mention DIN / BS whichever type is required.



Fitted with 3Nos. HRC Fuses (DIN Type)			
Rating Amps.	Size DIN	TPN Item Code	List Price Per Unit (₹)
32 A	000	FS032A-TPNFDINE	8211
63 A	000	FS063A-TPNFDINE	10127
100 A	000	FS100A-TPNFDINE	16072
125 A	00	FS125A-TPNFDINE	18690
160 A	00	FS160A-TPNFDINE	19886
200 A	1	FS200A-TPNFDINE	26884
250 A	1	FS250A-TPNFDINE	28789
315 A	2	FS315A-TPNFDINE	35527
400 A	2	FS400A-TPNFDINE	40672
630 A	3	FS630A-TPNFDINE	62173
800 A	3	FS800A-TPNFDINE	67197



Fitted with 3Nos. HRC Fuses (BS Type)			
Rating Amps.	Type BS	TPN Item Code	List Price Per Unit (₹)
32 A	LKTS A	FS032A-TPN FBSE	7712
63 A	LKTS S	FS063A-TPN FBSE	9538
100 A	LKTS D	FS100A-TPN FBSE	15031
125 A	LKTS D	FS125A-TPN FBSE	18340
160 A	LKTS D	FS160A-TPN FBSE	20127
200 A	LKTS F	FS200A-TPN FBSE	26347
250 A	LKTS K	FS250A-TPN FBSE	28401
315 A	LKTS K	FS315A-TPN FBSE	35145
400 A	LKTS MS	FS400A-TPN FBSE	40811
630 A	LKTS M	FS630A-TPN FBSE	69173
800 A	-----*	FS800A-TPN FBSE	72482

Note: *800A SDF is fitted with 630A HRC fuse (BS type).

Load Break Switch (Isolators)

HSN Code: 85365010

QA Series



Rating Amps.	Open Execution				Sheet Steel Enclosure			
	Item Code	TPN List Price Per Unit (₹)	Item Code	FP List Price Per Unit (₹)	Item Code	TPN List Price Per Unit (₹)	Item Code	FP List Price Per Unit (₹)
32 A	LBLKTP-NOP0032	1904	-----	----	LBLKT-PNSE0032	3660	-----	----
63 A	LBLKTP-NOP0063	2371	-----	----	LBLKT-PNSE0063	4176	-----	----
125 A	LBLKTP-NOP0125	5485	-----	----	LBLKT-PNSE0125	6913	-----	----
160 A	LBLKTP-NOP0160	6378	-----	----	LBLKT-PNSE0160	7995	-----	----
200 A	LBLKTP-NOP0200	8332	LBLKFPOP0200	10594	LBLKT-PNSE0200	9760	LBLKFPSE0200	12250
250 A	LBLKTP-NOP0250	9403	LBLKFPOP0250	11545	LBLKT-PNSE0250	10831	LBLKFPSE0250	13291
315 A	LBLKTP-NOP0315	12200	LBLKFPOP0315	14323	LBLKT-PNSE0315	13450	LBLKFPSE0315	16624
400 A	LBLKTP-NOP0400	16168	LBLKFPOP0400	18141	LBLKT-PNSE0400	17010	LBLKFPSE0400	21177
630 A	LBLKTP-NOP0630	24262	LBLKFPOP0630	24797	LBLKT-PNSE0630	26682	LBLKFPSE0630	29806
800 A	LBLKTP-NOP0800	28150	LBLKFPOP0800	29459	LBLKT-PNSE0800	29806	LBLKFPSE0800	33913

Fuse Holders for British Pattern Fuse Links

HRC Fuse Holders are tested for 80 kA at 415 V, 50 Hz

HSN Code: 85361090

- Front Connection options for fuse Holders (of BS type).
- Conforms to IS : 13703 (Pt 2/Sec I) & IEC 269 (Pt I & II).
- Low Watt loss.



Fitted with 3Nos. HRC Fuses (BS Type)			
Rating Amps.	Type of Fuse	Front Connection Item Code	List Price Per Unit (₹)
20	LKNS	HPFCM20	262
32	LKTSA	HPFCM32	314
32	LKTSA	HPFCM32S	347
63	LKTSS	HPFCM63	633
125	LKTCP	HPFCM125	1689

Fuse Bases for DIN Type Fuse Links - Type HFB

HRC Fuse Bases are tested for 80 kA at 500 V, 50 Hz as per IS : 13703 (Pt 2/Sec I) & IEC 269 (Pt I & II)

HSN Code: 85361090



Rating Amps.	IEC Size Ref. No.	Type Fuse	DMC Moulded Item Code	List Price Per Unit (₹)
160	00,000	LKDN00,000	HFBO160CD	604
250	1	LKDN0I	HFBO1250CD	1237
400	2	LKDNI	HFBO2400CD	1633
630	3	LKDNI	HFBO3630CD	2159

Link Disconnecter Fuse

HSN Code: 85361040

Rating Amps.	Item Code	List Price Per Unit (₹)
200A	HLD010200A	on request
250A	HLD010250AA	on request

HRC Fuse Link

- Range (DIN type - Fuse Link & Base) :6A to 800A.
- Range (BS type - Fuse Link) : 2A to 630A.
- Breaking capacity>80kA at 415V, AC, 50 Hz.

BOLTED TYPE (Conforms to IS-13703)

HSN Code: 85361040

Rating Amps.	Std Packing (Nos.)	Product Code	TAG Type	Item Code	List Price Per Unit (₹)
2A, 4A, 6A, 10A, 16A	20	LKNS	Offset	FULKBSNS002-016	89
20A, 25A, 32A	20	LKNS	Offset	FULKBSNS020-032	97
6A, 10A, 16A, 20A, 25A, 32A	10	LKTSA	Offset Tags 2 Hole Fixing	FULKBSTSA006-032	148
35A & 40A	10	LKTSS	Offset Tags 2 Hole Fixing	FULKBSTSS035-040	222
50A & 63A	10	LKTSS	Offset Tags 2 Hole Fixing	FULKBSTSS050-063	244
80A, 100A, 125A	3	LKTCP	Offset Tags 2 Hole Fixing	FULKBSTCP080-125	487
80A, 100A	10	LKTSDC	Central Tags 2 Hole Fixing	FULKBSTSDC080-100	549
80A, 100A	10	LKTSD	Offset Tags 2 Hole Fixing	FULKBSTSD080-100	549
125A, 160A	10	LKTSDC	Central Tags 2 Hole Fixing	FULKBSTSDC125-160	645
125A, 160A	10	LKTSD	Offset Tags 2 Hole Fixing	FULKBSTSD125-160	645
125A	3	LKTSFP	Offset Tags 2 Hole Fixing	FULKBSTSF125	663
160A	3	LKTSFP	Offset Tags 2 Hole Fixing	FULKBSTSF160	683
200A	3	LKTSFP	Offset Tags 2 Hole Fixing	FULKBSTSF200	727
125A	3	LKTSF	Central Tags 2 Hole Fixing	FULKBSTSF125	663
160A	3	LKTSF	Central Tags 2 Hole Fixing	FULKBSTSF160	683
200A	3	LKTSF	Central Tags 2 Hole Fixing	FULKBSTSF200	727
250A, 315A	3	LKTSK	Central Tags 2 Hole Fixing	FULKBSTSK250-315	1125
355A, 400A	1	LKTSMS	Central Tags 2 Hole Fixing	FULKBSTSMS355-400	1626
400A, 450A, 500A	1	LKTTS	Central Tags 2 Hole Fixing	FULKBSTTS400-500	2228
630A	1	LKTTS	Central Tags 2 Hole Fixing	FULKBSTTS630	3332
400A, 450A, 500A,	1	LKTMM	Central Tags 4 Hole Fixing	FULKBSTMM400-500	3100
630A	1	LKTMM	Central Tags 4 Hole Fixing	FULKBSTMM630	3717

Note: While ordering, please mention rating, whichever is required by you.



HRC Fuse Link

DIN TYPE (Conforms to IS-13703)

HSN Code: 85361040

Rating Amps.	Std Packing (Nos.)	Product Code	Size	Item Code	List Price Per Unit (₹)
6, 10, 16, 20, 25, 32, 40	6	LKDN	000	FULKDN000-006-040	476
50, 63, 80, 100A	6	LKDN	000	FULKDN000-050-100	605
160A	6	LKDN	000	FULKDN000-160	640
6, 10, 16, 20, 25, 32, 40, 50, 63A	6	LKDN	-00-	FULKDN00-006-063	557
80, 100A	6	LKDN	-00-	FULKDN00-080-100	574
125A	6	LKDN	-00-	FULKDN00-125	616
160A	6	LKDN	-00-	FULKDN00-160	630
32, 50, 63, 80, 100A,	3	LKDN	-I-	FULKDN01-032-100	917
125A	3	LKDN	-I-	FULKDN01-(125A)	997
160, 200A	3	LKDN	-I-	FULKDN01-(160-200A)	1026
250A	3	LKDN	-I-	FULKDN01-250	1132
125, 160, 200, 250	3	LKDN	-II-	FULKDNII-125-250	1462
315A	3	LKDN	-II-	FULKDNII-315	1532
400A	3	LKDN	-II-	FULKDNII-400	1600
315, 400, 425A	3	LKDN	-III-	FULKDNIII-315-425	2114
500, 630A	3	LKDN	-III-	FULKDNIII-500-630	2452
800A	3	LKDN	-III-	FULKDNIII-800	3237



Products for Agri, Industrial & others Application

- Enclosure : Deep drawn Powder Coated
- Standard : IS/IEC 60947-4-1
- Heavy duty Contactor for higher life
- Wall mounting brackets



DOL Starters

- Range : 1 Phase (upto 3HP) & 3 Phase (upto 20HP)
- Wide Band Coil : 160-220V
- Overload & Single Phasing Protection



Star Delta Starter

- Variants : Semi Automatic & Fully Automatic
- Range: Up to 30/35 HP
- Separate Terminal blocks for easy wiring
- Automatic version with electronic timer for reliable change over from Star to Delta in Automatic Starter



Smart Pump Controller

- Range: - 5 HP to 75 HP, 415V, $U_i=800V$, $U_{imp}=8Kv$
- Micro Controller based overload protection with Class 10A tripping characteristics.
- Wide & Adjustable overload protection range, Settable timers and delays
- MCB/MCCB based short circuit protection up to 20KA,
- Integrated Auto, Manual & Bypass mode operation available.
- Uninterrupted heavy duty operation with AC3 utilization category



Submersible Pump starters

- Variants : 1 Phase, DOL & Star Delta Submersible Pump Starter
- Range: 0.5 to 35 HP
- Wide Band Coil : 160-220V for 1 Phase & 280-440V for 3Phase
- Auto Start with On-Delay (5sec or 5min)
- Protects motor from phase failure, phase reversal and phase imbalance
- Auto/Manual SPP/Bypass switch
- Ammeter & Voltmeter with phase selector switch

Single Phase Submersible Pump Controller

HSN Code: 85365010



Starter with contactor, O/L Relay, Ammeter & Voltmeter						
HP at 240V, 50Hz	Overload Relay Range (A)	Contactor Rating (A)	Start Capacitor (mfd)	Run Capacitor (mfd)	Item Code	List Price Per Unit (₹)
0.5	(2.4~3.8A)	12	60-80	25	S1PV1A1C12L3.8**	5587
1	(3.8-6A)	12	80-100	25	S1PV1A1C12L6.0**	5727
1.5	(8.9-13.5A)	20	80-100	50	S1PV1A1C20L13.5S**	6038
1.5	(6.0-9.3A)	12	100-120	36	S1PV1A1C12L9.3**	6124
2	(8.9-13.5A)	16	120-150	50	S1PV1A1C16L13.5**	6475
2	(13.2-20A)	20	120-150	72	S1PV1A1C20L20S**	6650
3	(13.2-20A)	20	150-200	72	S1PV1A1C20L20.0**	7547
3	(13.2-20A)	20	200-250	100	S1PV1A-1C20L20A55C1**	7607
3	(17.4-24A)	25	120-150	100	S1PV1A1C25L24S**	7648
3	(17.4-24A)	25	150-200	72	S1PV1A1C25L24.0**	7866
4	(17.4-24A)	32	200-250	100	S1PV1A1C32L24.0**	7866
5	(23-32A)	32	200-250	100+50	S1PV1A1C32L32.0**	10425
Starter With Contactor, O/I Relay & Ammeter						
HP at 240V, 50Hz	Overload Relay Range (A)	Contactor Rating (A)	Start Capacitor (mfd)	Run Capacitor (mfd)	Item Code	List Price Per Unit (₹)
0.5	2.4- 3.8	12	60-80	25	S1PV0A1C12L3.8**	5388
1	3.8-6	12	80-100	25	S1PV0A1C12L6.0**	5773
1.5	6-9.3	12	100-120	36	S1PV0A1C12L9.3**	5888
2	8.9-13.5	16	120-150	50	S1PV0A1C16L13.5**	6440
3	13.2- 20	20	150-200	72	S1PV0A1C20L20.0**	7257
5	23-32	32	200-250	100+50	S1PV0A1C32L32.0**	10063
Starter With MCB & Contactor						
HP at 240V, 50Hz	MCB Rating (A)	Contactor Rating (A)	Start Capacitor (mfd)	Run Capacitor (mfd)	Item Code	List Price Per Unit (₹)
0.5	10	12	60-80	25	S1PV0A0C12M10**	4761
1	16	12	80-100	25	S1PV0A0C12M16**	4761
1.5	25	12	100-120	36	S1PV0A0C12M25**	5568
2	32	16	120-150	50	S1PV0A0C16M32**	5711
3	50	20	150-200	72	S1PV0A0C20M50**	6663
3	63	25	200-250	100	S1PV0A0C25M63**	on request
5	80	32	200-250	100+50	S1PV0A0C32M80**	9607

Single Phase DOL Starters



HP at 240V, 50Hz	Overload Relay Range (A)	Contactor 2 Pole + 1Aux. Contact	Item Code	List Price Per Unit (₹)
0.5	3.8-6.0	16	DOL1PSTDC16L6.0A5	3203
.75/1	6-9.3	16	DOL1PSTDC16L9.3A5	3203
1/1.5	8.9-13.5	16	DOL1PSTDC16L13.5A5	3203
2	13.2-20	20	DOL1PSTDC20L20A5	3571
3	17.4-24	25	DOL1PSTDC25L24A5	3634

Spares of Single Phase & Three Phase Submersible Pump Controller:

HSN Code: 85365010



Over Load Relay Rating				
Rating Amps	2 Pole Item Code	List Price Per Unit (₹)	3 Pole Item Code	List Price Per Unit (₹)
2.4-3.8	OL2P03.8	1634	OL3P03.8	1723
3.8-6	OL2P06.0	1634	OL3P06.0	1723
6-9.3	OL2P09.3	1634	OL3P09.3	1723
8.9-13.5	OL2P13.5	1634	OL3P13.5	1723
13.2-20	OL2P20.0	1772	OL3P20.0	1881
17.4-24	OL2P024.0	1802	OL3P024.0	1901
23-32	OL2P32.0	2614	OL3P32.0	2762



Ammeter		
Rating Amps.	Item Code	List Price Per Unit (₹)
0-10-60	S1PHAM10	633
0-15-90	S1PHAM15	633
0-25-150	S1PHAM25	633
0-50-300	S1PHAM50	743
Voltmeter		
0-300V	S1PHVM300	633
0-500V	S1PHVM500	633

Terminal Block		
No. of Ways	Item Code	List Price Per Unit (₹)
30A 6WAY	SOTB306	193
60A 6WAY	SOTB606	238
30A 3WAY	SOTB303	193
60A 3WAY	SOTB603	193
30A 2WAY	SOTB302	132
60A 2WAY	SOTB602	132

Add on Block		
Description	Item Code	List Price Per Unit (₹)
Add on Block O/I Relay out going	OLOGB2P24	POR



Electronic Timer		
Description	Item Code	List Price Per Unit (₹)
SD Timer	SDT-30s	1330



Auto switch cum SPP		
Description	Item Code	List Price Per Unit (₹)
SPP	SPP3PSSCZ	1900



Push Button With Contact Block		
Description	Item Code	List Price Per Unit (₹)
5A Off Push Button	SOPBC05R	83
10A Off Push Button	SOPBC10G	330



Indicating Lamp		
Rating Amp.	Item Code	List Price Per Unit (₹)
RED	ILR220	193
GREEN	ILG220	193

Note: For spares prices, please consult your nearest sales office. for Contact Kit, please refer page no. 22.

Three Phase Submersible Pump DOL Starter

HSN Code: 85365010



3 Ø Starter without MCB, without SPP, with O/L Relay, Contactor, Ammeter & Volt Meter (Standard Model)					
HP at 415V, 50Hz	Overload Relay Range (A)	Contactor Rating (A)		Item Code	List Price Per Unit (₹)
2	2.4-3.8	12		S3PM050C12L3.8A6	9866
3	3.8-6	12		S3PM050C12L6.0A6	9866
5	6-9.3	12		S3PM050C12L9.3A6	9890
7.5	8.9-13.5	16		S3PM050C16L13.5A6	10042
10	13.2-20	20		S3PM050C20L20A6	10578
15	17.4-24	25		S3PM050C25L24A6	12196
20	23-32	32		S3PM050C32L32A6	12765
3 Ø Starter without MCB, with SPP, with O/L Relay, Contactor, Ammeter & Volt Meter (Advance Model)					
2	2.4-3.8	12		S3PM053C12L3.8A6	10868
3	3.8-6	12		S3PM053C12L6.0A6	10868
5	6-9.3	12		S3PM053C12L9.3A6	11144
7.5	8.9-13.5	16		S3PM053C16L13.5A6	11144
10	13.2- 20	20		S3PM053C20L20A6	11190
15	17.4-24	25		S3PM053C25L24A6	12075
20	23-32	32		S3PM053C32L32A6	14442
3 Ø Starter with MCB & With SPP, with O/L Relay, Contactor, Ammeter & Volt Meter (Deluxe Model)					
HP at 415V, 50Hz	Overload Relay Range (A)	Contactor Rating (A)	MCB Rating (A)	Item Code	List Price Per Unit (₹)
2	2.4- 3.8	12	6	S3PM653C12L3.8A6	15392
3	3.8-6	12	10	S3PM1053C12L6.0A6	15392
5	6-9.3	12	16	S3PM1653C12L9.3A6	15392
7.5	8.9 -13.5	16	25	S3PM2553C16L13.5A6	15392
10	13.2- 20	20	32	S3PM3253C20L20A6	16261
15	17.4-24	25	40	S3PM4053C25L24A6	17431
20	23-32	32	40	S3PM4053C32L32A6	19780

Three Phase Submersible Pump Star Delta Starter



3Ø Submersible Star Delta Starter without MCB & without SPP with O/L Relay, with Contactor, Ammeter & Volt meter (STANDARD MODEL)					
Motor Rating at 3Ø 415V AC, 50 Hz		Overload Relay Range	Contactor Rating	Item Code	List Price Per Unit (₹)
KW	HP	In (A)	In (A)		
2.2	3	2.4-3.8	16	SDSM050C16L3.8A6	15515
3.7	5	3.8-6	16	SDSM050C16L6.0A6	15515
5.5/7.5	7.5/10	6-9.3	16	SDSM050C16L9.3A6	15867
9.3/11	12.5/15	8.9-13.5	16	SDSM050C16L13.5A6	15867
15	20	13.2-20	20	SDSM050C20L20A6	18630
18.5	25	17.4-24	25	SDSM050C25L24A6	21043
22/26	30/35	23-32	32	SDSM050C32L32A6	25844
3Ø Submersible Star Delta Starter without MCB, with SPP, with O/L Relay, with Contactor, Ammeter & Volt meter (ADVANCE MODEL)					
Motor Rating at 3Ø 415V AC, 50 Hz		Overload Relay Range	Contactor Rating	Item Code	List Price Per Unit (₹)
KW	HP	In (A)	In (A)		
2.2	3	2.4-3.8	16	SDSM053C16L3.8A6	18303
3.7	5	3.8-6	16	SDSM053C16L6.0A6	18303
5.5/7.5	7.5/10	6-9.3	16	SDSM053C16L9.3A6	18303
9.3/11	12.5/15	8.9-13.5	16	SDSM053C16L13.5A6	19562
15	20	13.2-20	20	SDSM053C20L20A6	21218
18.5	25	17.4-24	25	SDSM053C25L24A6	21942
22/26	30/35	23-32	32	SDSM053C32L32A6	27893
3Ø Submersible Star Delta Starter with MCB, with SPP, with O/L Relay, with Contactor, Ammeter & Volt meter (DELUXE MODEL)					
Motor Rating at 3Ø 415V AC, 50 Hz		Overload Relay Range	Contactor Rating	MCB Rating (A)	List Price Per Unit (₹)
KW	HP	In (A)	In (A)		
2.2	3	2.4-3.8	16	16	SDSM1653C16L3.8A6
3.7	5	3.8-6	16	25	SDSM2553C16L6.0A6
5.5/7.5	7.5/10	6-9.3	16	32	SDSM3253C16L9.3A6
9.3/11	12.5/15	8.9-13.5	16	40	SDSM4053C16L13.5A6
15	20	13.2-20	20	50	SDSM5053C20L20A6
18.5	25	17.4-24	25	63	SDSM6353C25L24A6
22/26	30/35	23-32	32	63	SDSM6353C32L32A6

Industrial Products



Products for Agri, Industrial & others Application (Himmat Range)

Three Phase DOL Starter

DOL Starter with O/L Relay & Contactor

HSN Code: 85361040



Motor Rating at 3Ø 415V AC, 50 Hz		Overload Relay Range	Contactor Rating	Item Code	List Price Per Unit (₹)
KW	HP	In (A)	In (A)		
1.5	2	2.4~3.8	16	DOL3PSTDC16L3.8A6	5150
2.2	3	3.8~6.0	16	DOL3PSTDC16L6.0A6	5150
3.7	5	6~9.3	16	DOL3PSTDC16L9.3A6	5150
5.5	7.5	8.9~13.5	16	DOL3PSTDC16L13.5A6	5150
7.5	10	13.2~20	20	DOL3PSTDC20L20A6	5589
11	15	17.4~24	25	DOL3PSTDC25L24A6	6429
15	20	23~32	32	DOL3PSTDC32L32A6	8021

Three Phase Star Delta Starter



MOTOR RATING at 415 3Ø 50 Hz		Overload Relay Range	Contactor Rating	Item code for Fully Automatic (FASD)*	List Price Per Unit (₹)	Item code for Semi- Automatic (SASD)*	List Price Per Unit (₹)
KW	HP	In (A)	In (A)				
2.2	3	2.4-3.8	16	SD3FC16L3.8EA6	15401	SD3SC16L3.8EA6	12920
3.7	5	3.8-6.0	16	SD5FC16L6.0EA6	15401	SD5SC16L6.0EA6	12920
5.5/7.5	7.5/10	6.0-9.3	16	SD10FC16L9.3EA6	15401	SD10SC16L9.3EA6	12920
9.3/11	12.5/15	8.9-13.5	16	SD15FC16L13.5EA6	15456	SD15SC16L13.5EA6	13100
15	20	13.2-20	20	SD20FC20L20EA6	16187	SD20SC20L20EA6	14030
18.5	25	17.4-24	25	SD25FC25L24EA6	17992	SD25SC25L24EA6	16457
22/26	30/35	23-32	32	SD35FC32L32EA6	19824	SD35SC32L32EA6	18027

*FASD with Time Delay Timer & SASD without Time Delay Timer

SOLIDE Range of Contactor



Rating Amps	2 Pole, AC3 (at 240VAC)		4 Pole, AC3 (at 415VAC)		Rating Amps	Contactor-DP, SPN & SP (at 240VAC)	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)		Item Code	List Price Per Unit (₹)
12A	SOLIDE2P12**	1620	SOLIDE4P12**	3200	20A DP	HSOLIDE2P20A5W	1125
16A	SOLIDE2P16**	1920	SOLIDE4P16**	4250	20A SPN	HSOLIDESPN20A5W	1025
20A	SOLIDE2P20**	2600	SOLIDE4P20**	5230	20A SP	HSOLIDESP20A5W	974
25A	SOLIDE2P25**	2980	SOLIDE4P25**	7810	40A DP	HSOLIDE2P40A5W	1175
32A	SOLIDE2P32**	3640	SOLIDE4P32**	10890	40A SPN	HSOLIDESPN40A5W	1125
40A	SOLIDE2P40**	4330	SOLIDE4P40**	13850	40A SP	HSOLIDESP40A5W	1075

Spare Contact Kits

HSN Code: 85365010

Rating Amp.	2 Pole, AC3 (at 240VAC)		4 Pole, AC3 (at 415VAC)	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
12A	SOLAC122P	375	SOLAC124P	1462
16A	SOLAC162P	450	SOLAC164P	1845
20A	SOLAC202P	500	SOLAC204P	2435
25A	SOLAC252P	575	SOLAC254P	4100
32A	SOLAC322P	650	SOLAC324P	4850
40A	SOLAC402P	950	SOLAC404P	5954

Spare of Solide Range of Contactor



Auxiliary contactos for 2P & 4P			
Rating Amps.	Aux. Contact	Item Code	List Price Per Unit (₹)
12A ~ 40A	1NO + INC	SOL11	287
12A ~ 40A	2NO	SOL20	287
12A ~ 40A	2NC	SOL02	287



Spare coils for 2P & 4P			
Item Code for 2 Pole	List Price Per Unit (₹)	Item Code for 4 Pole	List Price Per Unit (₹)
SOL2PSCA1	317	SOL4PSCA1	426
SOL2PSCA2	317	SOL4PSCA2	426
SOL2PSCA3	317	SOL4PSCA3	426
SOL2PSCA4	317	SOL4PSCA4	426
SOL2PSCA5	317	SOL4PSCA5	426
SOL2PSCA6	317	SOL4PSCA6	426

Controlgear SDE Range

Coil Voltage Selection Chart (Solide Range)	
Voltage	Item Code
24	**A1
48	**A2
110	**A3
220/240	**A4
160~240	**A5
380/415	**A6

Mini Contactor

HSN Code: 85364900

AC1	AC3	Aux contact		Item Code-AC	List Price Per Unit (₹)	Item Code-DC	List Price Per Unit (₹)
		NO	No				
3P for AC & DC Control Coil							
20	6	0	1	SDEK0601**	1380	SDEK0601**	2163
20	6	1	0	SDEK0610**	1380	SDEK0610**	2163
20	9	0	1	SDEK0901**	1442	SDEK0901**	2266
20	9	1	0	SDEK0910**	1442	SDEK0910**	2266
20	12	0	1	SDEK1201**	1539	SDEK1201**	2381
20	12	1	0	SDEK1210**	1539	SDEK1210**	2381
4P for AC & DC Control Coil							
20	6	0	0	SDEK06004**	1682	SDEK06004**	2824
20	9	0	0	SDEK09004**	1863	SDEK09004**	2944
20	12	0	0	SDFK12004**	2105	SDFK12004**	3907

Reversing Mini Contactor 3P for AC Control Coil

HSN Code: 85364900

AC1	AC3	Aux contact		Item Code-AC	List Price Per Unit (₹)
		NO	No		
20	6	0	1	SDEKN0601**	4447
20	6	1	0	SDEKN0610**	4447
20	9	0	1	SDEKN0901**	4567
20	9	0	1	SDEKN0910**	4567
20	12	1	0	SDEKN1201**	4807
20	12	0	0	SDEKN1210**	4807

Coil Voltage Selection Chart

Voltage	Cat No.		Voltage	Cat No.		Voltage	Cat No.	
	AC (50/60Hz)	DC		AC (50/60Hz)	DC		AC (50/60Hz)	DC
24	A1*	D1*	110	A3*	D3*	380	A8	--
42	A7		220	A4*	D4*	415	A6*	--
48	A2*	D2*	240	A5*		440	A9	--

*Standard Coil

SDE Mini Contactor's Accessories

HSN Code: 85364900

Thermal Overload Relay						
Current Range (A)		Aux contact		Item Code-AC	List Price Per Unit (₹)	
		NO	No			
0.11-0.16		1	1	SDERK5/0.16	1817	
0.16-0.23		1	1	SDERK5/0.23	1817	
0.23-0.3		1	1	SDERK5/0.36	1817	
0.36-0.54		1	1	SDERK5/0.54	1817	
0.54-0.8		1	1	SDERK5/0.8	1817	
0.8-1.2		1	1	SDERK5/1.2	1817	
1.8-2.6		1	1	SDERK5/2.6	1817	
2.6-3.7		1	1	SDERK5/3.7	1817	
3.7-5.5		1	1	SDERK5/5.5	1817	
05-8		1	1	SDERK5/8	1817	
8-11.5		1	1	SDERK5/11.5	1817	
10-14		1	1	SDERK5/14	1817	
Add on Aux Contact						
AC1	AC3	Contactor Rating	Aux contact		Item Code-AC	List Price Per Unit (₹)
			NO	No		
TOP	2	6A to 12A (3P & 4P)	0	2	SDEKA1/02	410
TOP	2		1	1	SDEKA1/11	410
TOP	2		2	0	SDEKA1/20	410
TOP	4		0	4	SDEKA1/04	553
TOP	4		1	3	SDEKA1/13	553
TOP	4		2	2	SDEKA1/22	553
TOP	4		3	1	SDEKA1/31	553
TOP	4		4	0	SDEKA1/40	553

Note: Coil Voltage Selection pls ref. chart @page no. 26

Power Contactor 3P - AC & DC Control

HSN Code: 85364900



AC1	AC3	Type	Aux contact		Cat No. AC	List Price Per Unit (₹)	Cat No. DC	List Price Per Unit (₹)
			NO	NC				
20	9	SDE-09	1	0	SDE0910**	1370	SDEP0910**	2615
20	9	SDE-09	0	1	SDE0901**	1370	SDEP0901**	2615
20	9	SDE-09	1	1	SDE0911**	1535	---	---
25	12	SDE-12	1	0	SDE1210**	1555	SDEP1210**	2840
25	12	SDE-12	0	1	SDE1201**	1555	SDEP1201**	2840
25	12	SDE-12	1	1	SDE1211**	1700	---	---
32	18	SDE-18	1	0	SDE1810**	1870	SDEP1810**	3215
32	18	SDE-18	0	1	SDE1801**	1870	SDEP1801**	3215
32	18	SDE-18	1	1	SDE1811**	1995	---	---
40	25	SDE-25	1	0	SDE2510**	2105	SDEP2510**	4985
40	25	SDE-25	0	1	SDE2501**	2105	SDEP2501**	4985
40	25	SDE-25	1	1	SDE2511**	2290	---	---
50	32	SDE-32	1	0	SDE3210**	4785	SDEP3210**	9375
50	32	SDE-32	0	1	SDE3201**	4785	SDEP3201**	9375
50	32	SDE-32	1	1	SDE3211**	5065	---	---
60	40	SDE-40	1	1	SDE4011**	7100	SDEP4011**	11020
80	50	SDE-50	1	1	SDE5011**	9890	SDEP5011**	16685
80	65	SDE-65	1	1	SDE6511**	13650	SDEP6511**	18550
110	80	SDE-80	1	1	SDE8011**	15010	SDEP8011**	25790
125	95	SDE-95	1	1	SDE9511**	18125	SDEP9511**	30870
200	115	SDE-115	0	0	SDEF1153**	29265	---	---
250	150	SDE-150	0	0	SDEF1503**	36905	---	---
275	185	SDE-185	0	0	SDEF1853**	43080	---	---
315	225	SDE-225	0	0	SDEF2253**	49305	---	---
350	265	SDE-265	0	0	SDEF2653**	56730	---	---
400	330	SDE-330	0	0	SDEF3303**	68080	---	---
500	400	SDE-400	0	0	SDEF4003**	96590	---	---
700	500	SDE-500	0	0	SDEF5003**	140545	---	---
1000	630	SDE-630	0	0	SDEF6303**	199295	---	---

Power Contactor 4P (4NO) AC Control

HSN Code: 85364900



AC1	AC3	Type	Aux contact		Cat No. AC	List Price Per Unit (₹)
			NO	NC		
20	9	SDE-09	0	0	SDE09004**	1905
25	12	SDE-12	0	0	SDE12004**	1945
40	25	SDE-25	0	0	SDE25004**	3260
60	40	SDE-40	0	0	SDE40004**	7650
80	50	SDE-50	0	0	SDE50004**	10760
80	65	SDE-65	0	0	SDE65004**	12915
110	80	SDE-80	0	0	SDE80004**	14090
125	95	SDE-95	0	0	SDE95004**	16975
200	115	SDE-115	0	0	SDEF1154**	32455
250	150	SDE-150	0	0	SDEF1504**	37145
275	185	SDE-185	0	0	SDEF1854**	40165
315	225	SDE-225	0	0	SDEF2254**	62470
350	265	SDE-265	0	0	SDEF2654**	67650
400	330	SDE-330	0	0	SDEF3304**	78015
500	400	SDE-400	0	0	SDEF4004**	93925
700	500	SDE-500	0	0	SDEF5004**	134305
1000	630	SDE-630	0	0	SDEF6304**	236245

Power Contactor 4P (2NO+2NC) AC Control (Coil)

AC1	AC3	Type	Aux contact		Cat No. AC	List Price Per Unit (₹)
			NO	NC		
20	9	SDE-09	0	0	SDE09008**	2222
25	12	SDE-12	0	0	SDE12008**	2267
40	25	SDE-25	0	0	SDE25008**	3984
60	40	SDE-40	0	0	SDE40008**	8568
80	50	SDE-50	0	0	SDE50008**	12055
80	65	SDE-65	0	0	SDE65008**	14852
110	80	SDE-80	0	0	SDE80008**	15882
125	95	SDE-95	0	0	SDE95008**	18629

Capacitor Duty Contactor

HSN Code: 85364900



Kvar 380-440V	Type	Aux contact		Cat No.	List Price Per Unit (₹)
		NO	NC		
12	SDE12KVAR	1	1	SDE12KVAR11**	3655
12	SDE12KVAR	0	2	SDE12KVAR02**	3655
16	SDE16KVAR	2	0	SDE16KVAR20**	4685
16	SDE16KVAR	1	1	SDE16KVAR11**	4685
16	SDE16KVAR	0	2	SDE16KVAR02**	4685
20	SDE20KVAR	2	0	SDE20KVAR20**	5310
20	SDE20KVAR	1	1	SDE20KVAR11**	5310
20	SDE20KVAR	0	2	SDE20KVAR02**	5310
25	SDE25KVAR	1	2	SDE25KVAR12**	6440
25	SDE25KVAR	2	1	SDE25KVAR21**	6440
30	SDE30KVAR	1	2	SDE30KVAR12**	11545
30	SDE30KVAR	2	1	SDE30KVAR21**	11545
37	SDE37KVAR	1	2	SDE37KVAR12**	17812
37	SDE37KVAR	2	1	SDE37KVAR21**	17812
45	SDE45KVAR	1	2	SDE45KVAR12**	19075
45	SDE45KVAR	2	1	SDE45KVAR21**	19075
50	SDE50KVAR	1	2	SDE50KVAR12**	19755
50	SDE50KVAR	2	1	SDE50KVAR21**	19755

Thermal Overload Relays

HSN Code: 85364900



Relays Range (A)	Aux contact		Relay Mounting Kit	Cat No.	List Price Per Unit (₹)
	NO	NC			
0.11-0.16	1	1	SDE-A7D1064	SDER25/0.16	2020
0.16-0.25	1	1		SDER25/0.25	2020
0.25-0.40	1	1		SDER25/0.40	2020
0.40-0.63	1	1		SDER25/0.63	2020
0.63-1.0	1	1		SDER25/1.00	2020
1.0-1.6	1	1		SDER25/1.60	2020
1.25-2.0	1	1		SDER25/2.00	2020
1.6-2.5	1	1		SDER25/2.50	2020
2.5-4.0	1	1		SDER25/4.00	2020
4.0-6.0	1	1		SDER25/6.00	2140
5.5-8.0	1	1		SDER25/8.00	2170
7.0-10	1	1		SDER25/10.0	2170
9.0-13	1	1		SDER25/13.0	2170
12-18	1	1		SDER25/18.0	2205
17-25	1	1		SDER25/25.0	2232
23-32	1	1	SDE-A7D2064	SDER36/32.0	3243
28-36	1	1		SDER36/36.0	3440
23-32	1	1	SDE-A7D3064	SDER93/32.0	4402
30-40	1	1		SDER93/40.0	4402
37-50	1	1		SDER93/50.0	5253
48-65	1	1		SDER93/65.0	5253
55-70	1	1		SDER93/70.0	6558
63-80	1	1		SDER93/80.0	7198
80-93	1	1		SDER93/93.0	7198
30-50	1	1	-	SDERF53/50	11418
48-80	1	1		SDERF53/80	11988
60-100	1	1		SDERF53/100	11988
90-150	1	1		SDERF53/150	11988
132-220	1	1		SDERF53/220	12347
200-330	1	1		SDERF73/330	22363
300-500	1	1		SDERF73/500	30516
380-630	1	1		SDERF73/630	30790

Controlgear (SDE Range)

Add on Aux. Contact for 3P & 4P Power Contactor

Mounting	No. of Pole	Contactor Frame & Rating	Aux contact		Item Code	List Price Per Unit (₹)
			NO	NC		
Top	2	9A-630A (3P,4P)	0	2	SDE-A1/02	428
Top	2		1	1	SDE-A1/11	428
Top	2		2	0	SDE-A1/20	428
Top	4		0	4	SDE-A1/04	578
Top	4		1	3	SDE-A1/13	578
Top	4		2	2	SDE-A1/22	578
Top	4		3	1	SDE-A1/31	578
Top	4		4	0	SDE-A1/40	578
Side	2	9A-95A, 3P & 4P	1	1	SDE-A1C/11	578

Pneumatic Timer Unit for 3P & 4P Power Contactor

HSN Code: 85364900



Mounting	Delay Type	Time Delay Range	Aux contact		Cat No.	List Price Per Unit (₹)
			NO	NC		
TOP	ON - Delay	0.1~3s	1	1	SDE-A2/T0	2398
TOP	ON - Delay	0.1~30s	1	1	SDE-A2/T2	2398
TOP	ON - Delay	10~180s	1	1	SDE-A2/T4	2398
TOP	Off - Delay	0.1~3s	1	1	SDE-A3/R0	2398
TOP	Off - Delay	0.1~30s	1	1	SDE-A3/R2	2398
TOP	Off - Delay	10~180s	1	1	SDE-A3/R4	2398

Mechanical Interlock Units for 3P & 4P Power Contactor



Mounting	Contactor Rating (A)	Aux contact		Cat No.	List Price Per Unit (₹)
		NO	NC		
HORIZONTAL	09-32	0	0	SDE-A4X	674
HORIZONTAL	40-95	0	0	SDE-A4D	964

Relay Mounting Kit



Mounting (Relay Frame)	Cat No.	List Price Per Unit (₹)
SDR25	SDE-A7D1064	557
SDR36	SDE-A7D2064	653
SDR93	SDE-A7D3064	792

SPARE COILS (AC & DC) for 3P & 4P Contactor



Contactor Frame Size	Cat No.	List Price Per Unit (₹)	
		AC	DC
9A-18A, 1AUX.	SDEX-D2**	801	1247
9A-18A, 2AUX.	SDEX-D2N**	801	1247
25A-32A, 1AUX.	SDEX-D4**	836	1412
25A-32A, 2AUX.	SDEX-D4N**	836	1412
40A-95A	SDEX-D6**	2049	3025
115A-150A	SDEX-150AF**	4426	5464
185A-225A	SDEX-225AF**	8842	8842
265A-330A	SDEX-330AF**	9878	9878
400AF	SDEX-400AF**	9878	9878
500AF	SDEX-500AF**	26222	26222
630AF	SDEX-630AF**	28056	28056



Contactors and Overload Relays

intelliCONTROL

intelligent control

Product Portfolio & Features

- Reliable operation with compact and Robust construction.
- Bounce free weld resistant endurance.
- Capacitor Duty Contactors upto 62 kvar.
- Control Contactor upto 12 Contacts Combination.
- Highest Electrical Life upto 2.5 million operations.
- Differential Bimetallic Overload Relays upto 800A.
- Interchangeable with other ratings while upgrading electrical installations.
- Site mounted add on accessories.
- Safety cover to avoid dust.
- Designed as per latest IEC/IS Standards.
- Type II Co-ordination
- CE marked.



Power Contactors 3P - AC & DC Control

HSN Code: 85364900



AC1 (A)	AC3 (A)	Con- tactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC/DC	List Price Per Unit (₹)	
				NO	NC			AC Coil	DC Coil
25	6	18AF	IC-6a	1	0	IC006AN3P**10	30/--	1605	2445
25	9	18AF	IC-9a	1	0	IC009AN3P**10	30/20	1695	2580
25	12	18AF	IC-12a	1	0	IC012AN3P**10	30/20	1835	2860
32	18	18AF	IC-18a	1	0	IC018AN3P**10	30/20	2110	3170
25	6	18AF	IC-6a	0	1	IC006AN3P**01	30/--	1605	2445
25	9	18AF	IC-9a	0	1	IC009AN3P**01	30/20	1695	2580
25	12	18AF	IC-12a	0	1	IC012AN3P**01	30/20	1835	2860
32	18	18AF	IC-18a	0	1	IC018AN3P**01	30/20	2110	3170
25	9	22AF	IC-9b	1	1	IC009BN3P**11	30/20	1810	2690
27	12	22AF	IC-12b	1	1	IC012BN3P**11	30/20	2005	3045
32	18	22AF	IC-18b	1	1	IC018BN3P**11	30/20	2355	3245
45	22	22AF	IC-22b	1	1	IC022BN3P**11	30/20	2705	4925
55	32	40AF	IC-32a	1	1	IC032AN3P**11	20	5640	8740
60	40	40AF	IC-40a	1	1	IC040AN3P**11	20	7995	11075
100	50	65AF	IC-50a	2	2	IC050AN3P**22	10	10660	16535
115	65	65AF	IC-65a	2	2	IC065AN3P**22	10	14710	18730
125	75	100AF	IC-75a	2	2	IC075AN3P**22	5	15680	23360
135	85	100AF	IC-85a	2	2	IC085AN3P**22	5	18130	26795
160	105	100AF	IC-100a	2	2	IC100AN3P**22	5	26950	31170
200	130	150AF	IC-130a	2	2	IC130AN3P**22	5	32910	35425
250	150	150AF	IC-150a	2	2	IC150AN3P**22	5	39780	43090
300	185	225AF	IC-185a	2	2	IC185AN3P**22	1	48110	50205
350	225	225AF	IC-225a	2	2	IC225AN3P**22	1	50830	53040
400	265	400AF	IC-265a	2	2	IC265AN3P**22	1	58585	61135
500	330	400AF	IC-330a	2	2	IC330AN3P**22	1	73575	76775
520	400	400AF	IC-400a	2	2	IC400AN3P**22	1	95435	99585
700	500	800AF	IC-500a	2	2	IC500AN3P**22	1	138865	144905
900	630	800AF	IC-630a	2	2	IC630AN3P**22	1	197230	205805
1050	800	800AF	IC-800a	2	2	IC800AN3P**22	1	302075	315205

Power Contactor 4P-AC & DC Control

HSN Code: 85364900



Ith/AC1 (A)	Con- tactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC/DC	List Price Per Unit (₹)	
			NO	NC			AC Coil	DC Coil
25	18AF	IC-9a/4	0	0	IC009AN4P**00	30/20	2065	3510
40	18AF	IC-18a/4	0	0	IC018AN4P**00	30/20	3465	6460
50	40AF	IC-32a/4	0	0	IC032AN4P**00	15	5225	9620
60	40AF	IC-40a/4	0	0	IC040AN4P**00	15	8255	11040
80	85AF	IC-50a/4	0	0	IC050AN4P**00	10	11620	16120
100	85AF	IC-65a/4	0	0	IC065AN4P**00	10	14315	20465
110	85AF	IC-75a/4	0	0	IC075AN4P**00	10	15305	22775
135	85AF	IC-85a/4	0	0	IC085AN4P**00	10	17955	26325
200	225AF	IC-100a/4	2	2	IC100AN4P**22	1	35365	35360
250	225AF	IC-130a/4	2	2	IC130AN4P**22	1	40430	40430
275	225AF	IC-150a/4	2	2	IC150AN4P**22	1	43675	43675
300	225AF	IC-185a/4	2	2	IC185AN4P**22	1	67335	67335
350	225AF	IC-225a/4	2	2	IC225AN4P**22	1	74985	74985
400	400AF	IC-265a/4	2	2	IC265AN4P**22	1	84090	84090
500	400AF	IC-330a/4	2	2	IC330AN4P**22	1	102220	102220
520	400AF	IC-400a/4	2	2	IC400AN4P**22	1	117695	117695
700	800AF	IC-500a/4	2	2	IC500AN4P**22	1	149100	149100
900	800AF	IC-630a/4	2	2	IC630AN4P**22	1	199765	199765
1050	800AF	IC-800a/4	2	2	IC800AN4P**22	1	304910	304910

PI replace ** with coil voltage code given below.E.g.For 220V AC,PI replace** with A4.

NOTE:-For Non Standard (A7, A8, A9)& Wide Band Coil (A5), PI add Rs. 81(Frame 18AF/22AF),Rs.117(Frame 40AF), Rs.153(65AF/85AF) & Rs.198 (Frame 100AF/150AF).

Power Contactor 2NO+2NC-AC & DC Control

HSN Code: 85364900



Ith/AC1 (A)	Contactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC /DC	List Price Per Unit (₹)	
			NO	NC			AC Coil	DC Coil
25	18AF	IC-9a/8	0	0	IC009AN8P**00	30/20	2225	4303
40	18AF	IC-18a/8	0	0	IC018AN8P**00	30/20	3953	5738

Control Contactors - 4P AC & DC Control

HSN Code: 85364900



Ith/AC1 (A)	Contactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC /DC	List Price Per Unit (₹)	
			NO	NC			AC Coil	DC Coil
16	18AF	IR	4	0	IR40**	30/20	1660	2586
			3	1	IR31**			
			2	2	IR22**			
			1	3	IR13**			
			0	4	IR04**			

Capacitor Duty Contactors -AC & DC Control

HSN Code: 85364900

Capacitor unit (Pre-loading resistor) is connected to the terminals of the contactor to reduce the high inrush current exceeding 20x in.

- AC or DC control coil on selection
- 3-pole(NO) main contact
- Finger proof design
- DIN rail or screw mountable



Kvar 400~440V	Contactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC /DC	List Price Per Unit (₹)	
			NO	NC			AC Coil	DC Coil
9.7	18AF	IC097	1	1	IC097CC3P**11	1	3395	on request
12.5	18AF	IC125	1	1	IC125CC3P**11	1	3675	on request
16.7	18AF	IC167	1	1	IC167CC3P**11	1	4710	on request
18	22AF	IC180	1	1	IC180CC3P**11	1	5340	on request
25	40AF	IC250	1	1	IC250CC3P**11	1	6480	on request
33.3	40AF	IC333	1	1	IC333CC3P**11	1	11605	on request
40	65AF	IC400	2	2	IC400CC3P**22	1	17910	on request
45.7	65AF	IC457	2	2	IC457CC3P**22	1	19175	on request
54	100AF	IC540	2	2	IC540CC3P**22	1	19865	on request
60	100AF	IC600	2	2	IC600CC3P**22	1	21560	on request
62	100AF	IC620	2	2	IC620CC3P**22	1	26900	on request

Coil Voltage Selection Chart

HSN Code: 85364900

Voltage	Cat No.	DC
	AC(50/60Hz)	
24	A1*	D1*
42	A7	
48	A2*	D2*
100/110	A3*	D3*
200/220	A4*	D4*
240 (Wide Band 130-290)	A5*	
380	A8	
400/415	A6*	
440	A9	

Frame	Coil AC(50/60Hz)	Coil DC	Coil AC/DC Common
18AF to 100AF	24, 42, 48, 110, 220, 240 (WB), 380, 415, 440	24, 48, 110, 220	NA
150AF	24, 48, 110, 220, 240 (WB), 380, 415	24, 48, 110, 220	NA
225AF	24, 48, 110, 220, 400/415	24, 48, 110, 220	24, 48, 100~240/100~220
400AF	110, 220, 400/415	110, 220	100~240/100~220
800AF	110, 220, 400/415	110, 220	100/100,200/200

*Standard Coils.

PI replace ** with coil voltage code given below.E.g.For 220V AC,PI replace ** with A4 NOTE--For Non Standard (A7, A8, A9)& Wide Band Coil (A5),PI add Rs. 81 (Frame 18AF/22AF),Rs.117(Frame 40AF), Rs.153(65AF/85AF) & Rs.198(Frame 100AF/150AF).

Thermal Overload Relays

HSN Code: 85364900

- Differential Bimetallic overload relays from 0.1 to 800A.
- Built in 1NO+1NC potential free contacts.
- Choice of Contactor or separate Mounting.
- Option of Manual / Auto or Remote Reset.
- Sealable cover to avoid tampering, Trip indicator.
- Class 10 or Class 20.
- Site Mounted add on accessories.



Current Range(A)	Nominal Current	Contactor Frame	Type	Aux Contacts		Cat No.	Lot Qty. AC /DC	List Price Per Unit (₹)
				NO	NC			AC Coil
0.1-0.16	0.14	18AF	IT-12	1	1	IT12/3K0.14	50	2375
0.16-0.25	0.21	18AF	IT-12	1	1	IT12/3K0.21	50	2375
0.25-0.4	0.33	18AF	IT-12	1	1	IT12/3K0.33	50	2375
0.4-0.63	0.52	18AF	IT-12	1	1	IT12/3K0.52	50	2375
0.63-1	0.82	18AF	IT-12	1	1	IT12/3K0.82	50	2375
1-1.6	1.3	18AF	IT-12	1	1	IT12/3K 1.3	50	2375
1.6-2.5	2.1	18AF	IT-12	1	1	IT12/3K 2.1	50	2375
2.5-4	3.3	18AF	IT-12	1	1	IT12/3K 3.3	50	2375
4-6	5	18AF	IT-12	1	1	IT12/3K 5	50	2375
5-8	6.5	18AF	IT-12	1	1	IT12/3K 6.5	50	2375
6-9	7.5	18AF	IT-12	1	1	IT12/3K 7.5	50	2375
7-10	8.5	18AF	IT-12	1	1	IT12/3K 8.5	50	2375
9-13	11	18AF	IT-12	1	1	IT12/3K 11	50	2375
12-18	15	18AF	IT-12	1	1	IT12/3K 15	50	2530
0.1-0.16	0.14	22AF / 40AF	IT-32	1	1	IT32/3K0.14	30	2445
0.16-0.25	0.21	22AF / 40AF	IT-32	1	1	IT32/3K0.21	30	2445
0.25-0.4	0.33	22AF / 40AF	IT-32	1	1	IT32/3K0.33	30	2445
0.4-0.63	0.52	22AF / 40AF	IT-32	1	1	IT32/3K0.52	30	2445
0.63-1	0.82	22AF / 40AF	IT-32	1	1	IT32/3K0.82	30	2445
1-1.6	1.3	22AF / 40AF	IT-32	1	1	IT32/3K 1.3	30	2445
1.6-2.5	2.1	22AF / 40AF	IT-32	1	1	IT32/3K 2.1	30	2445
2.5-4	3.3	22AF / 40AF	IT-32	1	1	IT32/3K 3.3	30	2445
4-6	5	22AF / 40AF	IT-32	1	1	IT32/3K 5	30	2445
5-8	6.5	22AF / 40AF	IT-32	1	1	IT32/3K 6.5	30	2445
6-9	7.5	22AF / 40AF	IT-32	1	1	IT32/3K 7.5	30	2445
7-10	8.5	22AF / 40AF	IT-32	1	1	IT32/3K 8.5	30	2445
9-13	11	22AF / 40AF	IT-32	1	1	IT32/3K 11	30	2545
12-18	15	22AF / 40AF	IT-32	1	1	IT32/3K 15	30	2590
16-22	19	22AF / 40AF	IT-32	1	1	IT32/3K 19	30	2620
18-25	21.5	40AF	IT-32	1	1	IT32/3K 21.5	30	2620
22-32	27	40AF	IT-32	1	1	IT32/3K 27	30	3805
28-40	34	40AF	IT-32	1	1	IT32/3K 34	30	4040
24-36	30	65AF	IT-63	1	1	IT63/3K 30	10	5165
28-40	34	65AF	IT-63	1	1	IT63/3K 34	10	5165
34-50	42	65AF	IT-63	1	1	IT63/3K 42	10	6165
45-65	54	65AF	IT-63	1	1	IT63/3K 54	10	6435
34-50	42	100AF	IT-95	1	1	IT95/3K 42	10	7700
45-65	54	100AF	IT-95	1	1	IT95/3K 54	10	7710
54-75	65	100AF	IT-95	1	1	IT95/3K 65	10	7710
63-85	74	100AF	IT-95	1	1	IT95/3K 74	10	8460
70-95	83	100AF	IT-95	1	1	IT95/3K 83	10	8460
80-100	90	100AF	IT-95	1	1	IT95/3K 90	10	8460
80-105	93	150AF	IT-150	1	1	IT150/3K 93	10	11635
95-130	113	150AF	IT-150	1	1	IT150/3K 113	10	11635
110-150	130	150AF	IT-150	1	1	IT150/3K 130	10	11635
100-160	130	225AF	IT-225	1	1	IT225/3K 130	1	13815
120-185	153	225AF	IT-225	1	1	IT225/3K 153	1	13815
160-240	200	225AF	IT-225	1	1	IT225/3K 200	1	14515
160-240	200	400AF	IT-400	1	1	IT400/3K 200	1	14905
200-330	265	400AF	IT-400	1	1	IT400/3K 265	1	14905
260-400	350	400AF	IT-400	1	1	IT400/3K 350	1	18465
200-300	265	800AF	IT-800	1	1	IT800/3K 265	1	36195
260-400	350	800AF	IT-800	1	1	IT800/3K 350	1	36195
400-600	515	800AF	IT-800	1	1	IT800/3K 515	1	36195
520-800	660	800AF	IT-800	1	1	IT800/3K 660	1	39090

NOTE--For Class 20 Overload Relays, Pl consult your nearest Sales Office.

Add on Aux. Contacts -For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	No. of Poles	Contactor Frame	Aux Contacts		Cat No.	Lot Qty.	List Price Per Unit (₹)
			NO	NC			
Side	2	18AF~150AF(3P), 18AF(4P)	1	1	IUA1-11	20	629
Side	2	22AF~85AF(4P)	1	1	IAU-11	20	629
Top	2	18AF~150AF(3P, 4P)	2	0	IUA2-20	20	466
Top	2	18AF~150AF(3P, 4P)	1	1	IUA2-11	20	466
Top	2	18AF~150AF(3P, 4P)	0	2	IUA2-02	20	466
Top	4	18AF~150AF(3P, 4P)	4	0	IUA4-40	10	629
Top	4	18AF~150AF(3P, 4P)	3	1	IUA4-31	10	629
Top	4	18AF~150AF(3P, 4P)	2	2	IUA4-22	10	629
Top	4	18AF~150AF(3P, 4P)	1	3	IUA4-13	10	629
Top	4	18AF~150AF(3P, 4P)	0	4	IUA4-04	10	629
Side	2	225AF~800AF	1	1	IAU-100	20	920
Extd Side	2	225AF~800AF	1	1	IAU-100E	20	1268

Mechanical Interlock Units -For 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	No. of Poles	Contactor Frame	Aux Contacts		Cat No.	Lot Qty.	List Price Per Unit (₹)
			NO	NC			
Horizontal	2	18AF~150AF(3P), 18AF(4P)	0	2	IUR-02	1	734
Horizontal	0	22AF~85AF(4P)	0	0	IAR-9	1	1048
Horizontal	0	225AF~400AF(3P, 4P)	0	0	IAR-180	1	3609
Horizontal	0	800AF(3P, 4P)	0	0	IAR-600	1	43993

Pneumatic Timer Unit -For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	Type	Contactor Frame	Time Delay Range	Cat No.	Lot Qty.	List Price Per Unit (₹)
Top	On-Delay	18AF~100AF(3P, 4P)	0.1~3s	IUN-1N	8	2608
Top	On-Delay	18AF~100AF(3P, 4P)	0.1~30s	IUN-2N	8	2608
Top	On-Delay	18AF~100AF(3P, 4P)	10~180s	IUN-3N	8	2608
Top	Off-Delay	18AF~100AF(3P, 4P)	0.1~3s	IUN-1F	8	2608
Top	Off-Delay	18AF~100AF(3P, 4P)	0.1~30s	IUN-2F	8	2608
Top	Off-Delay	18AF~100AF(3P, 4P)	10~180s	IUN-3F	8	2608

Electronic Timer Unit -For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	Type	Contactor Frame	Coil Voltage		Cat No.	Lot Qty.	List Price Per Unit (₹)
			AC	DC			
Top	On-Delay	18AF~150AF(3P, 4P)	24~48	24~48	IUT-1N*	8	2631
Top	On-Delay	18AF~150AF(3P, 4P)	110~220		IUT-2N*	8	2631
Top	Off-Delay	18AF~150AF(3P, 4P)	24~48	24~48	IUT-1F*	8	2631
Top	Off-Delay	18AF~150AF(3P, 4P)	110~220		IUT-2F*	8	2631

*1~30 Second

Dust Protection Covers - For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	Type	Contacteur Frame	Cat No.	Lot Qty.	List Price Per Unit (₹)
Top	IP	18AF~150AF(3P, 4P)	IAP-9	10	46
Top	IP	225AF~800AF(3P, 4P)	IAP-185	10	59

Mechanical Latch Units -For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Mounting	Type	Contacteur Frame	Coil Voltage		Cat No.	Lot Qty.	List Price Per Unit (₹)
			AC	DC			
Top	IML	18AF~65AF(3P, 4P)	24,48,110,220,415	24,48,110,220	IML-65**	8	2981
Top		85AF~150AF(3P, 4P)			IML-150**	8	3318
Top	IAL	225AF(3P, 4P)	110~220	NA	IAL-220**	1	9989
Top		400AF(3P, 4P)			IAL-400**	1	11525

Surge Suppressor Units -For IR, 3P & 4P Power Contactors

HSN Code: 85369000



Surge Suppressor Units Composition	Type	Contacteur Frame	Coil Voltage		Cat No.	Lot Qty.	List Price Per Unit (₹)
			AC	DC			
Varistor+RC (24~48V AC)	IUS	18AF~150AF (3P), 18AF (4P)	24~48		IUS-1	10	641
Varistor+RC (100~125V AC)			100~125		IUS-2	10	641
Varistor+RC (200~240V AC)			200~240		IUS-3	10	641
Varistor+RC (24~48V DC)				24~48	IUS-4	10	641
Varistor+RC (100~125V DC)				100~125	IUS-5	10	641
Varistor+RC (200~240V DC)				200~240	IUS-6	10	641
Varistor (24~48V AC/DC)			24~48	24~48	IUS-11	10	641
Varistor (100~125V AC/DC)			100~125	100~125	IUS-12	10	641
Varistor (200~240V AC/DC)			200~240	200~240	IUS-13	10	641
Varistor (380~440V AC/DC)			380~440		IUS-14	10	641
RC (100~125VAC)			100~125		IUS-22	10	641
Varistor+RC (24~48V AC)	IAS	225AF~800AF (3P), 40AF~800AF (4P)	24~48		IAS-1	1	641
Varistor+RC (100~125V AC)			100~125		IAS-2	1	641
Varistor+RC (200~240V AC)			200~240		IAS-3	1	641
Varistor+RC (24~48V DC)				24~48	IAS-4	1	641
Varistor+RC (100~125V DC)				100~125	IAS-5	1	641
Varistor+RC (200~240V DC)				200~240	IAS-6	1	641
Varistor (24~48V AC/DC)			24~48	24~48	IAS-11	1	861
Varistor (100~125V AC/DC)			100~125	100~125	IAS-12	1	861
Varistor (200~240V AC/DC)			200~240	200~240	IAS-13	1	861
Varistor (380~440V AC)			380~440		IAS-14	1	861



Accessories for Thermal OLR

HSN Code: 85369000



Product	Type	TOR Frame	Current Range	Mounting/Length	Cat No.	Lot Qty.	List Price Per Unit (₹)
DIN/Screw Type Separate Mounting Kit	IUZ	IT-12	0.1~18A	DIN/Screw	IUZ-12	20	489
		IT-32	0.1~40A	DIN/Screw	IUZ-32	20	605
		IT-63	24~65A	DIN/Screw	IUZ-63	20	711
		IT-95	34~100A	DIN/Screw	IUZ-95	15	861
		IT-150	80~150A	DIN/Screw	IUZ-150	8	1316
Remote Reset Unit	IUM	IT-32~ IT95	0.1~100A	400 mm long	IUM-4R	1	2515
				500 mm long	IUM-5R	1	2981
				600 mm long	IUM-6R	1	3527

Spare Contact Kits (3 Pole Contactors)

HSN Code: 85369000

Rating (A)	Contactor Frame	Type	Cat No.	Lot Qty.	List Price Per Unit (₹)
6	18AF	IC-6a	ISC006A3P	10	696
9	18AF	IC-9a	ISC009A3P	10	896
12	18AF	IC-12a	ISC012A3P	10	958
18	18AF	IC-18a	ISC018A3P	10	1019
9	22AF	IC-9b	ISC009B3P	10	958
12	22AF	IC-12b	ISC012B3P	10	1019
18	22AF	IC-18b	ISC018B3P	10	1231
22	22AF	IC-22b	ISC022B3P	10	1579
32	40AF	IC-32a	ISC032A3P	5	3096
40	40AF	IC-40a	ISC040A3P	5	4091
50	65AF	IC-50a	ISC050A3P	1	4850
65	65AF	IC-65a	ISC065A3P	1	6813
75	100AF	IC-75a	ISC075A3P	1	7932
85	100AF	IC-85a	ISC085A3P	1	9350
105	100AF	IC-100a	ISC100A3P	1	10892
130	150AF	IC-130a	ISC130A3P	1	13987
150	150AF	IC-150a	ISC150A3P	1	20539
185	225AF	IC-185a	ISC185A3P	1	24902
225	225AF	IC-225a	ISC225A3P	1	29092
265	400AF	IC-265a	ISC265A3P	1	34587
330	400AF	IC-330a	ISC330A3P	1	39225
400	400AF	IC-400a	ISC400A3P	1	48226
500	800AF	IC-500a	ISC500A3P	1	62225
630	800AF	IC-630a	ISC630A3P	1	93344
800	800AF	IC-800a	ISC800A3P	1	140006

Spare Coils (AC & DC) for IR, 3P & 4P Power Contactors

HSN Code: 85369000



Contactor Frame (3P)	Cat No.	Lot Qty.	List Price Per Unit (₹)	
			AC Coil	DC Coil
18/22AF	IXC22AF**	1	845	1318
40AF	IXC40AF**	1	883	1492
65AF	IXC65AF**	1	2163	3196
100AF	IXC100AF**	1	2798	3928
150AF	IXC150AF**	1	4675	5768
225AF	IXC225AF**	1	9337	9337
400AF	IXC400AF**	1	10432	10432
800AF	IXC800AF**	1	29626	29626

Contactor Frame (4P)	Cat No.	Lot Qty.	List Price Per Unit (₹)	
			AC Coil	DC Coil
18AF	IXC22AF**	1	833	1305
22/40AF	IXC404P**	1	969	1504
85AF	IXC854P**	1	2437	3207
225AF	IXC2254P**	1	10133	10133
400AF	IXC4004P**	1	14297	14297
800AF	IXC8004P**	1	31119	31119

PI replace ** with coil voltage code given below.E.g.For 220V AC,PI replace ** with A4
NOTE--For Non Standard (A7, A8, A9)& Wide Band Coil (A5),PI add Rs. 81(Frame 18AF/22AF),
Rs.117(Frame 40AF), Rs.153(65AF/85AF) & Rs.198(Frame 100AF/150AF).

Surge Protection Device (SPD)

- SPD Type 2 & Type 1+2 range for AC/DC/Photovoltaic applications.
- DC side Protection with operating Voltage (Uc) from 600V up to 1500V DC.
- AC side Protection with operating Voltage (Uc) from 275V up to 800V AC.
- Data Signals Protection with operating Voltage (Uc) from 12V up to 48V DC.
- Protection against induced overvoltage caused by switching transients or lightning strikes.
- Visual Coloured indication for varistor health status.
- Option for Remote signalling of varistor status.
- Replaceable Plug-in type MOV modules.
- Complies with IEC 61643-31, IEC 61643-11.
- Provision for Dual Termination.
- FR-V0 grade Thermoplastic body.
- 35 mm DIN Rail.
- Compact Size with 18mm Module.




Item Code	Description	List Price Per Unit (₹)
SPDDC2P06V40KT2	SPD DC 2P 600V 40kA TYPE-2	POR
SPDDC3P10V40KT2	SPD DC 3P 1000V 40kA TYPE-2	POR
SPDDC3P10V40KT12	SPD DC 3P 1000V 40kA TYPE-1+2	POR
SPDDC3P15V40KT2	SPD DC 3P 1500V 40kA TYPE-2	POR
SPDDC3P15V40KT12	SPD DC 3P 1500V 40kA TYPE-1+2	POR
SPDDC3P15V40KT12+C	SPD DC 3P 1500V 40kA TYPE-1+2 +RCOUNTR	POR
SPDAC1P275V40KT2	SPD AC SP 275V 40kA TYPE-2	POR
SPDACTPN385V40KT2	SPD AC 3P+N 385V 40kA TYPE-2	POR
SPDACTPN385V50KT12	SPD AC 3P+N 385V 50kA TYPE-1+2	POR
SPDACTPN08V25KT2	SPD AC 3P+N 800V 25kA TYPE-2	POR

Ultimate Protection... intelligently SMART

Salient Features

- Rating - 400A ~ 6300A, 3P, 3P+N & 4P
- $I_{cu} = I_{cs} = I_{cw}$ (1S) upto 100kA
- U_e - 500V, 690V & above and U_i - 1100Vac
- Total breaking time $\leq 28\text{ms}$
- LSIG Protection with Microprocessor at variable time delay.
- Digital display of Current, Energy, Power and Voltage parameters.
- Fault records, event history and communication available.



intelliSMART Air Circuit Breaker (Manual Fixed)

HSN Code: 85362010



Rating Amps.	Capacity	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
400A	50kA at 500V AC	CN043FM0D0D0BH0	213933	CN044FM0D0D0BH0	262145
630A		CN063FM0D0D0BH0	215341	CN064FM0D0D0BH0	264259
800A		CN083FM0D0D0BH0	218860	CN084FM0D0D0BH0	269192
1000A		CN103FM0D0D0BH0	225649	CN104FM0D0D0BH0	285340
1250A		CN123FM0D0D0BH0	246736	CN124FM0D0D0BH0	307102
1600A		CN163FM0D0D0BH0	277447	CN164FM0D0D0BH0	342099
2000A	70kA at 500V AC	CN203FM0D0D0BH0	329194	CN204FM0D0D0BH0	392609
2000A		CN203FM0D0D0BH7	416084	CN204FM0D0D0BH7	497092
2500A		CN253FM0D0D0BH0	494190	CN254FM0D0D0BH0	602930
3200A		CN323FM0D0D0BH0	#	CN324FM0D0D0BH0	#
4000A	*	CN403FM0D0D0BH0	#	CN404FM0D0D0BH0	#
5000A		CN503FM0D0D0BH0	#	CN504FM0D0D0BH0	#
6300A		CN633FM0D0D0BH0	#	CN634FM0D0D0BH0	#

intelliSMART Air Circuit Breaker (Electical Fixed)

HSN Code: 85362010



Rating Amps.	Capacity	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
400A	50kA at 500V AC	CN043EM2D2D2BH0	#	CN044EM2D2D2BH0	#
630A		CN063EM2D2D2BH0	#	CN064EM2D2D2BH0	#
800A		CN083EM2D2D2BH0	#	CN084EM2D2D2BH0	#
1000A		CN103EM2D2D2BH0	#	CN104EM2D2D2BH0	#
1250A		CN123EM2D2D2BH0	#	CN124EM2D2D2BH0	#
1600A		CN163EM2D2D2BH0	#	CN164EM2D2D2BH0	#
2000A	70kA at 500V AC	CN203EM2D2D2BH0	#	CN204EM2D2D2BH0	#
2000A		CN203EM2D2D2BH7	#	CN204EM2D2D2BH7	#
2500A		CN253EM2D2D2BH0	#	CN254EM2D2D2BH0	#
3200A		CN323EM2D2D2BH0	#	CN324EM2D2D2BH0	#
4000A	*	CN403EM2D2D2BH0	#	CN404EM2D2D2BH0	#
5000A		CN503EM2D2D2BH0	#	CN504EM2D2D2BH0	#
6300A		CN633EM2D2D2BH0	#	CN634EM2D2D2BH0	#

Air Circuit Breaker

intelliSMART Air Circuit Breaker (Manual Draw out)

HSN Code: 85362010



Rating Amps.	Capacity	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
400A	50kA at 500V AC	CN043CM0D0D0BH0	286196	CN044CM0D0D0BH0	363763
630A		CN063CM0D0D0BH0	289537	CN064CM0D0D0BH0	367108
800A		CN083CM0D0D0BH0	296220	CN084CM0D0D0BH0	375938
1000A		CN103CM0D0D0BH0	305586	CN104CM0D0D0BH0	387805
1250A		CN123CM0D0D0BH0	332556	CN124CM0D0D0BH0	417882
1600A		CN163CM0D0D0BH0	377077	CN164CM0D0D0BH0	466096
2000A	70kA at 500V AC	CN203CM0D0D0BH0	454841	CN204CM0D0D0BH0	535752
2000A		CN203CM0D0D0BH7	568126	CN204CM0D0D0BH7	679596
2500A		CN253CM0D0D0BH0	706463	CN254CM0D0D0BH0	825587
3200A	*	CN323CM0D0D0BH0	#	CN324CM0D0D0BH0	#
4000A		CN403CM0D0D0BH0	#	CN404CM0D0D0BH0	#
5000A		CN503CM0D0D0BH0	#	CN504CM0D0D0BH0	#
6300A		CN633CM0D0D0BH0	#	CN634CM0D0D0BH0	#

intelliSMART Air Circuit Breaker (Electrical Draw out)

HSN Code: 85362010



Rating Amps.	Capacity	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
400A	50kA at 500V AC	CN043DM2D2D2BH0	#	CN044DM2D2D2BH0	#
630A		CN063DM2D2D2BH0	#	CN064DM2D2D2BH0	#
800A		CN083DM2D2D2BH0	#	CN084DM2D2D2BH0	#
1000A		CN103DM2D2D2BH0	#	CN104DM2D2D2BH0	#
1250A		CN123DM2D2D2BH0	#	CN124DM2D2D2BH0	#
1600A		CN163DM2D2D2BH0	#	CN164DM2D2D2BH0	#
2000A	70kA at 500V AC	CN203DM2D2D2BH0	#	CN204DM2D2D2BH0	#
2000A		CN203DM2D2D2BH7	#	CN204DM2D2D2BH7	#
2500A		CN253DM2D2D2BH0	#	CN254DM2D2D2BH0	#
3200A	*	CN323DM2D2D2BH0	#	CN324DM2D2D2BH0	#
4000A		CN403DM2D2D2BH0	#	CN404DM2D2D2BH0	#
5000A		CN503DM2D2D2BH0	#	CN504DM2D2D2BH0	#
6300A		CN633DM2D2D2BH0	#	CN634DM2D2D2BH0	#

Note:

- # - On request
- * - Different Capacity Available
- Please ask us for 3P+N

intelliSMART Air Circuit Breaker (Accessories)

HSN Code: 85369000




Accessories	Rating	Item Code	List Price Per Unit (₹)
Charging Motor	110V ac	ISM01	44400
	230V ac	ISM02	
	415V ac	ISM06	
	110V dc	ISM11	
	220V dc	ISM12	
Shunt Coil	110V ac	ISSHT01	14400
	230V ac	ISSHT02	
	415V ac	ISSHT06	
	110V dc	ISSHT11	
	220V dc	ISSHT12	
closing coil	110V ac	ISCC01	13200
	230V ac	ISCC02	
	415V ac	ISCC06	
	110V dc	ISCC11	
	220V dc	ISCC12	
Under Voltage COIL	110V ac	ISUVT01	19800
	230V ac	ISUVT02	
	415V ac	ISUVT06	
	110V dc	ISUVT11	
	220V dc	ISUVT12	
Door Interlock		ISDI	15146
Key Lock (1L+1K)		ISK1	18480
Key Lock (2L+1K)		ISK2	25080
Key Lock (3L+2K)		ISK3	34320

SWITCH ON YOUR ELECTRICAL PROTECTION



MCCB TAB (Thermal Adjustable Breaker)

- Current Rating for
 - Thermal Magnetic Version : 16A to 800A
 - Microprocessor Version : 32A to 800A
- Available in both 1P, 2P, 3P and 4P versions
- Wide range of breaking capacity from 10kA to 65kA
- 100% neutral current handling capability
- High Insulation Strength: Rated up to 1000V AC
- High Grade Engineering Compounds
- Quick-Make; Quick-Break & Trip free mechanism
- Current limiting design with Low let through energy
- Line - Load reversibility
- Positive Isolation feature available across the range
- Communication across all the Microprocessor MCCB ranges



TAB1 - 3 Pole & 4 Pole (Adjustable Thermal & Fixed Magnetic Type)

HSN Code: 85362020

- Range : 20A-800A
- 5 Different Frame Sizes
- Breaking Capacity : 10/16/25/36/50/65kA
- Variants : 1P, 2P, 3P & 4P
- Adjustable Thermal & Fixed Magnetic
- Adjustable Thermal & Magnetic
- Wide range of Accessories



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Thermal Release Setting Range (A)	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
10	20	16-20	TAB160LX020AC3P	4600	TAB160LX020AC4P	5692
	25	20-25	TAB160LX025AC3P	4600	TAB160LX025AC4P	5692
	32	25-32	TAB160LX032AC3P	4600	TAB160LX032AC4P	5692
	40	32-40	TAB160LX040AC3P	4600	TAB160LX040AC4P	5692
	50	40-50	TAB160LX050AC3P	4600	TAB160LX050AC4P	5692
	63	50-63	TAB160LX063AC3P	4600	TAB160LX063AC4P	5692
	80	63-80	TAB160LX080AC3P	5504	TAB160LX080AC4P	7907
	100	80-100	TAB160LX100AC3P	5504	TAB160LX100AC4P	7907
16	125	100-125	TAB160LX125AC3P	6128	TAB160LX125AC4P	8318
	160	128-160	TAB160LX160AC3P	9062	TAB160LX160AC4P	11316
	20	16-20	TAB160DX020AC3P	5949	TAB160DX020AC4P	7676
	25	20-25	TAB160DX025AC3P	5949	TAB160DX025AC4P	7676
	32	25-32	TAB160DX032AC3P	5949	TAB160DX032AC4P	7676
	40	32-40	TAB160DX040AC3P	5949	TAB160DX040AC4P	7676
	50	40-50	TAB160DX050AC3P	5949	TAB160DX050AC4P	7676
	63	50-63	TAB160DX063AC3P	5949	TAB160DX063AC4P	7676
25	80	63-80	TAB160DX080AC3P	5997	TAB160DX080AC4P	7676
	100	80-100	TAB160DX100AC3P	5997	TAB160DX100AC4P	7676
	125	100-125	TAB160DX125AC3P	7383	TAB160DX125AC4P	9297
	160	128-160	TAB160DX160AC3P	9304	TAB160DX160AC4P	11535
	20	16-20	TAB160CY020AC3P	6570	TAB160CY020AC4P	8947
	25	20-25	TAB160CY025AC3P	6570	TAB160CY025AC4P	8947
	32	25-32	TAB160CY032AC3P	6570	TAB160CY032AC4P	8947
	40	32-40	TAB160CY040AC3P	6570	TAB160CY040AC4P	8947
36	50	40-50	TAB160CY050AC3P	6570	TAB160CY050AC4P	8947
	63	50-63	TAB160CY063AC3P	6570	TAB160CY063AC4P	8947
	80	63-80	TAB160CY080AC3P	7293	TAB160CY080AC4P	9121
	100	80-100	TAB160CY100AC3P	7293	TAB160CY100AC4P	9121
	125	100-125	TAB160CY125AC3P	7928	TAB160CY125AC4P	10142
	160	128-160	TAB160CY160AC3P	10655	TAB160CY160AC4P	13556
	20	16-20	TAB160NZ020AC3P	11008	TAB160NZ020AC4P	14576
	25	20-25	TAB160NZ025AC3P	11008	TAB160NZ025AC4P	14576
	32	25-32	TAB160NZ032AC3P	11008	TAB160NZ032AC4P	14576
	40	32-40	TAB160NZ040AC3P	11008	TAB160NZ040AC4P	14576
	50	40-50	TAB160NZ050AC3P	11008	TAB160NZ050AC4P	14576
	63	50-63	TAB160NZ063AC3P	11008	TAB160NZ063AC4P	14576
	80	63-80	TAB160NZ080AC3P	10744	TAB160NZ080AC4P	14712
	100	80-100	TAB160NZ100AC3P	10744	TAB160NZ100AC4P	14712
	125	100-125	TAB160NZ125AC3P	12920	TAB160NZ125AC4P	15000
	160	128-160	TAB160NZ160AC3P	13171	TAB160NZ160AC4P	15260

Note: For spreader prices, kindly look page no. 54

Industrial Products



Molded Case Circuit Breaker

New MCCB TAB1** - 3 Pole & 4 Pole (Adjustable Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V	Rating (A) Current	Thermal Release Setting Range (A)	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
Icu=20kA	20	14-20	TAB160KX020AC3P	6178	TAB160KX020AC4P	8395
	25	18-25	TAB160KX025AC3P	6178	TAB160KX025AC4P	8395
	32	22-32	TAB160KX032AC3P	6178	TAB160KX032AC4P	8395
	40	28-40	TAB160KX040AC3P	6178	TAB160KX040AC4P	8395
	50	35-50	TAB160KX050AC3P	6178	TAB160KX050AC4P	8395
	63	44-63	TAB160KX063AC3P	6178	TAB160KX063AC4P	8395
	80	56-80	TAB160KX080AC3P	6178	TAB160KX080AC4P	8395
	100	70-100	TAB160KX100AC3P	6178	TAB160KX100AC4P	8395
	125	88-125	TAB160KX125AC3P	7590	TAB160KX125AC4P	9625
	160	112-160	TAB160KX160AC3P	9523	TAB160KX160AC4P	11550

New MCCB TAB1** - 3 Pole & 4 Pole (Adjustable Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Thermal Release Setting Range (A)	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
30kA	20	14-20	TAB160FZ020AC3P	6773	TAB160FZ020AC4P	8969
	25	18-25	TAB160FZ025AC3P	6773	TAB160FZ025AC4P	8969
	32	22-32	TAB160FZ032AC3P	6773	TAB160FZ032AC4P	8969
	40	28-40	TAB160FZ040AC3P	6773	TAB160FZ040AC4P	8969
	50	35-50	TAB160FZ050AC3P	6773	TAB160FZ050AC4P	8969
	63	44-63	TAB160FZ063AC3P	6773	TAB160FZ063AC4P	8969
	80	56-80	TAB160FZ080AC3P	6827	TAB160FZ080AC4P	9106
	100	70-100	TAB160FZ100AC3P	6827	TAB160FZ100AC4P	9106
	125	88-125	TAB160FZ125AC3P	7840	TAB160FZ125AC4P	10381
	160	112-160	TAB160FZ160AC3P	10824	TAB160FZ160AC4P	13750

MCCB TAB2* - 3 Pole & 4 Pole (Adjustable Thermal & Fixed Magnetic Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Thermal Release Setting Range (A)	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
25	063	50-63	TAB250CX063AC3P	10993	TAB250CX063AC4P	13485
	080	63-80	TAB250CX080AC3P	10993	TAB250CX080AC4P	13485
	100	80-100	TAB250CX100AC3P	10993	TAB250CX100AC4P	13485
	125	100-125	TAB250CX125AC3P	12773	TAB250CX125AC4P	14507
	160	128-160	TAB250CX160AC3P	13901	TAB250CX160AC4P	16783
	200	160-200	TAB250CX200AC3P	17929	TAB250CX200AC4P	19996
	250	200-250	TAB250CX250AC3P	23038	TAB250CX250AC4P	22613
36	063	50-63	TAB250NX063AC3P	12878	TAB250NX063AC4P	14489
	080	63-80	TAB250NX080AC3P	12878	TAB250NX080AC4P	14489
	100	80-100	TAB250NX100AC3P	12878	TAB250NX100AC4P	14489
	125	100-125	TAB250NX125AC3P	13920	TAB250NX125AC4P	16966
	160	128-160	TAB250NX160AC3P	15071	TAB250NX160AC4P	18039
	200	160-200	TAB250NX200AC3P	19311	TAB250NX200AC4P	22391
	250	200-250	TAB250NX250AC3P	27064	TAB250NX250AC4P	28519
50	063	50-63	TAB250SZ063AC3P	17668	TAB250SZ063AC4P	20488
	080	63-80	TAB250SZ080AC3P	17709	TAB250SZ080AC4P	20886
	100	80-100	TAB250SZ100AC3P	17870	TAB250SZ100AC4P	20886
	125	100-125	TAB250SZ125AC3P	22355	TAB250SZ125AC4P	27273
	160	128-160	TAB250SZ160AC3P	26477	TAB250SZ160AC4P	28433
	200	160-200	TAB250SZ200AC3P	29681	TAB250SZ200AC4P	35590
	250	200-250	TAB250SZ250AC3P	30819	TAB250SZ250AC4P	37219

Please Note : Delivery will be started from July 2026 onward, Please Contact Branch Offices.

Molded Case Circuit Breaker

New TAB2** 3P & 4P (Adjustable Thermal & Adjustable Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Thermal Release Setting Range (A)	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
25	063	44-63	TAB250CX063TAMA3P	POR	TAB250CX063TAMA4P	POR
	080	56-80	TAB250CX080TAMA3P	POR	TAB250CX080TAMA4P	POR
	100	70-100	TAB250CX100TAMA3P	POR	TAB250CX100TAMA4P	POR
	125	88-125	TAB250CX125TAMA3P	POR	TAB250CX125TAMA4P	POR
	160	112-160	TAB250CX160TAMA3P	POR	TAB250CX160TAMA4P	POR
	200	140-200	TAB250CX200TAMA3P	POR	TAB250CX200TAMA4P	POR
	250	175-250	TAB250CX250TAMA3P	POR	TAB250CX250TAMA4P	POR
36	063	44-63	TAB250NX063TAMA3P	POR	TAB250NX063TAMA4P	POR
	080	56-80	TAB250NX080TAMA3P	POR	TAB250NX080TAMA4P	POR
	100	70-100	TAB250NX100TAMA3P	POR	TAB250NX100TAMA4P	POR
	125	88-125	TAB250NX125TAMA3P	POR	TAB250NX125TAMA4P	POR
	160	112-160	TAB250NX160TAMA3P	POR	TAB250NX160TAMA4P	POR
	200	140-200	TAB250NX200TAMA3P	POR	TAB250NX200TAMA4P	POR
	250	175-250	TAB250NX250TAMA3P	POR	TAB250NX250TAMA4P	POR
50	063	44-63	TAB250SX063TAMA3P	POR	TAB250SX063TAMA4P	POR
	080	56-80	TAB250SX080TAMA3P	POR	TAB250SX080TAMA4P	POR
	100	70-100	TAB250SX100TAMA3P	POR	TAB250SX100TAMA4P	POR
	125	88-125	TAB250SX125TAMA3P	POR	TAB250SX125TAMA4P	POR
	160	112-160	TAB250SX160TAMA3P	POR	TAB250SX160TAMA4P	POR
	200	140-200	TAB250SX200TAMA3P	POR	TAB250SX200TAMA4P	POR
	250	175-250	TAB250SX250TAMA3P	POR	TAB250SX250TAMA4P	POR

MCCB TAB3 - 3P & 4P (Adjustable Thermal & Adjustable Magnetic Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36 kA	250A	TAB630NX250AC3P	33496	TAB630NX250AC4P	42497
	315A	TAB630NX315AC3P	43319	TAB630NX315AC4P	49290
	400A	TAB630NX400AC3P	44398	TAB630NX400AC4P	51502
	500A	TAB630NX500AC3P	53412	TAB630NX500AC4P	65462
	630A	TAB630NX630AC3P	55096	TAB630NX630AC4P	66807
50 kA	250A	TAB630SY250AC3P	35463	TAB630SY250AC4P	44502
	315A	TAB630SY315AC3P	43601	TAB630SY315AC4P	54001
	400A	TAB630SY400AC3P	46976	TAB630SY400AC4P	55513
	500A	TAB630SY500AC3P	61685	TAB630SY500AC4P	72174
	630A	TAB630SY630AC3P	64330	TAB630SY630AC4P	73666
65 kA	250A	TAB630HZ250AC3P	54065	TAB630HZ250AC4P	58916
	315A	TAB630HZ315AC3P	57505	TAB630HZ315AC4P	62093
	400A	TAB630HZ400AC3P	60391	TAB630HZ400AC4P	63725
	500A	TAB630HZ500AC3P	74646	TAB630HZ500AC4P	83126
	630A	TAB630HZ630AC3P	75504	TAB630HZ630AC4P	83996

MCCB with High Breaking Capacity - Double Break Mechanism

16A-800A at 500V AC, available in 2 frame sizes, TP & FP version. upto Breaking Capacity (Icu) 70kA & Ics = 100% of Icu.

Please Note : For Prices / Delivery, Please Contact Branch Offices.

Note: For spreader prices, kindly look page no. 54

*For other ratings in TAB 2 Frame, Please Contact Branch Offices

**Please Note : Delivery will be started from July 2026 onward, Please Contact Branch Offices.

MCCB TAB4 - 3P & 4P (Adjustable Thermal & Adjustable Magnetic Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36 kA	500A	TAB800NX500AC3P	55837	TAB800NX500AC4P	69932
	630A	TAB800NX630AC3P	58669	TAB800NX630AC4P	70436
	800A	TAB800NX800AC3P	81201	TAB800NX800AC4P	78965
50 kA	500A	TAB800SY500AC3P	63811	TAB800SY500AC4P	80512
	630A	TAB800SY630AC3P	65518	TAB800SY630AC4P	81428
	800A	TAB800SY800AC3P	82695	TAB800SY800AC4P	94471
65 kA	500A	TAB800HZ500AC3P	76164	TAB800HZ500AC4P	92776
	630A	TAB800HZ630AC3P	77235	TAB800HZ630AC4P	95135
	800A	TAB800HZ800AC3P	97020	TAB800HZ800AC4P	113081

TAB3 & TAB4, Ics=Icu=50kA (Adjustable Thermal & Adjustable Magnetic Type)

HSN Code: 85362020

Breaking Capacity Ics=100% of Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
TAB3					
50kA	250A	TAB630SX250AC3P	36882	TAB630SX250AC4P	46282
	315A	TAB630SX315AC3P	45345	TAB630SX315AC4P	56161
	400A	TAB630SX400AC3P	48855	TAB630SX400AC4P	57734
	500A	TAB630SX500AC3P	64152	TAB630SX500AC4P	75061
	630A	TAB630SX630AC3P	66903	TAB630SX630AC4P	76613
TAB4					
50kA	500A	TAB800SX500AC3P	66363	TAB800SX500AC4P	83732
	630A	TAB800SX630AC3P	68139	TAB800SX630AC4P	84685
	800A	TAB800SX800AC3P	86003	TAB800SX800AC4P	98250

MCCB Microprocessor Type

- Range : 32A-800A
- Breaking Capacity : 36/50/65kA
- Variants : 3P & 4P
- Microprocessor Release – LSIG with T-Delay
- Wide range of Accessories

MCCB TAB2 - 3P & 4P (Microprocessor Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36 kA	40A	TAB2NX040AC3PMMPR	30585	TAB2NX040AC4PMMPR	37285
	63A	TAB2NX063AC3PMMPR	30585	TAB2NX063AC4PMMPR	37285
	80A	TAB2NX080AC3PMMPR	30585	TAB2NX080AC4PMMPR	37285
	100A	TAB2NX100AC3PMMPR	30585	TAB2NX100AC4PMMPR	37505
	125A	TAB2NX125AC3PMMPR	33335	TAB2NX125AC4PMMPR	42185
	160A	TAB2NX160AC3PMMPR	36390	TAB2NX160AC4PMMPR	48540
	200A	TAB2NX200AC3PMMPR	45205	TAB2NX200AC4PMMPR	56110
50 kA	250A	TAB2NX250AC3PMMPR	48065	TAB2NX250AC4PMMPR	63505
	40A	TAB2SX040AC3PMMPR	34425	TAB2SX040AC4PMMPR	41825
	63A	TAB2SX063AC3PMMPR	34425	TAB2SX063AC4PMMPR	41825
	80A	TAB2SX080AC3PMMPR	34425	TAB2SX080AC4PMMPR	41825
	100A	TAB2SX100AC3PMMPR	34425	TAB2SX100AC4PMMPR	42735
	125A	TAB2SX125AC3PMMPR	37755	TAB2SX125AC4PMMPR	46395
	160A	TAB2SX160AC3PMMPR	44165	TAB2SX160AC4PMMPR	55120
	200A	TAB2SX200AC3PMMPR	47540	TAB2SX200AC4PMMPR	60995
	250A	TAB2SX250AC3PMMPR	48625	TAB2SX250AC4PMMPR	68470

MCCB TAB3 - 3P & 4P (Microprocessor Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36 kA	250A	TAB3NX250AC3PMMPR	55095	TAB3NX250AC4PMMPR	71275
	315A	TAB3NX315AC3PMMPR	64330	TAB3NX315AC4PMMPR	76990
	400 A	TAB3NX400AC3PMMPR	66925	TAB3NX400AC4PMMPR	80395
	500 A	TAB3NX500AC3PMMPR	73720	TAB3NX500AC4PMMPR	86195
	630 A	TAB3NX630AC3PMMPR	75940	TAB3NX630AC4PMMPR	91195
50 kA	250 A	TAB3SX250AC3PMMPR	57635	TAB3SX250AC4PMMPR	73895
	315 A	TAB3SX315AC3PMMPR	67385	TAB3SX315AC4PMMPR	88510
	400 A	TAB3SX400AC3PMMPR	72615	TAB3SX400AC4PMMPR	94080
	500 A	TAB3SX500AC3PMMPR	77255	TAB3SX500AC4PMMPR	101210
	630 A	TAB3SX630AC3PMMPR	78760	TAB3SX630AC4PMMPR	101915
65 kA	250A	TAB3HZ250AC3PMMPR	74570	TAB3HZ250AC4PMMPR	90065
	315A	TAB3HZ315AC3PMMPR	79120	TAB3HZ315AC4PMMPR	98735
	400A	TAB3HZ400AC3PMMPR	80500	TAB3HZ400AC4PMMPR	102620
	500A	TAB3HZ500AC3PMMPR	87810	TAB3HZ500AC4PMMPR	119430
	630 A	TAB3HZ630AC3PMMPR	90370	TAB3HZ630AC4PMMPR	121245

Note: For spreader prices, kindly look page no. 54

Molded Case Circuit Breaker

MCCB TAB 4 - 3P & 4P (Microprocessor Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36 kA	500 A	TAB4NX500AC3PMMPR	75445	TAB4NX500AC4PMMPR	89975
	630 A	TAB4NX630AC3PMMPR	76175	TAB4NX630AC4PMMPR	96390
	800 A	TAB4NX800AC3PMMPR	83390	TAB4NX800AC4PMMPR	100295
50 kA	500 A	TAB4SX500AC3PMMPR	78145	TAB4SX500AC4PMMPR	98260
	630 A	TAB4SX630AC3PMMPR	79725	TAB4SX630AC4PMMPR	106065
	800 A	TAB4SX800AC3PMMPR	103420	TAB4SX800AC4PMMPR	134015
65 kA	500 A	TAB4HY500AC3PMMPR	86820	TAB4HY500AC4PMMPR	113095
	630A	TAB4HY630AC3PMMPR	94490	TAB4HY630AC4PMMPR	115525
	800A	TAB4HY800AC3PMMPR	118075	TAB4HY800AC4PMMPR	148405

Microprocessor MCCB 3P with in built Earth Fault Protection

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)
MCCB TAB2 - 3P			
36 kA	40A	TAB2NX040AC3PMPREF	32116
	63A	TAB2NX063AC3PMPREF	32116
	80A	TAB2NX080AC3PMPREF	32116
	100	TAB2NX100AC3PMPREF	32116
	125	TAB2NX125AC3PMPREF	35003
	160	TAB2NX160AC3PMPREF	38208
	200	TAB2NX200AC3PMPREF	47463
50 kA	250	TAB2NX250AC3PMPREF	50470
	40A	TAB2SX040AC3PMPREF	36147
	63A	TAB2SX063AC3PMPREF	36147
	80A	TAB2SX080AC3PMPREF	36147
	100	TAB2SX100AC3PMPREF	36147
	125	TAB2SX125AC3PMPREF	39645
	160	TAB2SX160AC3PMPREF	46373
50 kA	200	TAB2SX200AC3PMPREF	49915
	250	TAB2SX250AC3PMPREF	51055
MCCB TAB3 - 3P			
36 kA	250 A	TAB3NX250AC3PMPREF	58383
	315 A	TAB3NX315AC3PMPREF	66308
	400 A	TAB3NX400AC3PMPREF	70269
	500 A	TAB3NX500AC3PMPREF	74568
	630 A	TAB3NX630AC3PMPREF	76080
50 kA	250 A	TAB3SX250AC3PMPREF	61071
	315 A	TAB3SX315AC3PMPREF	69458
	400 A	TAB3SX400AC3PMPREF	74145
	500 A	TAB3SX500AC3PMPREF	78140
65kA	630 A	TAB3SX630AC3PMPREF	82697
	250A	TAB3HZ250AC3PMPREF	78297
	315A	TAB3HZ315AC3PMPREF	83075
	400A	TAB3HZ400AC3PMPREF	84524
65kA	500A	TAB3HZ500AC3PMPREF	92199
	630 A	TAB3HZ630AC3PMPREF	94891
MCCB TAB4 - 3P			
36 kA	500 A	TAB4NX500AC3PMPREF	77243
	630 A	TAB4NX630AC3PMPREF	81888
	800 A	TAB4NX800AC3PMPREF	85373
50 kA	500 A	TAB4SX500AC3PMPREF	84006
	630 A	TAB4SX630AC3PMPREF	85704
	800 A	TAB4NX800AC3PMPREF	111177
65kA	500 A	TAB4HY500AC3PMPREF	88890
	630A	TAB4HY630AC3PMPREF	94932
	800A	TAB4HY800AC3PMPREF	126928

Molded Case Circuit Breaker

Fixed Thermal & Fixed Magnetic Type

- Range : 10A-800A
- 5 Different Frame Sizes
- Breaking Capacity : 10/16/25/36/50/65kA
- Variants : 1P, 2P, 3P & 4P
- Fixed Thermal & Fixed Magnetic
- Wide range of Accessories

MCCB TAB 0 - Single Pole

HSN Code: 85362020



In Rating	10kA		25kA	
	Item Code	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
10	TAB0010L1P	1445	TAB0010C1P	1663
16	TAB0016L1P	1445	TAB0016C1P	1663
20	TAB0020L1P	1445	TAB0020C1P	1663
25	TAB0025L1P	1445	TAB0025C1P	1663
30	TAB0030L1P	1445	TAB0030C1P	1663
32	TAB0032L1P	1445	TAB0032C1P	1663
40	TAB0040L1P	1445	TAB0040C1P	1663
50	TAB0050L1P	1445	TAB0050C1P	1663
60	TAB0060L1P	1445	TAB0060C1P	1663
63	TAB0063L1P	1445	TAB0063C1P	1663
75	TAB0075L1P	1445	TAB0075C1P	1663
80	TAB0080L1P	1445	TAB0080C1P	1733
90	TAB0090L1P	1445	TAB0090C1P	1733
100	TAB0100L1P	1445	TAB0100C1P	1733
120	TAB0120L1P	1562	TAB0120C1P	1790
125	TAB0125L1P	1562	TAB0125C1P	1790
150	TAB0150L1P	1687	TAB0150C1P	1950
160	TAB0160L1P	1687	TAB0160C1P	2027

MCCB TAB2 Single Pole

HSN Code: 85362020



Breaking Capacity Icu kA	In Rating	Adjustable Thermal & Fixed Magnetic Type		Fixed Thermal & Fixed Magnetic Type	
		Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
25kA	63A	TAB2063CX1P	2793	TABBASIX2063CX1P	2681
	80A	TAB2080CX1P	2793	TABBASIX2080CX1P	2681
	100A	TAB2100CX1P	2793	TABBASIX2100CX1P	2681
	125A	TAB2125CX1P	2994	TABBASIX2125CX1P	2872
	160A	TAB2160CX1P	3297	TABBASIX2160CX1P	3162
	200A	TAB2200CX1P	3442	TABBASIX2200CX1P	3330
	250A	TAB2250CX1P	3621	TABBASIX2250CX1P	3486
36kA	63A	TAB2063NX1P	3667	TABBASIX2063NX1P	3495
	80A	TAB2080NX1P	3667	TABBASIX2080NX1P	3495
	100A	TAB2100NX1P	3667	TABBASIX2100NX1P	3495
	125A	TAB2125NX1P	3911	TABBASIX2125NX1P	3738
	160A	TAB2160NX1P	4307	TABBASIX2160NX1P	4124
	200A	TAB2200NX1P	4531	TABBASIX2200NX1P	4394
	250A	TAB2250NX1P	4978	TABBASIX2250NX1P	4724
50kA	63A	TAB2063SZ1P	5303	TABBASIX2063SZ1P	5042
	80A	TAB2080SZ1P	5770	TABBASIX2080SZ1P	5496
	100A	TAB2100SZ1P	5770	TABBASIX2100SZ1P	5496
	125A	TAB2125SZ1P	6085	TABBASIX2125SZ1P	5790
	160A	TAB2160SZ1P	6542	TABBASIX2160SZ1P	6217
	200A	TAB2200SZ1P	7406	TABBASIX2200SZ1P	7081
	250A	TAB2250SZ1P	11276	TABBASIX2250SZ1P	10738

MCCB TAB0 Double Pole (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020

In Rating	Item Code 2P Icu=10KA 415 V 50Hz	List Price Per Unit (₹)	Item Code 2P Icu=20KA 415 V 50Hz	List Price Per Unit (₹)
20A	TAB0125L020AC2P	1740	TAB0125K020AC2P	2087
25A	TAB0125L025AC2P	1740	TAB0125K025AC2P	2087
32A	TAB0125L032AC2P	1740	TAB0125K032AC2P	2087
40A	TAB0125L040AC2P	1740	TAB0125K040AC2P	2087
50A	TAB0125L050AC2P	1740	TAB0125K050AC2P	2087
63A	TAB0125L063AC2P	1740	TAB0125K063AC2P	2087
80A	TAB0125L080AC2P	1740	TAB0125K080AC2P	2087
100A	TAB0125L100AC2P	1740	TAB0125K100AC2P	2087
125A	TAB0125L125AC2P	2813	TAB0125K125AC2P	3239

Note: For spreader prices, kindly look page no. 54

Molded Case Circuit Breaker

TAB0 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
Icu/Ics= 10kA/5kA	20A	TAB0125G020ACTP	2846	TAB0125G020ACFP	3729
	25A	TAB0125G025ACTP	2846	TAB0125G025ACFP	3729
	32A	TAB0125G032ACTP	2846	TAB0125G032ACFP	3729
	40A	TAB0125G040ACTP	2846	TAB0125G040ACFP	3729
	50A	TAB0125G050ACTP	2846	TAB0125G050ACFP	3729
	63A	TAB0125G063ACTP	2846	TAB0125G063ACFP	3729
	80A	TAB0125G080ACTP	2887	TAB0125G080ACFP	3740
	100A	TAB0125G100ACTP	2887	TAB0125G100ACFP	3740
	125A	TAB0125G125ACTP	4320	TAB0125G125ACFP	5790

TAB0 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
10	20	TAB0125L020ACTP	2961	TAB0125L020ACFP	3915
	25	TAB0125L025ACTP	2961	TAB0125L025ACFP	3915
	32	TAB0125L032ACTP	2961	TAB0125L032ACFP	3915
	40	TAB0125L040ACTP	2961	TAB0125L040ACFP	3915
	50	TAB0125L050ACTP	2961	TAB0125L050ACFP	3915
	63	TAB0125L063ACTP	2961	TAB0125L063ACFP	3915
	80	TAB0125L080ACTP	2923	TAB0125L080ACFP	3966
	100	TAB0125L100ACTP	2923	TAB0125L100ACFP	3966
	125A	TAB0125L125ACTP	4631	TAB0125L125ACFP	6012

TAB0 Ics=Icu=20kA 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
Ics=Icu= 20kA	20A	TAB0125K020ACTP	3280	TAB0125K020ACFP	4199
	25A	TAB0125K025ACTP	3280	TAB0125K025ACFP	4199
	32A	TAB0125K032ACTP	3280	TAB0125K032ACFP	4199
	40A	TAB0125K040ACTP	3280	TAB0125K040ACFP	4199
	50A	TAB0125K050ACTP	3280	TAB0125K050ACFP	4199
	63A	TAB0125K063ACTP	3280	TAB0125K063ACFP	4199
	80A	TAB0125K080ACTP	3280	TAB0125K080ACFP	4199
	100A	TAB0125K100ACTP	3280	TAB0125K100ACFP	4199
	125A	TAB0125K125ACTP	5336	TAB0125K125ACFP	6065

MCCB TAB BASIX

TAB BASIX 1 - 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
10	125	TABBASIX1125L3P	5115	TABBASIX1125L4P	6278
	160	TABBASIX1160L3P	6327	TABBASIX1160L4P	7735
16	20	TABBASIX1020D3P	5427	TABBASIX1020D4P	6368
	25	TABBASIX1025D3P	5427	TABBASIX1025D4P	6368
	32	TABBASIX1032D3P	5427	TABBASIX1032D4P	6368
	40	TABBASIX1040D3P	5427	TABBASIX1040D4P	6368
	50	TABBASIX1050D3P	5427	TABBASIX1050D4P	6368
	63	TABBASIX1063D3P	5427	TABBASIX1063D4P	6368
	80	TABBASIX1080D3P	5565	TABBASIX1080D4P	6943
	100	TABBASIX1100D3P	5565	TABBASIX1100D4P	6943
	125	TABBASIX1125D3P	7189	TABBASIX1125D4P	8925
	160	TABBASIX1160D3P	8462	TABBASIX1160D4P	10487

Note: For spreader prices, kindly look page no. 54

MCCB TAB BASIX

TAB BASIX 1 - 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
25	20	TABBASIX1020C3P	6266	TABBASIX1020C4P	7933
	25	TABBASIX1025C3P	6266	TABBASIX1025C4P	7933
	32	TABBASIX1032C3P	6266	TABBASIX1032C4P	7933
	40	TABBASIX1040C3P	6266	TABBASIX1040C4P	7933
	50	TABBASIX1050C3P	6266	TABBASIX1050C4P	7933
	63	TABBASIX1063C3P	6266	TABBASIX1063C4P	7933
	80	TABBASIX1080C3P	6593	TABBASIX1080C4P	8084
	100	TABBASIX1100C3P	6593	TABBASIX1100C4P	8084
	125	TABBASIX1125C3P	7485	TABBASIX1125C4P	9436
36	160	TABBASIX1160C3P	9902	TABBASIX1160C4P	12368
	20	TABBASIX1020N3P	9450	TABBASIX1020N4P	11081
	25	TABBASIX1025N3P	9450	TABBASIX1025N4P	11081
	32	TABBASIX1032N3P	9450	TABBASIX1032N4P	11081
	40	TABBASIX1040N3P	9450	TABBASIX1040N4P	11081
	50	TABBASIX1050N3P	9450	TABBASIX1050N4P	11081
	63	TABBASIX1063N3P	9450	TABBASIX1063N4P	11081
	80	TABBASIX1080N3P	10000	TABBASIX1080N4P	11700
	100	TABBASIX1100N3P	10000	TABBASIX1100N4P	11700
	125	TABBASIX1125N3P	11025	TABBASIX1125N4P	13362
	160	TABBASIX1160N3P	12738	TABBASIX1160N4P	13960

MCCB TAB BASIX 2 - 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85369000



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
25kA	63A	TABBASIX2063C3P	9024	TABBASIX2063C4P	10561
	80A	TABBASIX2080C3P	9266	TABBASIX2080C4P	11305
	100A	TABBASIX2100C3P	9266	TABBASIX2100C4P	11305
	125A	TABBASIX2125C3P	10617	TABBASIX2125C4P	13465
	160A	TABBASIX2160C3P	12090	TABBASIX2160C4P	15633
	200A	TABBASIX2200C3P	15242	TABBASIX2200C4P	18990
36kA	250A	TABBASIX2250C3P	19807	TABBASIX2250C4P	21520
	63A	TABBASIX2063N3P	11092	TABBASIX2063N4P	12854
	80A	TABBASIX2080N3P	11092	TABBASIX2080N4P	13461
	100A	TABBASIX2100N3P	11092	TABBASIX2100N4P	13461
	125A	TABBASIX2125N3P	12168	TABBASIX2125N4P	14705
	160A	TABBASIX2160N3P	13562	TABBASIX2160N4P	17700
50kA	200A	TABBASIX2200N3P	17192	TABBASIX2200N4P	22065
	250A	TABBASIX2250N3P	23985	TABBASIX2250N4P	27046
	63A	TABBASIX2063S3P	13890	TABBASIX2063S4P	14661
	80A	TABBASIX2080S3P	14659	TABBASIX2080S4P	15887
	100A	TABBASIX2100S3P	14659	TABBASIX2100S4P	15887
	125A	TABBASIX2125S3P	17802	TABBASIX2125S4P	20013
	160A	TABBASIX2160S3P	21379	TABBASIX2160S4P	23444
	200A	TABBASIX2200S3P	24285	TABBASIX2200S4P	28559
	250A	TABBASIX2250S3P	28763	TABBASIX2250S4P	34577

MCCB TAB BASIX 3 - 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85369000



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36kA	250 A	TABBASIX3250N3P	28727	TABBASIX3250N4P	34145
	315 A	TABBASIX3315N3P	35288	TABBASIX3315N4P	39517
	400 A	TABBASIX3400N3P	37468	TABBASIX3400N4P	41253
	500 A	TABBASIX3500N3P	43915	TABBASIX3500N4P	47432
	630A	TABBASIX3630N3P	47253	TABBASIX3630N4P	49813
50kA	250 A	TABBASIX3250S3P	29394	TABBASIX3250S4P	34743
	315 A	TABBASIX3315S3P	37083	TABBASIX3315S4P	41472
	400 A	TABBASIX3400S3P	40467	TABBASIX3400S4P	45093
	500 A	TABBASIX3500S3P	45000	TABBASIX3500S4P	50429
	630A	TABBASIX3630S3P	48159	TABBASIX3630S4P	52955
65kA	250 A	TABBASIX3250H3P	43720	TABBASIX3250H4P	48316
	315 A	TABBASIX3315H3P	49114	TABBASIX3315H4P	53313
	400 A	TABBASIX3400H3P	52884	TABBASIX3400H4P	55351
	500 A	TABBASIX3500H3P	53768	TABBASIX3500H4P	56919
	630A	TABBASIX3630H3P	56110	TABBASIX3630H4P	58628

Note: For spreader prices, kindly look page no. 54

Molded Case Circuit Breaker

MCCB TAB BASIX 4 - 3P & 4P (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85369000



Breaking Capacity Icu KA, 415 V 50Hz	Rating (A) Current	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
36kA	500A	TABBASIX4500N3P	44139	TABBASIX4500N4P	51997
	630A	TABBASIX4630N3P	49030	TABBASIX4630N4P	54146
	800A	TABBASIX4800N3P	60084	TABBASIX4800N4P	68392
50kA	500A	TABBASIX4500S3P	46695	TABBASIX4500S4P	53818
	630A	TABBASIX4630S3P	49839	TABBASIX4630S4P	55175
	800A	TABBASIX4800S3P	62363	TABBASIX4800S4P	75923
65kA	500A	TABBASIX4500H3P	59555	TABBASIX4500H4P	61048
	630A	TABBASIX4630H3P	60765	TABBASIX4630H4P	63238
	800A	TABBASIX4800H3P	73984	TABBASIX4800H4P	84025

TAB3 & TAB4 , Ics=Icu=50kA (Fixed Thermal & Fixed Magnetic Type)

HSN Code: 85362020

Breaking Capacity Ics=100% of Icu KA, 415 V 50Hz	In Rating	Item Code 3P	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
TAB3					
50kA	250A	TABBASIX3250SX3P	30570	TABBASIX3250SX4P	36133
	315A	TABBASIX3315SX3P	38566	TABBASIX3315SX4P	43131
	400A	TABBASIX3400SX3P	42086	TABBASIX3400SX4P	46897
	500A	TABBASIX3500SX3P	46800	TABBASIX3500SX4P	52446
	630A	TABBASIX3630SX3P	50085	TABBASIX3630SX4P	55073
TAB4					
50kA	500A	TABBASIX4500SX3P	48563	TABBASIX4500SX4P	55971
	630A	TABBASIX4630SX3P	51833	TABBASIX4630SX4P	57382
	800A	TABBASIX4800SX3P	64858	TABBASIX4800SX4P	78960

Accessories for TAB 0 MCCB Rating 20-100A for 3P & 4P

HSN Code: 85362020

Description	Voltage Contacts	Item Code	List Price Per Unit (₹)	Voltage Contacts	Item Code	List Price Per Unit (₹)
Shunt Release	110VAC	TAB0SHT110VAC	879	230VAC	TAB0SHT230VAC	879
	415VAC	TAB0SHT415VAC	879	24VDC	TAB0SHT24VDC	957
Under Voltage Release	110VAC	TAB0UVT110VAC	1514	230VAC	TAB0UVT230VAC	1514
	415VAC	TAB0UVT415VAC	1514	24VDC	TAB0UVT24VDC	1603
Auxiliary Switch	1C/O	TAB0AUX1CO	957	2C/O	TAB0AUX2CO	1514
Alarm Switch	1C/O	TAB0ALM1CO	957			
Alarm Auxiliary Switch	1C/O	TAB0ALMAUX	1514			

Accessories for TAB MCCB Rating 20-250A



Description	Voltage Contacts	Item Code TAB 1	List Price Per Unit (₹)	Item Code TAB 2	List Price Per Unit (₹)
Shunt Release	110VAC	TAB160SHT110AC	1198	TAB250SHT110AC	1551
	230VAC	TAB160SHT230AC	1198	TAB250SHT230AC	1551
	415VAC	TAB160SHT415AC	1198	TAB250SHT415AC	1551
	24VDC	TAB160SHT024DC	1331	TAB250SHT024DC	1735
Under Voltage Release	110VAC	TAB160UVT110AC	1932	TAB250UVT110AC	2003
	230VAC	TAB160UVT230AC	1932	TAB250UVT230AC	2003
	415VAC	TAB160UVT415AC	1932	TAB250UVT415AC	2003
	24VDC	TAB160UVT024DC	2075	TAB250UVT024DC	2124
Auxiliary Switch	C/O	TAB160AX1C	1311	TAB250AX1C	1349
	2 C/O	TAB160AX2C	2075	TAB250AX2C	2134
Alarm Switch	C/O	TAB160AL1C	1300	TAB250AL1C	1337
Alarm Auxiliary Switch	2 C/O	TAB160ALAX	2469	TAB250ALAX	2564

Note: For spreader prices, kindly look page no. 54

Industrial Products

Molded Case Circuit Breaker



Accessories for TAB MCCB Rating 250-800A

HSN Code: 85369000



Description	Item Code TAB 3	List Price Per Unit (₹)	Item Code TAB 4	List Price Per Unit (₹)
SHUNT RELEASE, 110VAC	TAB3SHT110VAC	2431	TAB4SHT110VAC	2576
SHUNT RELEASE, 230VAC	TAB3SHT230VAC	2431	TAB4SHT230VAC	2576
SHUNT RELEASE, 415VAC	TAB3SHT415VAC	2431	TAB4SHT415VAC	2576
SHUNT RELEASE, 24VDC	TAB3SHT24VDC	2576	TAB4SHT24VDC	2771
UNDER VOLTAGE RELEASE, 110VAC	TAB3 UVT110VAC	2332	TAB4UVT110VAC	2771
UNDER VOLTAGE RELEASE, 230VAC	TAB3UVT230VAC	2332	TAB4UVT230VAC	2771
UNDER VOLTAGE RELEASE, 415VAC	TAB3UVT415VAC	2332	TAB4UVT415VAC	2771
UNDER VOLTAGE RELEASE, 24VDC	TAB3UVT24VDC	2516	TAB4UVT24VDC	2662
AUXILIARY SWITCH,1C/O	TAB3AUX1CO	1861	TAB4AUX1CO	1954
AUXILIARY SWITCH,2C/O	TAB3AUX2CO	1861	TAB4AUX2CO	2112
ALARM SWITCH,1C/O	TAB3ALM1CO	1861	TAB4ALM1CO	1966
AUX.CUM ALM. SWITCH,1C/O	TAB3ALMAUX	2434	TAB4ALMAUX	2564

Accessories TAB2 Microprocessor MCCB

HSN Code: 85369000

Description	Type	Item Code	List Price Per Unit (₹)
Under Voltage Release 415v Ac For Tab2e	TAB2	TAB2MPRUVT415AC	2112
Under Voltage Release 230v Ac For Tab2e	TAB2	TAB2MPRUVT230AC	2112
Under Voltage Release 110v Ac For Tab2e	TAB2	TAB2MPRUVT110AC	2112
Under Voltage Release 24v Dc For Tab2e	TAB2	TAB2MPRUVT24DC	2271
Shunt Release 415v Ac For Tab2e	TAB2	TAB2MPRSHT415AC	1636
Shunt Release 230v Ac For Tab2e	TAB2	TAB2MPRSHT230AC	1636
Shunt Release 110v Ac For Tab2e	TAB2	TAB2MPRSHT110AC	1636
Shunt Release 24v Dc For Tab2e	TAB2	TAB2MPRSHT24DC	1782
Auxiliary Switch (1c/o) For Tab2e	TAB2	TAB2MPRAX1C	1392
Auxiliary Switch (2c/o) For Tab2e	TAB2	TAB2MPRAX2C	2209
Alarm Switch (1c/o) For Tab2e	TAB2	TAB2MPRAL1C	1378
Aux+alm Switch (1c/o Ea) For Tab2e	TAB2	TAB2MPRALAX	2576
Rohm Compact Breaker Mounted Tab2e	TAB2	RHCT2EAFBPM	2527
Rohm Compact Door Mounted Tab2e	TAB2	RHCT2EAFDPM	3626

MCCB Spreader Terminals

HSN Code: 85362020

Frame Size	Rating Amp.	1 Pole - Set of 2 Nos.		3 Pole - Set of 6 Nos.		4 Pole - Set of 8 Nos.	
		Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code 4P	List Price Per Unit (₹)
TAB0	10 ~ 100	TAB0100ST1P	207	TAB0100ST3P	589	TAB0100ST4P	720
	125			TAB0125ST3P	613	TAB0125ST4P	720
	125 ~ 160	TAB0160ST1P	297				
TAB1	20 ~ 100			TAB1100ST3P	589	TAB1100ST4P	750
	125 ~ 160			TAB1160ST3P	640	TAB1160ST4P	750
TAB2	63 ~ 125	TAB2125ST1P	325	TAB2125ST3P	1260	TAB2125ST4P	1510
	160 ~ 200	TAB2200ST1P	420	TAB2200ST3P	1515	TAB2200ST4P	1848
	250	TAB2250ST1P	530	TAB2250ST3P	2025	TAB2250ST4P	2637
TAB3	250			TAB3250ST3P	2190	TAB3250ST4P	2662
	315			TAB3315ST3P	3292	TAB3315ST4P	4366
	400			TAB3400ST3P	3292	TAB3400ST4P	4366
	500			TAB3500ST3P	6480	TAB3500ST4P	9143
	630			TAB3630ST3P	7713	TAB3630ST4P	10250
TAB4	500			TAB4500ST3P	10313	TAB4500ST4P	15198
	630			TAB4630ST3P	12788	TAB4630ST4P	17050
	800			TAB4800ST3P	13100	TAB4800ST4P	17745

MCCB Rotary Handle

HSN Code: 85369000



Description	Type	Item Code	List Price Per Unit (₹)
ROHM compact Breaker mounted	TAB 0	RHCT0ACBPM	1575
ROHM compact Door mounted	TAB 0	RHCT0ACPDM	2320
ROHM compact Breaker mounted	TAB 1	RHCT1ACBPM	1802
ROHM compact Door mounted	TAB 1	RHCT1ACPDM	2406
ROHM compact Breaker mounted	TAB 2	RHCT2ACBPM	1845
ROHM compact Door mounted	TAB 2	RHCT2ACPDM	2492
ROHM compact TP Breaker mounted	TAB 3	RHCT3ATBPM	2552
ROHM compact TP Door mounted	TAB 3	RHCT3ATPDM	4083
ROHM compact FP Breaker mounted	TAB 3	RHCT3AFBPM	2625
ROHM compact FP Door mounted	TAB 3	RHCT3AFPDM	4152
ROHM compact TP Breaker mounted	TAB 4	RHCT4ATBPM	3333
ROHM compact TP Door mounted	TAB 4	RHCT4ATPDM	5312
ROHM compact FP Breaker mounted	TAB 4	RHCT4AFBPM	3407
ROHM compact FP Door mounted	TAB 4	RHCT4AFPDM	5397

Note: For spreader prices, kindly look page no. 54

MCCB Distribution Panel without Cables Ally*

HSN Code: 85361000

- Range : 20A-800A
- 5 Different Frame Sizes
- Breaking Capacity : 10/16/25/36/50/65kA



Description	Item Code	List Price Per Unit (₹)
TAB2, 3 Pole-I/C TAB1, 3P - O/G		
4 WAY DISTRIBUTION BOARD FOR MCCB TAB-2	MDPT23PT13P4W	69273
6 WAY DISTRIBUTION BOARD FOR MCCB TAB-2	MDPT23PT13P6W	72679
8 WAY DISTRIBUTION BOARD FOR MCCB TAB-2	MDPT23PT13P8W	84773
10 WAY DISTRIBUTION BOARD FOR MCCB TAB-2	MDPT23PT13P10W	86995
12 WAY DISTRIBUTION BOARD FOR MCCB TAB-2	MDPT23PT13P12W	97172
TAB2, 4 Pole-I/C TAB1, 4P - O/G		
4 WAY DIST BOARD TAB2-4P I/C TAB1-4P O/G	MDPT24PT14P4W	73206
6 WAY DIST BOARD TAB2-4P I/C TAB1-4P O/G	MDPT24PT14P6W	79680
8 WAY DIST BOARD TAB2-4P I/C TAB1-4P O/G	MDPT24PT14P8W	91467
10WAY DIST BOARD TAB2-4P I/C TAB1-4P O/G	MDPT24PT14P10W	97543
12 WAY DIST BOARD TAB2-4P I/C TAB1-4P O/G	MDPT24PT14P12W	130442
MCCB TAB-3(400A), 3P-I/C, TAB-1, 3P-O/G		
MCCB Panel TAB3,3P I/C & TAB1,3P O/G 4-way	MDPT33PT13P4W	76264
MCCB Panel TAB3,3P I/C & TAB1,3P O/G 6-way	MDPT33PT13P6W	77770
MCCB Panel TAB3,3P I/C & TAB1,3P O/G 8-way	MDPT33PT13P8W	85988
MCCB Panel TAB3,3P I/C & TAB1,3P O/G 10-way	MDPT33PT13P10W	93638
MCCB Panel TAB3,3P I/C & TAB1,3P O/G 12-way	MDPT33PT13P12W	103263
MCCB TAB-3 (400A), 4P-I/C, TAB-1, 4P-O/G		
MCCB Panel TAB3,4P I/C & TAB1,4P O/G 4-way	MDPT34PT14P4W	80590
MCCB Panel TAB3,4P I/C & TAB1,4P O/G 6-way	MDPT34PT14P6W	82261
MCCB Panel TAB3,4P I/C & TAB1,4P O/G 8-way	MDPT34PT14P8W	93169
MCCB Panel TAB3,4P I/C & TAB1,4P O/G 10-way	MDPT34PT14P10W	106345
MCCB Panel TAB3,4P I/C & TAB1,4P O/G 12-way	MDPT34PT14P12W	138561
MCCB TAB-3 (630A), 3P-I/C, TAB-2, 3P-O/G		
MCCB Panel T3,3P I/C & TAB2,3P O/G 4-way	MDPT33PT23P4W	103722
MCCB Panel T3,3P I/C & TAB2,3P O/G 6-way	MDPT33PT23P6W	119264
MCCB Panel T3,3P I/C & TAB2,3P O/G 8-way	MDPT33PT23P8W	125780
MCCB Panel T3,3P I/C & TAB2,3P O/G 10-way	MDPT33PT23P10W	144396
MCCB Panel T3,3P I/C & TAB2,3P O/G 12-way	MDPT33PT23P12W	161384

- * The above prices are without MCCBs.
- * The above prices includes 3 nos. of indicating lights for 'Supply ON' indication & MCB for protection.
- * Digital metering optional.
- * MCCB DB is also available with cable ally - please consult your nearest sales office.

Digital Metering module for MCCB Distribution Panel

Pre-wired Digital meter module with CTs & our emfis vif meter (V, I & Frequency)

HSN Code: 85361000

Description	Item Code	List Price Per Unit (₹)
Prewired meter module with CTs & emfis vif meter	MDPMM2503P4W	15105

We can offer our other types of panel mounted meters to meet your application need - on request.

PAN Assembly (of MCCB Distribution Panel)

HSN Code: 85369000

Description	Item Code	List Price Per Unit (₹)
I/C 250A, O/G 4 Way	PA2503PT13P4W	15533
I/C 250A, O/G 6 Way	PA2503PT13P6W	18075
I/C 250A, O/G 8 Way	PA2503PT13P8W	20290
I/C 250A, O/G 10 Way	PA2503PT13P10W	23815
I/C 250A, O/G 12 Way	PA2503PT13P12W	26550

- * The above pan assembly is suitable for TAB-2 (3pole) as incoming & TAB-1 (3pole) MCCBs as outgoing.
- * The above prices are only for pan assembly & does not include prices for MCCBs, enclosures, indicating lamps & MCBs etc.

SS Enclosures for MCCB*

HSN Code: 85361090

- Suitable for Current ratings from 16A - 800A, 3P & 4P version.
- Low let through energy.
- Line Load Reversibility.
- Breaking Capacity (kA) : 10kA - 65kA (with MCCB).
- Minimum maintenance, User friendly, robust & compact.
- Highly reliable tested solution.
- MCCB conform to IS/IEC 60947-2.

Description	Item Code	List Price Per Unit (₹)
SS Enclosures for TAB-1, 3P MCCBs	SETAB13P-DBTYP	2759
SS Enclosures for TAB-2, 3P MCCBs	SETAB23P-DBTYP	3190
SS Enclosures for TAB-1, 4P MCCBs	SETAB14P-DBTYP	2778
SS Enclosures for TAB 2, 4P MCCBs	SETAB24P-DBTYP	3194
SS Enclosures for TAB 3, 3P MCCBs	SETAB33P-DBTYP	16353
SS Enclosures for TAB 3, 4P MCCBs	SETAB34P-DBTYP	16929
SS Enclosures for TAB 4, 3P MCCBs	SETAB43P-DBTYP	23076
SS Enclosures for TAB 4, 4P MCCBs	SETAB44P-DBTYP	23499
SS Enclosure for TAB-2E,3P MPR MCCB	SETAB2E3P-DBTYP	8547
SS Enclosure for TAB-2E,4P MPR MCCB	SETAB2E4P-DBTYP	8705

Note: *The above prices are without MCCBs

APFC Panel

HSN Code: 85371000

- Range 10 kVAR – 1000 kVAR (other ratings on request)
- Heavy Duty /Super Heavy Duty Capacitor Long Life/Harmonic Reactors
- Voltage Range –415/440 Volt , 50 HZ
- Intelligent Dynamic APFC Relay
- Reliable Solution for Harmonics
- Designed with Fully Copper Conductor
- Seven Tank Process for Corrosion Proof powder coating



Rating (KVAR) at 415V AC, 50Hz	Item Code	List Price Per Unit (₹)
APFC Panel With Aluminium Busbar		
25KVAR APFC Panel	LVC025KVARAPFCHPL	125000
50KVAR APFC Panel	LVC050KVARAPFCHPL	149000
75KVAR APFC Panel	LVC075KVARAPFCHPL	201000
100KVAR APFC Panel	LVC100KVARAPFCHPL	240000
APFC Panel With copper Busbar*		
25KVAR APFC Panel	Code on request	on request
50KVAR APFC Panel	Code on request	on request
75KVAR APFC Panel	Code on request	on request
100KVAR APFC Panel	Code on request	on request

Note: *APFC panel with copper bus bar, please consult your nearest sales office.

LT Panel

- Conforms to IEC-61439-1 & 2-2020
- RangeUp to 1600A 3Phase, Ue = Up to 440Vac, Ui = 750V, upto 85kA/Se ,
- IP- Up to 54; IK-07 & Form-4b

*For Price & technical details, please contact to branch offices.

HPL - Switch Fuse Units

HSN Code: 85362020

In Sheet enclosure, Powder Coated, Weather proof conforming to IS:13947-(Part 3) 1993 with Rewireable & HRC cum Rewireable upto 100A porcelain fuse unit.

Rewireable Switch Fuse Unit : 32A to 320A & few models are available with ISI marking



Single Pole with Neutral			Double Pole		
Item Code	Amps/Volts	List Price Per Unit (₹)	Item Code	Amps/Volts	List Price Per Unit (₹)
SFSRW2SPN32	32/240	2367	SFSRW2DP32S	32/240	2295
SFSRW2SPN63	63/240	5686	SFSRW4DP32	32/415	3557
			SFSRW4DP63	63/415	6296



Type of Fuses	Triple Pole with Neutral					
	Item Code	Amps/Volts	List Price Per Unit (₹)	Item Code	Amps/Volts	List Price Per Unit (₹)
-	SFSRW4TPN32	32/415	3613	-	-	-
-	SFSHR4TPN32	32/415	3815	SFSFHR4TPN32	32/415	4198
TSA	SFSSD4TPN63	63/415	7761	-	-	-
-	SFSDX4TPN63	63/415	8456	-	-	-
-	SFSHR4TPN63	63/415 DLX	8658	SFSFHR4TPN63	63/415	9155
TSS	SFSSD4TPN100	100/415	13426	-	-	-
-	SFSDX4TPN100	100/415	14705	-	-	-
-	SFSHR4TPN100	100/415 DLX	15314	SFSFHR4TPN100	100/415	16784
TSD	SFSRW4TPN200	200/415	24670	-	-	-
-	SFSRW4TPN320	320/415	34898	-	-	-

HPL fuse Units (Kit-Kats) in Porcelain

HSN Code: 85365010

Conforms to IS : 2086, 1993



Item Code	Type of Fuse	Amps / Volts	List Price Per Unit (₹)	Item Code	Type of Fuse	Amps / Volts	List Price Per Unit (₹)
FUB2RW32	----	32/240	348	FUB4DX100	----	100/415	1437
FUB4RW16	----	16/415	338	FUB4HR100	TSD	100/415	1480
FUB4RW32	----	32/415	410	FUB4RWE100	----	100/415	2319
FUB4HR32	TSA	32/415	437	FUB4RW200	----	200/415	2500
FUB4SD63	----	63/415	685	FUB4RWE200	----	200/415	2848
FUB4DX63	----	63/415	781	FUB4RW320	----	320/415	3764
FUB4HR63	TSS	63/415	796	FUB4RWE320	----	320/415	4421
FUB4RWE63	----	63/415	817	FUB4RWE400	----	400/415	5079
FUB4SD100	----	100/415	1157	FUB4RWE500	----	500/415	5495

Note : All EXTN. model are provided with copper strip.

HPL - Changeover Switch

In Sheet enclosure, Powder Coated, Weather proof conforming to IS: 13947 - (Part 3) 1993



(On Load Side Handle Operated)						Off Load Side Handle Operated		
Double Pole			Four Pole			Four Pole		
Amps. / Volts	Item Code	List Price Per Unit (₹)	Amps. / Volts	Item Code	List Price Per Unit (₹)	Amps. / Volts	Item Code	List Price Per Unit (₹)
32/240	COS2DP32	2999	32/415	COS4FP32	5507	200/415	COS4FP200	36124
63/240	COS2DP63	5954	63/415	COS4FP63	11055	320/415	COS4FP320	41974
			100/415	COS4FP100	21465	400/415	COS4FP400	57937
						500/415	COS4FP500	67544
						630/415	COS4FP630	90574
						800/415	COS4FP800	109108
						1000/415	COS4FP1000	157445
						1250/415	COS4FP1250	338186
						1500/415	COS4FP1500	390281
						2000/415	COS4FP2000	549654

Spares for Switch Fuse Unit

Amps. / Volts	Gutka with "L" Patti/Fixed Cont.		Shroud for Contact		Latch Assembly for switch		Operating Handling	
	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
63/415	SPFS4FC63	370	SPFS4SH63	359	SPFS4LA63	653	SPFS4HA63	217
100/415	SPFS4FC100	608	SPFS4SH100	359	SPFS4LA100	653	SPFS4HA100	217
200/415	SPFS4FC200	923	SPFS4SH200	521	SPFS4LA200	1674	SPFS4HA200	272
320/415	SPFS4FC320	1174	SPFS4SH320	521	SPFS4LA320	1674	SPFS4HA320	272
400/415	SPFS4FC400	1325	SPFS4SH400	608	SPFS4LA400	2152	SPFS4HA400	336
500/415	SPFS4FC500	2065	SPFS4SH500	608	SPFS4LA500	2152	SPFS4HA500	336
800/415	SPFS4FC800	2935	SPFS4SH800	608	SPFS4LA800	2522	SPFS4HA800	391

Spares for Switch Fuse Unit

HSN Code: 85369000

Amps. / Volts	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
	Action Rod Complete with metal parts (Moving Contact Assy)		Blade for Action Rod (U Contact)		Fixed Contact Assy. Complete with parts/ Terminal Block set		Terminal with backup U strip Gutka with "L" Patti		Terminal with backup U strip Gutka with Base Patti	
32/240	SPSF2MCA32	281	SPSF2MC32	134	SPSF2FCA32	415	SPSF2FC32	74	SPSF2BC32	74
63/415	SPSF4MCA63	696	SPSF4MC63	232	SPSF4FCA63	538	SPSF4FC63	145	SPSF4BC63	145
32/415	SPSF4MCA32	733	SPSF4MC32	145	SPSF4FCA32	598	SPSF4FC32	123	SPSF4BC32	134
63/415Std.	SPSFSD4MCA63	1099	SPSFSD4MC63	268	SPSFSD4FCA63	634	SPSFSD4FC63	184	SPSFSD4BC63	158
63/415 Dlx	SPSFDX4MCA63	1135	SPSFDX4MC63	268	SPSFDX4FCA63	647	SPSFDX4FC63	196	SPSFDX4BC63	196
100/415 Std.	SPSFSD4MCA100	2185	SPSFSD4MC100	486	SPSFSD4FCA100	1258	SPSFSD4FC100	354	SPSFSD4BC100	354
100/415Dlx	SPSFDX4MCA100	2393	SPSFDX4MC100	526	SPSFDX4FCA100	1392	SPSFDX4FC100	378	SPSFDX4BC100	354
200/415	SPSF4MCA200	2834	SPSF4MC200	622	SPSF4FCA200	2846	SPSF4FC200	879	SPSF4BC200	476
320/415	SPSF4MCA320	3272	SPSF4MC320	794	SPSF4FCA320	4201	SPSF4FC320	1220	SPSF4BC320	622
Amps. / Volts	Fuse Carrier "U" with fuse		Connection Strip/Shunt		Latch Assy. For switch		Operating Handling		Neutral Link	
32/240	SPSF2CC32	74	SPSF2CS32	74	SPSF2LA32	281	SPSF2HA32	145	—	-
63/415	SPSF4CC63	145	SPSF4CS63	123	SPSF4LA63	598	SPSF4HA63	305	—	-
32/415	SPSF4CC32	134	SPSF4CS32	123	SPSF4LA32	367	SPSF4HA32	244	SPSF4NL32	145
63/415 Std.	SPSFSD4CC63	158	SPSFSD4CS63	134	SPSFSD4LA63	856	SPSFSD4HA63	329	SPSFSD4NL63	232
63/415 Dlx	SPSFDX4CC63	196	SPSFDX4CS63	158	SPSFDX4LA63	856	SPSFDX4HA63	329	SPSFDX4NL63	232
100/415 Std.	SPSFSD4CC100	354	SPSFSD4CS100	268	SPSFSD4LA100	856	SPSFSD4HA100	329	SPSFSD4NL100	342
100/415 Dlx	SPSFDX4CC100	428	SPSFDX4CS100	329	SPSFDX4LA100	856	SPSFDX4HA100	329	SPSFDX4NL100	367
200/415	SPSF4CC200	476	SPSF4CS200	538	SPSF4LA200	1026	SPSF4HA200	367	SPSF4NL200	428
320/415	SPSF4CC320	612	SPSF4CS320	654	SPSF4LA320	1026	SPSF4HA320	367	SPSF4NL320	549

Spares for Off-load Changeover Switches

HSN Code: 85369000

Amps. / Volts	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)	Item Code	List Price Per Unit (₹)
	Action Rod DP complete with metal parts/ Moving Contact Assy.		Action Rod FP complete with metal parts/ Moving Contact Assy.		Action Rod 'U' contact		Moving Blade contact		T.B. Set /Fixed Contact for DP C/o per phase	
32/240V	SPCO2MCA32	502	-	-	-	-	-	-	SPCO2FC32	481
63/240V	SPCO2MCA63	1452	-	-	-	-	-	-	SPCO2FC63	792
32/415V	-	-	SPCO4MCA32	1233	SPCO4MC32	145	-	-	-	-
63/415V	-	-	SPCO4MCA63	1782	SPCO4MC63	219	-	-	-	-
100/415V	-	-	SPCO4MCA100	3908	SPCO4MC100	440	-	-	-	-
200/415V	-	-	SPCO4MCA200	4739	-	-	SPCO4MC200	940	-	-
320/415V	-	-	SPCO4MCA320	5665	-	-	SPCO4MC320	1208	-	-
400/415V	-	-	SPCO4MCA400	6799	-	-	SPCO4MC400	1636	-	-
500/415V	-	-	SPCO4MCA500	10500	-	-	SPCO4MC500	2124	-	-
630/415V	-	-	SPCO4MCA630	14736	-	-	SPCO4MC630	2613	-	-
800/415V	-	-	SPCO4MCA800	18156	-	-	SPCO4MC800	3615	-	-
1000/415V	-	-	SPCO4MCA1000	25029	-	-	SPCO4MC1000	5177	-	-
1250/415V	-	-	SPCO4MCA1250	79337	-	-	SPCO4MC1250	9951	-	-
1500/415V	-	-	SPCO4MCA1500	92634	-	-	SPCO4MC1500	10708	-	-
2000/415V	-	-	SPCO4MCA2000	136185	-	-	SPCO4MC2000	13503	-	-
Amps. / Volts	T.B. Set /Fixed Contact for FP C/o per phase		Fixed Contact Assy. Per phase		Incoming Contact (Central Hole) FP C/o		Outgoing Contact (Side Hole) FP C/o		Bakelite Strip (Support for Fixed contacts)	
32/240V	-	-	-	-	-	-	-	-	-	-
63/240V	-	-	-	-	-	-	-	-	-	-
32/415V	SPCO4FC32	806	-	-	-	-	-	-	-	-
63/415V	SPCO4FC63	943	-	-	-	-	-	-	-	-
100/415V	SPCO4FC100	1056	-	-	-	-	-	-	-	-
200/415V	-	-	SPCO4FCA200	3553	SPCO4IC200	866	SPCO4OG200	1208	SPCO4BS200	622
320/415V	-	-	SPCO4FCA320	4163	SPCO4IC320	940	SPCO4OG320	1220	SPCO4BS320	622
400/415V	-	-	SPCO4FCA400	5738	SPCO4IC400	1489	SPCO4OG400	1978	SPCO4BS400	782
500/415V	-	-	SPCO4FCA500	7325	SPCO4IC500	1735	SPCO4OG500	2247	SPCO4BS500	856
630/415V	-	-	SPCO4FCA630	8962	SPCO4IC630	1990	SPCO4OG630	2540	SPCO4BS630	879
800/415V	-	-	SPCO4FCA800	10340	SPCO4IC800	3113	SPCO4OG800	3577	SPCO4BS800	1049
1000/415V	-	-	SPCO4FCA1000	13126	SPCO4IC1000	3333	SPCO4OG1000	4089	SPCO4BS1000	1026
1250/415V	-	-	SPCO4FCA1250	51207	SPCO4IC1250	12344	SPCO4OG1250	11257	SPCO4BS1250	2344
1500/415V	-	-	SPCO4FCA1500	56042	SPCO4IC1500	13637	SPCO4OG1500	16690	-	-
2000/415V	-	-	SPCO4FCA2000	74380	SPCO4IC2000	18547	SPCO4OG2000	21452	-	-

Branch Offices:

AHMEDABAD

B-802, Iscon Elegance, Nr. Prahlad Nagar Corner, Opp. Karnavati Club, S.G. Highway, Ahmedabad-380051
Ph.: 079 - 66168835/36
E-mail: ahmedabad@hplindia.com

BANGALORE

No.2D, IInd Floor, Farah Winsford, 133, Infantry Road, Bangalore - 560001
Ph.: 080-22863068/69
E-mail: bangalore@hplindia.com

BHUBANESWAR

The Metropolis, Plot No. A- 167, Saheed Nagar, Bhubaneswar - 751007 (Orissa).
Ph.: 91+ 9861374379
E-mail: orissa@hplindia.com

CHANDIGARH

SCO-18, Second Floor, Industrial Area, Phase-II, Chandigarh-160002
Ph.: 0172-2639157/ 8146404442
E-mail: chandigarh@hplindia.com

CHENNAI

"Amar Sindur" S-4, 2nd Floor, No.-43, Pantheon Road, Egmore, Chennai-600 008
Ph.: 044-28551530, 28551537
Fax: 044-42638243
E-mail: chennai@hplindia.com

COCHIN

1st Floor, A.K.S. Mahal Building, XL/7813J, Achutha Warriar Lane, M.G.Road, Ernakulam, Cochin-682035
Telefax: 0484-2354595
E-mail: cochin@hplindia.com

DEHRADUN

09/4/6, 1st Floor, East Canal Road, (Near Doon Defence Academy) Dehradun-248001
Ph.: 0135-2664387, 2664367
E-mail: uttranchal@hplindia.com

GUWAHATI

Rajgarh Road, Opposite China Town Restaurant, Guwahati-781003
Ph.: 0361-2450889
E-mail: guwahati@hplindia.com

HYDERABAD

No. 7-1-58, Flat No.403, 4th Floor, Concourse Building, Green Lands Road, Hyderabad-500016,
Ph.: 040-66687878
E-mail: hyderabad@hplindia.com

INDORE

411 Satguru Parinay Opp. C21 Mall, Near Pakiza Showroom Indore-452010
Ph.: 0731-4280525, 4225540
E-mail: Indore@hplindia.com

JAIPUR

512, 5th Floor, Plot No. 8-9, Corporate Park, Gopal Bari, Ajmer Road, Jaipur-302001
Ph.: 0141-4021035
E-Mail: jaipur@hplindia.com

KOLKATA

69, Ganesh Chandra Avenue, India House, 7th Floor, Block-C, Kolkata-700013
Ph.: +91 9038094379
E-Mail: calcutta@hplindia.com

LUCKNOW

1st Floor, Jain Building, 14/A5, Park Road Hazratganj, Lucknow-226001
Ph.: 0522-4021687
E-Mail: lucknow@hplindia.com

MUMBAI

2C/H, Rushabh Chambers, 2nd Floor, Off-Makwana Road, Near Rubi Hotel, Marol, Andheri East, Mumbai-400059
E-mail: mumbai@hplindia.com

NAGPUR

Jagtap House, Plot No. 07, 1st Floor, Ganesh Gruh Nirman Society, Near Ganesh Mandir, Ring Road, Pratap Nagar, Nagpur-440022,
Ph.: 0712-2222988
E-mail: nagpur@hplindia.com

PATNA

Hem Plaza, 5th Floor - 510, Frazer Road, Patna-800001(Bihar),
Ph.: +91 9334697299
E-mail: patna@hplindia.com

PUNE

Sunrise Skyline 3rd Floor, Plot No. 28/2 Scheme No. 11 B Opp. MSEB Office Somwar Peth Pune-411001 Ph.: +91 9028032724
E-mail: pune@hplindia.com

RAIPUR

1st Floor, Near Holy Heart School Chattisgarh College Road, Civil Line, Raipur (C.G.)-492006,
Ph.: 0771-4218002/04
E-mail: raipur@hplindia.com

VADODARA

409/410, Silver Oak Complex, Near Shrenik Park, Char Rasta, Productivity Road, Akota, Vadodara - 390020 Gujarat
Ph.: 0265-4000583, Fax:0265-2352107
E-mail: baroda@hplindia.com

VIJAYAWADA

D.No.-29-37-135, 2nd Floor, G. R. Plaza, Eluru Road, Beside Canara Bank, Vijayawada-520002 Ph.: 0866-6622291
E-mail: vijayawada@hplindia.com

Resident Offices:

Agartala	Balasore	Cuttack	Jamshedpur	Malda	Rajkot	Tirupati
Agra	Belgaum	Davangere	Jalandhar	Mangalore	Rourkela	Trichy
Allahabad	Berhampur	Durg	Jharsuguda	Meerut	Salem	Trivandrum
Anantpuram	Bhilai	Goa	Jodhpur	Moradabad	Silchar	Udaipur
Aurangabad	Bhopal	Gorakhpur	Kanyakumari	Mysore	Siliguri	Vapi
Amravati	Bilaspur	Gulbarga	Kolhapur	Nagercoil	Surat	Varanasi
Akola	Bijapur	Hubli	Kota	Nasik	Sholapur	Vellore
Angul	Calicut	Jabalpur	Ludhiana	Patiala	Srinagar	Vizag
Bareilly	Coimbatore	Jabli	Madurai	Pondicherry	Sambalpur	

Works:

- Gurgaon - Haryana
- Kundli - Haryana
- Jabli - Himachal Pradesh
- Sonipat - Haryana
- Karnal - Haryana

Terms & Condition

- » Prices are inclusive of Duties, GST and any other Taxes as applicable.
- » The prices are subject to change without any prior notice.
- » Company reserves the right to issue amendments, which may arise due to any errors in price list.
- » All disputes are subject to Delhi Jurisdiction only.

Please refer separate price list for other product range.



HPL Electric & Power Ltd

Corp. Office: 76-B, Phase-IV, Sector-57, HSIIDC Industrial Estate, Kundli-131028, Sonipat, Haryana INDIA.

Tel.: +91-99966 00381, +91-130-350 3437, 350 3958

Registered Office: 1/20, Asaf Ali Road, New Delhi-110 002, INDIA.

E-mail: sales@hplindia.com

Follow us: [f](#) [in](#) [t](#) [v](#)

Customer Care No.: 18004190198

E-mail: customercare@hplindia.com

For online Complaint Registration:

<https://www.hplindia.com/register-complaint.php>

www.hplindia.com