

Maximum Retail Price Effective August 15<sup>th</sup>, 2026




|                                                          |           |
|----------------------------------------------------------|-----------|
| <b>About Schneider Electric .....</b>                    | <b>4</b>  |
| Easy9 Philosophy .....                                   | 5         |
| Miniature Circuit Breaker (MCB).....                     | 7         |
| Residual Current Circuit Breaker (RCCB) - AC Type .....  | 9         |
| Surge Protection Device.....                             | 10        |
| <b>Timers &amp; Time Switches .....</b>                  | <b>11</b> |
| <b>Easy9 Distribution Boards .....</b>                   | <b>13</b> |
| <b>PratiKa.....</b>                                      | <b>16</b> |
| Plugs and Sockets - IP44 / IP67 .....                    | 16        |
| <b>Electra .....</b>                                     | <b>20</b> |
| Metal Clad Plugs & Sockets .....                         | 20        |
| <b>56 Series .....</b>                                   | <b>21</b> |
| Plugs and Sockets - IP56 / IP66 .....                    | 21        |
| <b>Wiring Devices .....</b>                              | <b>24</b> |
| LIVIA - Switch to the extra-ordinary.....                | 25        |
| Miluz ZeTa Little things, big impact.....                | 27        |
| Opale - Switches with Satin Finish .....                 | 33        |
| Unica Pure - Irresistibly Beautiful .....                | 35        |
| Unica Pure+ .....                                        | 40        |
| ZENcelo India - The Revolutionary Full-Flat Switch ..... | 46        |
| AvatarOn - It's also a Switch.....                       | 50        |
| Unica X - Feel the luxury .....                          | 57        |
| Kavacha - Weather Protected Series.....                  | 63        |
| Metal Boxes .....                                        | 63        |
| <b>Smart Home Energy Management System .....</b>         | <b>64</b> |
| Wiser™ .....                                             | 68        |
| Surface and Flush Mount Occupancy Sensors.....           | 69        |
| Dimmable Sensors with Light Regulation.....              | 69        |
| Wall Mount Sensor.....                                   | 70        |
| Hotel - ELV Dual Motion Sensor .....                     | 70        |

## About Schneider Electric

Schneider Electric is a global energy technology leader, driving efficiency and sustainability by electrifying, automating, and digitalizing industries, businesses, and homes. Its technologies enable buildings, data centers, factories, infrastructure, and grids to operate as open, interconnected ecosystems, enhancing performance, resilience, and sustainability. The portfolio includes intelligent devices, software-defined architectures, AI-powered systems, digital services, and expert advisory. With 160,000 employees and 1 million partners in over 100 countries, Schneider Electric is consistently ranked among the world's most sustainable companies. 60 years of history in India with a strong foot-print in manufacturing, innovation, and customer connect. India is the 3rd largest market for Schneider Electric Group.

### Our business offerings

Span the entire spectrum from Plant-to-Plug.





# Easy9 Philosophy


Easy on eyes



Easy on mind



Easy to sell



Easy to install



# Safeguard your peace of mind

Get maximum electrical protection with **Easy9**



## Miniature Circuit Breaker (MCB)

For circuit protection against Overload and Short Circuit Current Fault

- Conforms to IS/IEC 60898-1
- Breaking Capacity 6kA, 10kA
- Green Compliance: RoHS, REACH
- Energy Limiting Class 3
- Trip Free Mechanism

- Fast Tripping Mechanism
- Suitable for Positive Isolation
- Line Load Reversibility
- Bi-connect Terminals

- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



### Easy9 - C Curve 6kA

| [In] Rated Current (A) | 1 Pole Reference | Unit MRP [₹] | 2 Pole Reference | Unit MRP [₹] | 3 Pole Reference | Unit MRP [₹] | 4 Pole Reference | Unit MRP [₹] |
|------------------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|
| Module Width**         | 1 mod            |              | 2 mod            |              | 3 mod            |              | 4 mod            |              |
| Package Size           | 12 Nos.          |              | 6 Nos.           |              | 4 Nos.           |              | 3 Nos.           |              |
| 6                      | EZ9F76106        | 308          | <b>EZ9F76206</b> | 1211         | <b>EZ9F76306</b> | 1882         | -                | -            |
| 10                     | EZ9F76110        | 308          | <b>EZ9F76210</b> | 1211         | <b>EZ9F76310</b> | 1882         | -                | -            |
| 16                     | EZ9F76116        | 308          | EZ9F76216        | 1211         | EZ9F76316        | 1882         | <b>EZ9F76416</b> | 2675         |
| 20                     | EZ9F76120        | 308          | EZ9F76220        | 1211         | <b>EZ9F76320</b> | 1882         | <b>EZ9F76420</b> | 2675         |
| 25                     | EZ9F76125        | 308          | EZ9F76225        | 1211         | <b>EZ9F76325</b> | 1882         | <b>EZ9F76425</b> | 2675         |
| 32                     | EZ9F76132        | 308          | EZ9F76232        | 1211         | EZ9F76332        | 1882         | EZ9F76432        | 2675         |
| 40                     | <b>EZ9F76140</b> | 706          | EZ9F76240        | 1610         | <b>EZ9F76340</b> | 2723         | EZ9F76440        | 3646         |

### Easy9 - C Curve 10kA

| [In] Rated Current (A) | 1 Pole Reference | Unit MRP [₹] | 2 Pole Reference | Unit MRP [₹] | 3 Pole Reference | Unit MRP [₹] | 4 Pole Reference | Unit MRP [₹] |
|------------------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|
| Module Width**         | 1 mod            |              | 2 mod            |              | 3 mod            |              | 4 mod            |              |
| Package Size           | 12 Nos.          |              | 6 Nos.           |              | 4 Nos.           |              | 3 Nos.           |              |
| 6                      | EZ9F71106        | 411          | -                | -            | <b>EZ9F71306</b> | 2386         | -                | -            |
| 10                     | EZ9F71110        | 411          | <b>EZ9F71210</b> | 1498         | <b>EZ9F71310</b> | 2386         | -                | -            |
| 16                     | EZ9F71116        | 411          | <b>EZ9F71216</b> | 1498         | <b>EZ9F71316</b> | 2386         | <b>EZ9F71416</b> | 3240         |
| 20                     | EZ9F71120        | 411          | <b>EZ9F71220</b> | 1498         | <b>EZ9F71320</b> | 2386         | <b>EZ9F71420</b> | 3240         |
| 25                     | EZ9F71125        | 411          | <b>EZ9F71225</b> | 1498         | <b>EZ9F71325</b> | 2386         | <b>EZ9F71425</b> | 3240         |
| 32                     | EZ9F71132        | 411          | EZ9F71232        | 1498         | EZ9F71332        | 2386         | EZ9F71432        | 3240         |
| 40                     | -                | -            | <b>EZ9F71240</b> | 2202         | <b>EZ9F71340</b> | 3421         | <b>EZ9F71440</b> | 4177         |
| 63                     | <b>EZ9F71163</b> | 1078         | EZ9F71263        | 2468         | EZ9F71363        | 3664         | EZ9F71463        | 4414         |

### Easy9 - B Curve 10kA

| [In] Rated Current (A) | 1 Pole Reference | Unit MRP [₹] | 2 Pole Reference | Unit MRP [₹] |
|------------------------|------------------|--------------|------------------|--------------|
| Module Width**         | 1 mod            |              | 2 mod            |              |
| Package Size           | 12 Nos.          |              | 6 Nos.           |              |
| 6                      | <b>EZ9F21106</b> | 377          | -                | -            |
| 10                     | <b>EZ9F21110</b> | 377          | -                | -            |
| 16                     | EZ9F21116        | 377          | -                | -            |
| 20                     | <b>EZ9F21120</b> | 377          | -                | -            |
| 25                     | <b>EZ9F21125</b> | 377          | -                | -            |
| 32                     | <b>EZ9F21132</b> | 377          | <b>EZ9F21232</b> | 2044         |
| 40                     | -                | -            | <b>EZ9F21240</b> | 2153         |

#### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

\*Bold references are MTO reference.

# Shield your devices and your loved ones too

Get maximum electrical protection with **Easy9**





## Residual Current Circuit Breaker (RCCB) - AC Type

For protection against Risk of Shock / Electrocution and Risk of Fire in case of Earth Leakage Current

- CE Marked Conforms to IS 12640-1, IEC 61008-1
- Green Compliance: RoHS, REACH
- Operating voltage 240 / 415V
- Operating Frequency 50Hz



| [In] Rated Current (A) | Earth Leakage Sensitivity (mA) | 2 Pole Reference | Unit MRP [₹] | 4 Pole Reference | Unit MRP [₹] |
|------------------------|--------------------------------|------------------|--------------|------------------|--------------|
| <b>Module Width**</b>  |                                | <b>2 Mod</b>     |              | <b>4 Mod</b>     |              |
| <b>Package Size</b>    |                                | <b>6 Nos.</b>    |              | <b>3 Nos.</b>    |              |
| 25                     | 30                             | <b>EZ9R35225</b> | 5096         | <b>EZ9R35425</b> | 6906         |
|                        | 100                            | <b>EZ9R55225</b> | 5413         | <b>EZ9R55425</b> | 7033         |
|                        | 300                            | <b>EZ9R65225</b> | 5515         | <b>EZ9R65425</b> | 7169         |
| 40                     | 30                             | <b>EZ9R35240</b> | 5288         | <b>EZ9R35440</b> | 6788         |
|                        | 100                            | <b>EZ9R55240</b> | 5666         | <b>EZ9R55440</b> | 7169         |
|                        | 300                            | <b>EZ9R65240</b> | 5619         | <b>EZ9R65440</b> | 7176         |
| 63                     | 30                             | <b>EZ9R35263</b> | 7078         | <b>EZ9R35463</b> | 7141         |
|                        | 100                            | <b>EZ9R55263</b> | 7430         | <b>EZ9R55463</b> | 7646         |
|                        | 300                            | <b>EZ9R65263</b> | 7351         | <b>EZ9R65463</b> | 7580         |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

## Isolator

- CE Marked Conforms to IEC 60947-3
- For isolation of electrical circuits for maintenance or repair by ensuring there is no residual voltage or current present in the isolated section
- Utilisation category - AC 22
- Green Compliance: RoHS, REACH
- Suitable for Positive Isolation
- Line Load Reversibility
- Laser Printing
- Bi-connect Terminals
- Degree of Protection IP 20
- Operating Voltage 240V / 415V
- Frequency 50Hz



| [In] Rated Current (A) | 2 Pole Reference | Unit MRP [₹]  | 3 Pole Reference | Unit MRP [₹] | 4 Pole Reference | Unit MRP [₹] |
|------------------------|------------------|---------------|------------------|--------------|------------------|--------------|
| <b>Module Width**</b>  |                  | <b>2 Mod</b>  | <b>3 Mod</b>     |              | <b>4 Mod</b>     |              |
| <b>Package Size</b>    |                  | <b>6 Nos.</b> | <b>4 Nos.</b>    |              | <b>3 Nos.</b>    |              |
| 40                     | <b>EZ9S66240</b> | 816           | <b>EZ9S66340</b> | 1735         | <b>EZ9S66440</b> | 1950         |
| 63                     | <b>EZ9S66263</b> | 1088          | <b>EZ9S66363</b> | 1943         | <b>EZ9S66463</b> | 1986         |
| 80                     | -                | -             | -                | -            | <b>EZ9S66480</b> | 2542         |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

\*Bold references are MTO reference.

## Surge Protection Device

For Protection of Devices against Lightning & Switching Surges


- Conforms to IEC 61643 - 11
- In conformance with standards IEC 61643-11
- For protection against Indirect lightning and Switching surges
- Inbuilt health Indicator
- Always use a Back-up MCB with your SPD




## Surge Arresters - Type 2

| [Imax] Rated Current (kA) | 1P+ N Reference | Unit MRP [₹] | 3P+N Reference   | Unit MRP [₹] |
|---------------------------|-----------------|--------------|------------------|--------------|
| <b>Module Width**</b>     | <b>2 Mod</b>    |              | <b>4 Mod</b>     |              |
| <b>Package Size</b>       | <b>6 Nos.</b>   |              | <b>3 Nos.</b>    |              |
| 20kA                      | EZ9L33620       | 4679         | <b>EZ9L33720</b> | 7916         |
| 45kA                      | -               | -            | EZ9L33745        | 11876        |

Network: single phase  
Earthing system: TT or TN-S



Network: three phase  
Earthing system: TT or TN-S



## Backup MCB Selection Chart

| [Imax] Rated Current (kA) | 1P+ N Reference | Backup MCB | 3P+N Reference | Backup MCB |
|---------------------------|-----------------|------------|----------------|------------|
| 20kA                      | EZ9L33620       | EZ9F71220  | EZ9L33720      | EZ9F71420  |
| 45kA                      | -               | -          | EZ9L33745      | EZ9F71463  |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

\*Bold references are MTO reference.

# Timers & Time Switches

## Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy:  $\leq \pm 1$  s/day at +20°C

| Description                                          | Module Width<br>18mm/module | Reference | Unit MRP<br>[₹] |
|------------------------------------------------------|-----------------------------|-----------|-----------------|
| IH 24H 16 A 15 mts interval 1 channel                | 1                           | 15336     | 7187            |
| IH 24H 16 A 30 mts interval 1 channel                | 1                           | CCT15365  | 7839            |
| IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles | 3                           | CCT15367  | 11222           |
| IH 24H 16 A 30 mts 1 channel without reserve         | 3                           | CCT16364  | 6367            |

## Digital Time Switches



- 7D, 24H Programmable switch. Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

| Description                                      | Module Width<br>18mm/module | Reference       | Unit MRP<br>[₹] |
|--------------------------------------------------|-----------------------------|-----------------|-----------------|
| IHP 1C w (24h/7d) programmable time switch       | 2.5                         | CCT15441        | 15448           |
| IHP+ 1C (24h/7d) SMARTw programmable time switch | 2.5                         | <b>CCT15551</b> | 19056           |
| IHP 2C w (24h/7d) programmable time switch       | 2.5                         | <b>CCT15443</b> | 19927           |
| IHP DCF (24h/7d) SMART programmable time switch  | 2.5                         | <b>CCT15858</b> | 31369           |
| IHP+ 2C (24h/7d) SMARTw programmable time switch | 2.5                         | <b>CCT15553</b> | 22046           |

## Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

| Description                                                                                | Module Width<br>18mm/module | Reference       | Unit MRP<br>[₹] |
|--------------------------------------------------------------------------------------------|-----------------------------|-----------------|-----------------|
| MINs - electronic timer - 0.5 to 20 min                                                    | 1                           | <b>CCT15232</b> | 8727            |
| MINs - electronic timer - 0.5 to 20 min with switch Off Warning                            | 1                           | <b>CCT15233</b> | 11205           |
| MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function | 1                           | <b>CCT15234</b> | 10533           |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

\*Bold references are MTO reference.



# Timers & Time Switches

## Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

| Description                                                    | Module Width<br>18mm/module | Reference       | Unit MRP<br>[₹] |
|----------------------------------------------------------------|-----------------------------|-----------------|-----------------|
| IC2000 outdoor (2 - 2000 lux) twilight switch                  | 1                           | <b>CCT15369</b> | 18403           |
| Analogue indoor light sensor cell                              | -                           | <b>CCT15262</b> | 9081            |
| Wall mounted Analogue outdoor light sensor cell                | -                           | <b>CCT15263</b> | 14076           |
| IC100 (2 - 100 lux) twilight switch                            | 1                           | <b>CCT15482</b> | 15481           |
| IC2000 indoor (2 - 2000 lux) twilight switch                   | 1                           | <b>CCT15285</b> | 13797           |
| IC2000p+ (2 - 2000 lux) programmable twilight switch           | 2.5                         | <b>CCT15483</b> | 31978           |
| IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch | 2.5                         | <b>CCT15494</b> | 38676           |
| IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch | 2.5                         | <b>CCT15495</b> | 47613           |
| IC Astro 2C SMART programmable twilight switch                 | 2.5                         | <b>CCT15245</b> | 33426           |
| IC Astro 1C SMART programmable twilight switch                 | 2.5                         | <b>CCT15225</b> | 28126           |

## Time switch accessories

| Description                  | Module Width<br>18mm/module | Reference       | Unit MRP<br>[₹] |
|------------------------------|-----------------------------|-----------------|-----------------|
| Programming kit for IHP / IC | 1                           | <b>CCT15860</b> | 14713           |

## Thermostat

| Description                               | Module Width<br>18mm/module | Reference | Unit MRP<br>[₹] |
|-------------------------------------------|-----------------------------|-----------|-----------------|
| THP1+ 1C (24h/7d) programmable thermostat | 2.5                         | CCT15834  | 33468           |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Price on Request

\*\*18mm/module

\*Bold references are MTO reference.

# Easy9 Distribution Boards



**IK-08**  
tested

**IP-30**  
Single door  
**IP-43**  
Double door



## Features

- Clean and attractive colour and finish (White RAL 9003)
- Unique design of door knob for easy operation
- Conforms to IS 8623
- High quality powder coating for long life and high reliability under the toughest of conditions
- Optimized wiring space for a clean installation
- Suitable for surface and flush mounting
- Cement Spill protector helps avoid entry of dust and cement particles
- Reversible door
- Independent centre plate
- 45° angled hole for easy installation and 1 key hole for easy alignment
- Removable top and bottom gland plates
- Unique 5-hole mounting for single-person fixing
- Conforming to international standards: Tested as per IEC 61439-3 at NABL accredited laboratories and IP tested at CPRI
- Combi-head screws for tool flexibility

# Easy9 Distribution Boards

## Metal Enclosures



| Description     | Module Cutout Width** | Single Door (IP30) Reference | Unit MRP [₹] |
|-----------------|-----------------------|------------------------------|--------------|
| 2 way Enclosure | 2                     | EZ9EMES02                    | 810          |
| 4 way Enclosure | 4                     | EZ9EMES04                    | 914          |

## Metal Clad P&S Units



| Description                   | Module Cutout Width** | Single Door (IP30) Reference | Unit MRP [₹] |
|-------------------------------|-----------------------|------------------------------|--------------|
| EZ9 Metal P&S Unit 20A 1P+N+E | 2                     | EZ9EMS220                    | 2624         |
| EZ9 Metal P&S Unit 30A 3P+E   | 3                     | <b>EZ9EMS330</b>             | 6008         |

## Phase Selector DBs



| Description                           | Module Cutout Width** | Double Door (IP43) Reference | Unit MRP [₹] |
|---------------------------------------|-----------------------|------------------------------|--------------|
| Easy9 DB 4Way phase selector vertical | 8 + 4 x 3             | EZ9EPVD04N                   | 10588        |
| Easy9 DB 6Way phase selector vertical | 8 + 6 x 3             | EZ9EPVD06N                   | 11278        |
| Easy9 DB 8Way phase selector vertical | 8 + 8 x 3             | EZ9EPVD08N                   | 12176        |

## Phase Selector Switch



| Description                  | Reference  | Unit MRP [₹] |
|------------------------------|------------|--------------|
| Easy9 DB 40A selector switch | EZ9EPS40SN | 9638         |
| Easy9 DB 63A selector switch | EZ9EPS63SN | 11278        |

## SPN DBs



| Description         | Total Module Cutout Width** (Incomer + Outgoing)** | Single Door (IP30) Reference | Unit MRP [₹] | Double Door Metal (IP43) Reference | Unit MRP [₹] |
|---------------------|----------------------------------------------------|------------------------------|--------------|------------------------------------|--------------|
| Easy9 SPN DB 4 way  | 2 + 2                                              | -                            | -            | EZ9ESND04                          | 2616         |
| Easy9 SPN DB 6 way  | 2 + 4                                              | -                            | -            | EZ9ESND06                          | 2712         |
| Easy9 SPN DB 8 way  | 2 + 6                                              | <b>EZ9ESNS08</b>             | 1943         | EZ9ESND08                          | 2973         |
| Easy9 SPN DB 10 way | 2 + 8                                              | -                            | -            | EZ9ESND10                          | 3226         |
| Easy9 SPN DB 12 way | 2 + 10                                             | -                            | -            | EZ9ESND12                          | 3545         |
| Easy9 SPN DB 16 way | 2 + 14                                             | -                            | -            | EZ9ESND16                          | 5224         |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Bold references are MTO reference.

# Easy9 Distribution Boards

## TPN DBs



| Description                        | Total Module Cutout Width**<br>(Incomer + Outgoing) | Double DoorMetal (IP43)<br>Reference | Unit MRP<br>[₹] |
|------------------------------------|-----------------------------------------------------|--------------------------------------|-----------------|
| Easy9 TPN DB 4 way - 4 Mod Incomer | 4 + 4 x 3                                           | EZ9ETND04E                           | 5262            |
| Easy9 TPN DB 4 way                 | 8 + 4 x 3                                           | EZ9ETND04                            | 6074            |
| Easy9 TPN DB 6 way                 | 8 + 6 x 3                                           | EZ9ETND06                            | 7567            |
| Easy9 TPN DB 8 way                 | 8 + 8 x 3                                           | EZ9ETND08                            | 9554            |
| Easy9 TPN DB 12 way                | 8 + 12 x 3                                          | EZ9ETND12                            | 14630           |

## VTPN DBs Modular Incomer



| Description                       | Total Module Cutout Width**<br>(Incomer + Outgoing) | Double DoorMetal (IP43)<br>Reference | Unit MRP<br>[₹] |
|-----------------------------------|-----------------------------------------------------|--------------------------------------|-----------------|
| Easy9 VTPN DB 4 Ways Modular i/c  | 12+12                                               | <b>EZ9EVM04</b>                      | 11195           |
| Easy9 VTPN DB 8 Ways Modular i/c  | 12+24                                               | <b>EZ9EVM08</b>                      | 16107           |
| Easy9 VTPN DB 12 Ways Modular i/c | 12+36                                               | <b>EZ9EVM12</b>                      | 20277           |

## VTPN DBs MCCB Incomer



| Description                        | Total Module Cutout Width**<br>(Incomer + Outgoing) | Double DoorMetal (IP43)<br>Reference | Unit MRP<br>[₹] |
|------------------------------------|-----------------------------------------------------|--------------------------------------|-----------------|
| Easy9 VTPN DB 4 Ways CVS i-c 100A  | 100A MCCB+ 12                                       | <b>EZ9EVN04L</b>                     | 14022           |
| Easy9 VTPN DB 8 Ways CVS i-c 100A  | 100A MCCB+ 24                                       | <b>EZ9EVN08L</b>                     | 18346           |
| Easy9 VTPN DB 12 Ways CVS i-c 100A | 100A MCCB+ 36                                       | <b>EZ9EVN12L</b>                     | 22644           |
| Easy9 VTPN DB 4 Ways CVS i/c 160A  | 160A MCCB+ 12                                       | <b>EZ9EVN04M</b>                     | 15429           |
| Easy9 VTPN DB 8 Ways CVS i/c 160A  | 160A MCCB+ 24                                       | <b>EZ9EVN08M</b>                     | 20598           |
| Easy9 VTPN DB 12 Ways CVS i/c 160A | 160A MCCB+ 36                                       | <b>EZ9EVN12M</b>                     | 25727           |
| Easy9 VTPN DB 8 Ways CVS i/c 250A  | 250A MCCB+ 24                                       | <b>EZ9EVN08H</b>                     | 20809           |
| Easy9 VTPN DB 12 Ways CVS i/c 250A | 250A MCCB+ 36                                       | <b>EZ9EVN12H</b>                     | 25962           |

## Accessories

| Description                             | Type         | Reference    | Unit MRP<br>[₹] |
|-----------------------------------------|--------------|--------------|-----------------|
| Easy9 Door Bracket-Set of 5 SSP152      | Door Bracket | EZ9EBRACKET  | 494             |
| Easy9 Std Door Knob-Set of 5 SSP144 GRY | Door Knob    | EZ9EDOORKNOB | 2992            |

### Note:

Please contact nearest Schneider Electric Sales Office or Customer Care Center for Stockable and Non Stockable status of references

\*Bold references are MTO reference.

## Wander Plugs



PKE16M423



PKE16M723



81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

| [In] Rated Current (A) | [Ue] Rated Operational Voltage (V) | Poles Description                      | Reference        | Unit MRP<br>[₹] |
|------------------------|------------------------------------|----------------------------------------|------------------|-----------------|
| PratiKa Screw          |                                    |                                        |                  |                 |
| IP44                   |                                    |                                        |                  |                 |
| 16                     | 200...250                          | 2P + E                                 | PKE16M423        | 725             |
|                        |                                    | 2P + E                                 | <b>PKX16M423</b> | 1480            |
|                        | 380...415                          | 3P + E                                 | PKE16M434        | 927             |
|                        |                                    | 3P + N + E                             | PKE16M435        | 966             |
| 32                     | 200...250                          | 2P + E                                 | PKE32M423        | 1141            |
|                        |                                    | 3P + E                                 | PKE32M434        | 1338            |
|                        | 380...415                          | 3P + N + E                             | PKE32M435        | 1306            |
|                        |                                    | IP67                                   |                  |                 |
| 16                     | 200...250                          | 2P + E                                 | PKE16M723        | 1585            |
|                        |                                    | 2P + E                                 | <b>PKX16M723</b> | 2355            |
|                        | 380...415                          | 3P + E                                 | PKE16M734        | 1807            |
|                        |                                    | 3P + N + E                             | PKE16M735        | 1931            |
| 32                     | 200...250                          | 2P + E                                 | PKE32M723        | 2264            |
|                        |                                    | 3P + E                                 | PKE32M734        | 2442            |
|                        | 380...415                          | 3P + N + E                             | PKE32M735        | 2437            |
|                        |                                    | PK (63A & 125A available in IP67 only) |                  |                 |
| 63                     | 200...250                          | 2P + E                                 | 81378            | 6418            |
|                        |                                    | 3P + E                                 | 81382            | 6117            |
|                        | 380...415                          | 3P + N + E                             | 81383            | 6069            |
| 125                    | 380...415                          | 3P + E                                 | <b>81394</b>     | 18715           |
|                        |                                    | 3P + N + E                             | 81395            | 18715           |

Note: \* Fast Connection

## Small Wall Mounted Sockets



PKF16W423



PKF16W723



PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

| [In] Rated Current (A) | [Ue] Rated<br>Operational Voltage (V) | Poles Description | Reference | Unit MRP<br>[₹] |
|------------------------|---------------------------------------|-------------------|-----------|-----------------|
| IP44                   |                                       |                   |           |                 |
| 16                     | 200...250                             | 2P + E            | PKF16W423 | 1282            |
|                        | 380...415                             | 3P + E            | PKF16W434 | 1487            |
|                        |                                       | 3P + N + E        | PKF16W435 | 1624            |
| 32                     | 200...250                             | 2P + E            | PKF32W423 | 1676            |
|                        | 380...415                             | 3P + E            | PKF32W434 | 2011            |
|                        |                                       | 3P + N + E        | PKF32W435 | 2124            |
| IP67                   |                                       |                   |           |                 |
| 16                     | 200...250                             | 2P + E            | PKF16W723 | 2036            |
|                        | 380...415                             | 3P + E            | PKF16W734 | 2558            |
|                        |                                       | 3P + N + E        | PKF16W735 | 2645            |
| 32                     | 200...250                             | 2P + E            | PKF32W723 | 2549            |
|                        | 380...415                             | 3P + E            | PKF32W734 | 3721            |
|                        |                                       | 3P + N + E        | PKF32W735 | 4936            |

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



## Wall Mounted Sockets



81178

81183

- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

| [In] Rated Current (A) | [Ue] Rated Operational Voltage (V) | Poles Description | Reference      | Unit MRP [₹] |
|------------------------|------------------------------------|-------------------|----------------|--------------|
| 63                     | 200...250                          | 2P + E            | <b>81178</b>   | 7905         |
|                        |                                    | 3P + E            | <b>81182</b> ● | 8709         |
|                        | 380...415                          | 3P + N + E        | 81183          | 8254         |
| 125                    | 380...415                          | 3P + E            | <b>81194</b>   | 28512        |
|                        |                                    | 3P + N + E        | <b>81195</b>   | 28651        |

## Wander Sockets



PKF16M423

81483

PKF32M735

- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

| [In] Rated Current (A)                 | [Ue] Rated Operational Voltage (V) | Poles Description | Reference        | Unit MRP<br>₹ |
|----------------------------------------|------------------------------------|-------------------|------------------|---------------|
| PratiKa Screw                          |                                    |                   |                  |               |
| IP44                                   |                                    |                   |                  |               |
| 16                                     | 200...250                          | 2P + E            | PKF16M423        | 1014          |
|                                        |                                    | 2P + E            | <b>PKY16M423</b> | 1117          |
|                                        | 380...415                          | 3P + E            | PKF16M434        | 1170          |
|                                        |                                    | 3P + N + E        | PKF16M435        | 1277          |
| 32                                     | 200...250                          | 2P + E            | PKF32M423        | 1394          |
|                                        |                                    | 3P + E            | <b>PKF32M434</b> | 1693          |
|                                        | 380...415                          | 3P + N + E        | PKF32M435        | 1703          |
|                                        |                                    | IP67              |                  |               |
| 16                                     | 200...250                          | 2P + E            | PKF16M723        | 1878          |
|                                        |                                    | 2P + E            | <b>PKY16M723</b> | 2284          |
|                                        | 380...415                          | 3P + E            | <b>PKF16M734</b> | 2355          |
|                                        |                                    | 3P + N + E        | PKF16M735        | 2460          |
| 32                                     | 380...415                          | 2P + E            | PKF32M723        | 2582          |
|                                        |                                    | 3P + E            | <b>PKF32M734</b> | 2857          |
|                                        |                                    | 3P + N + E        | PKF32M735        | 2884          |
| PK (63A & 125A available in IP67 only) |                                    |                   |                  |               |
| 63                                     | 200...250                          | 2P + E            | 81478            | 6990          |
|                                        | 380...415                          | 3P + E            | <b>81482</b>     | 7051          |
|                                        |                                    | 3P + N + E        | 81483            | 7097          |
| 125                                    | 380...415                          | 3P + E            | <b>81494</b>     | 22066         |
|                                        |                                    | 3P + N + E        | 81495            | 22498         |

## Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

## Panel Mounted Sockets - Angled



PKF16F423

PKF32F723

81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

| [In] Rated Current (A)                 | [Ue] Rated Operational Voltage (V) | Poles Description | Reference        | Unit MRP [₹] |
|----------------------------------------|------------------------------------|-------------------|------------------|--------------|
| PratiKa Screw                          |                                    |                   |                  |              |
| IP44                                   |                                    |                   |                  |              |
| 16                                     | 200...250                          | 2P + E            | PKF16F423        | 831          |
|                                        |                                    | 2P + E            | <b>PKY16F423</b> | 846          |
|                                        | 380...415                          | 3P + E            | PKF16F434        | 1170         |
|                                        |                                    | 3P + N + E        | PKF16F435        | 1248         |
| 32                                     | 200...250                          | 2P + E            | PKF32F423        | 1380         |
|                                        | 380...415                          | 3P + E            | PKF32F434        | 1618         |
|                                        |                                    | 3P + N + E        | PKF32F435        | 1595         |
| IP67                                   |                                    |                   |                  |              |
| 16                                     | 200...250                          | 2P + E            | PKF16F723        | 1464         |
|                                        | 380...415                          | 2P + E            | <b>PKY16F723</b> | 1790         |
|                                        |                                    | 3P + E            | PKF16F734        | 1683         |
| 32                                     | 200...250                          | 3P + N + E        | PKF16F735        | 1703         |
|                                        | 380...415                          | 2P + E            | PKF32F723        | 1924         |
|                                        |                                    | 3P + E            | PKF32F734        | 2248         |
|                                        |                                    | 3P + N + E        | PKF32F735        | 2263         |
| PK (63A & 125A available in IP67 only) |                                    |                   |                  |              |
| 63                                     | 200...250                          | 2P + E            | 81278            | 6311         |
|                                        | 380...415                          | 3P + E            | 81282            | 6322         |
|                                        |                                    | 3P + N + E        | 81283            | 6385         |
| 125                                    | 380...415                          | 3P + E            | <b>81294</b>     | 21292        |
|                                        |                                    | 3P + N + E        | 81295            | 21191        |

## Panel Mounted Sockets - Straight



PKF16G423

PKF16G723

81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

| [In] Rated Current (A)                 | [Ue] Rated Operational Voltage (V) | Poles Description | Reference | Unit MRP<br>₹ |
|----------------------------------------|------------------------------------|-------------------|-----------|---------------|
| PratiKa Screw                          |                                    |                   |           |               |
| IP44                                   |                                    |                   |           |               |
| 16                                     | 200...250                          | 2P + E            | PKF16G423 | 889           |
|                                        |                                    | 2P + E            | PKY16G423 | 1317          |
|                                        | 380...415                          | 3P + E            | PKF16G434 | 1549          |
|                                        |                                    | 3P + N + E        | PKF16G435 | 1338          |
| 32                                     | 200...250                          | 2P + E            | PKF32G423 | 1410          |
|                                        | 380...415                          | 3P + E            | PKF32G434 | 1624          |
|                                        |                                    | 3P + N + E        | PKF32G435 | 1760          |
| IP67                                   |                                    |                   |           |               |
| 16                                     | 200...250                          | 2P + E            | PKF16G723 | 1487          |
|                                        |                                    | 2P + E            | PKY16G723 | 1676          |
|                                        | 380...415                          | 3P + E            | PKF16G734 | 2046          |
|                                        |                                    | 3P + N + E        | PKF16G735 | 1703          |
| 32                                     | 200...250                          | 2P + E            | PKF32G723 | 1897          |
|                                        | 380...415                          | 3P + E            | PKF32G734 | 2134          |
|                                        |                                    | 3P + N + E        | PKF32G735 | 2214          |
| PK (63A & 125A available in IP67 only) |                                    |                   |           |               |
| 63                                     | 380...415                          | 3P + E            | 81682     | 6384          |
|                                        |                                    | 3P + N + E        | 81683     | 6384          |
| 125                                    |                                    | 3P + N + E        | 81695     | 21395         |

\*Fast Connection

**Note:** For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

## Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

## Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



83047

83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

| [In] Rated Current (A) | [Ue] Rated Operational Voltage (V) | Poles Description | Reference                                                                                 | Unit MRP [₹] |
|------------------------|------------------------------------|-------------------|-------------------------------------------------------------------------------------------|--------------|
| IP44                   |                                    |                   |                                                                                           |              |
| 16                     | 200...250                          | 2P + E            | 83031                                                                                     | 10668        |
|                        | 380...415                          | 3P + N + E        | 83036                                                                                     | 15057        |
| 32                     | 200...250                          | 2P + E            | 83042  | 13717        |
|                        | 380...415                          | 3P + E            | 83046                                                                                     | 22417        |
|                        |                                    | 3P + N + E        | 83047                                                                                     | 16164        |
| IP65                   |                                    |                   |                                                                                           |              |
| 16                     | 200...250                          | 2P + E            | 83081                                                                                     | 11037        |
|                        | 380...415                          | 3P + E            | 83085                                                                                     | 15200        |
|                        |                                    | 3P + N + E        | 83086                                                                                     | 15509        |
| 32                     | 200...250                          | 2P + E            | 83092                                                                                     | 14465        |
|                        | 380...415                          | 3P + N + E        | 83097                                                                                     | 17368        |

## Socket with Interlock Switch &amp; DIN Rail Isoblock (4.5 modules)



82754

83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

| [In] Rated Current (A) | [Ue] Rated Operational Voltage (V) | Poles Description | Reference                                 | Unit MRP [₹] |
|------------------------|------------------------------------|-------------------|-------------------------------------------|--------------|
| 16                     | 200...250                          | 2P + E            | 82754 <input checked="" type="checkbox"/> | 13099        |
|                        | 380...415                          | 3P + N + E        | <b>82759</b>                              | 20223        |
| 32                     | 200...250                          | 2P + E            | 83791 <input checked="" type="checkbox"/> | 15509        |
|                        | 380...415                          | 3P + E            | 83795                                     | 22516        |
|                        |                                    | 3P + N + E        | 83796                                     | 18476        |

## Socket with Interlock Switch &amp; DIN Rail Isoblock (6 modules)



82766

- Switch designed for use in AC-22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

| [In] Rated Current (A) | [Ue] Rated Operational Voltage (V) | Poles Description | Reference    | Unit MRP [₹] |
|------------------------|------------------------------------|-------------------|--------------|--------------|
| 32                     | 200...250                          | 2P + E            | <b>82766</b> | 20655        |
| 63                     | 380...415                          | 3P + E            | <b>82782</b> | 27832        |
|                        |                                    | 3P + N + E        | 82783        | 27654        |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

**ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.**

#### Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring )
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

#### Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug  
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

#### Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

#### Plug



| Rating (A) | Poles Description | Voltage (V) | MOQ | Reference                                | Unit MRP [₹] |
|------------|-------------------|-------------|-----|------------------------------------------|--------------|
| 10         | 2P                | 250         | 30  | AP10 <input checked="" type="checkbox"/> | 338          |
| 20         | 2P                | 250         | 30  | AP20 <input checked="" type="checkbox"/> | 356          |
| 20         | 3P                | 440         | 30  | BP20 <input checked="" type="checkbox"/> | 474          |
| 30         | 3P                | 440         | 20  | BP30 <input checked="" type="checkbox"/> | 862          |
| 63         | 3P+N+E            | 440         | 4   | CP63 <input checked="" type="checkbox"/> | 3899         |

#### Socket



| Rating (A) | Poles Description | Voltage (V) | MOQ | Reference                                | Unit MRP [₹] |
|------------|-------------------|-------------|-----|------------------------------------------|--------------|
| 10         | 2P                | 250         | 30  | AS10 <input checked="" type="checkbox"/> | 356          |
| 20         | 2P                | 250         | 30  | AS20 <input checked="" type="checkbox"/> | 380          |
| 20         | 3P                | 440         | 30  | BS20 <input checked="" type="checkbox"/> | 532          |
| 30         | 3P                | 440         | 20  | BS30 <input checked="" type="checkbox"/> | 913          |
| 63         | 3P+N+E            | 440         | 4   | CS63 <input checked="" type="checkbox"/> | 4368         |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY



56SW216LE-GY



56SW332LE-GY

| Description                                | IP Rating | Reference           | Unit MRP [₹] |
|--------------------------------------------|-----------|---------------------|--------------|
| <b>Surface Switches</b>                    |           |                     |              |
| <b>Single Pole Switches Less Enclosure</b> |           |                     |              |
| 1 Pole 250V 10A                            | IP66      | <b>56SW110LE-GY</b> | 5213         |
| 1 Pole 250V 16A                            | IP66      | 56SW116LE-GY        | 4837         |
| 1 Pole 250V 20A                            | IP66      | 56SW120LE-GY        | 7324         |
| 1 Pole 250V 32A                            | IP66      | 56SW132LE-GY        | 8734         |
| <b>Double Pole Switches Less Enclosure</b> |           |                     |              |
| 2 Pole 500V 16A                            | IP66      | <b>56SW216LE-GY</b> | 8438         |
| 2 Pole 500V 20A                            | IP66      | <b>56SW220LE-GY</b> | 8438         |
| 2 Pole 500V 32A                            | IP66      | <b>56SW232LE-GY</b> | 11197        |
| 2 Pole 500V 50A                            | IP66      | <b>56SW250LE-GY</b> | 13077        |
| <b>Triple Pole Switches Less Enclosure</b> |           |                     |              |
| 3 Pole 500V 10A                            | IP66      | <b>56SW310LE-GY</b> | 7804         |
| 3 Pole 500V 16A                            | IP66      | 56SW316LE-GY        | 8141         |
| 3 Pole 500V 20A                            | IP66      | 56SW320LE-GY        | 8570         |
| 3 Pole 500V 32A                            | IP66      | 56SW332LE-GY        | 9899         |
| 3 Pole 500V 50A                            | IP66      | 56SW350LE-GY        | 11530        |
| 3 Pole 500V 63A                            | IP66      | 56SW363LE-GY        | 13384        |
| <b>Four Pole Switches Less Enclosure</b>   |           |                     |              |
| 4 Pole 500V 20A                            | IP66      | <b>56SW420LE-GY</b> | 12440        |



56SW132-GY



56SW110GY



56SW350-GY

New

| Description                                | IP Rating | Reference  | Unit MRP [₹] |
|--------------------------------------------|-----------|------------|--------------|
| <b>Surface Switches</b>                    |           |            |              |
| <b>Single Pole Switches with Enclosure</b> |           |            |              |
| 1 Pole 250V 10A                            | IP66      | 56SW110-GY | 5539         |
| 1 Pole 250V 15A                            | IP66      | 56SW115-GY | 4283         |
| 1 Pole 250V 20A                            | IP66      | 56SW120-GY | 6485         |
| 1 Pole 250V 32A                            | IP66      | 56SW132-GY | 9280         |
| <b>Double Pole Switches with Enclosure</b> |           |            |              |
| 2 Pole 500V 20A                            | IP66      | 56SW220-GY | 8965         |
| 2 Pole 500V 32A                            | IP66      | 56SW232-GY | 11897        |
| 2 Pole 500V 50A                            | IP66      | 56SW263-GY | 13894        |
| <b>Triple Pole Switches with Enclosure</b> |           |            |              |
| 3 Pole 500V 10A                            | IP66      | 56SW310-GY | 8292         |
| 3 Pole 500V 20A                            | IP66      | 56SW320-GY | 8650         |
| 3 Pole 500V 32A                            | IP66      | 56SW332-GY | 10517        |
| 3 Pole 500V 50A                            | IP66      | 56SW350-GY | 12249        |
| 3 Pole 500V 63A                            | IP66      | 56SW363-GY | 14219        |
| <b>Four Pole Switches with Enclosure</b>   |           |            |              |
| 4 Pole 500V 20A                            | IP66      | 56SW420-GY | 12023        |

The switches will come integrated with the enclosures

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



66CV563-RG



66P563-EO

| Description                                                      | IP Rating | Reference         | Unit MRP<br>[₹] |
|------------------------------------------------------------------|-----------|-------------------|-----------------|
| <b>IP66 Industrial Combination Switch Sockets with Enclosure</b> |           |                   |                 |
| <b>Single Pole Switches Less Enclosure</b>                       |           |                   |                 |
| 500V, 63A with 4 pole switch and 63A 5 Pin Socket                | IP66      | <b>66CV563-RG</b> | 151682          |
| Plug Top 5 Pin 500V 63A                                          | IP66      | <b>66P563-EO</b>  | 45528           |



56SO316RP-LE-GY-EX



56SO432LE-GY



56SO532LE-GY

| Description                         | IP Rating | Reference           | Unit MRP<br>[₹] |
|-------------------------------------|-----------|---------------------|-----------------|
| <b>Surface Socket Outlets</b>       |           |                     |                 |
| <b>3 Pin Sockets Less Enclosure</b> |           |                     |                 |
| 3 Pin 250V 16A Indian Standard      | IP66      | 56SO316RP-LE-GY-EX  | 4870            |
| 3 Pin 250V 20A Round Pin            | IP66      | 56SO320LE-GY        | 7068            |
| 3 Pin 250V 32A Round Pin            | IP66      | 56SO332LE-GY        | 7873            |
| <b>4 Pin Sockets Less Enclosure</b> |           |                     |                 |
| 4 Pin 500V 20A Round Pin            | IP66      | <b>56SO420LE-GY</b> | 10559           |
| 4 Pin 500V 32A Round Pin            | IP66      | <b>56SO432LE-GY</b> | 12624           |
| 4 Pin 500V 50A Round Pin            | IP66      | <b>56SO450LE-GY</b> | 19424           |
| <b>5 Pin Sockets Less Enclosure</b> |           |                     |                 |
| 5 Pin 500V 10A Round Pin            | IP66      | <b>56SO510LE-GY</b> | 11408           |
| 5 Pin 500V 20A Round Pin            | IP66      | 56SO520LE-GY        | 11301           |
| 5 Pin 500V 32A Round Pin            | IP66      | 56SO532LE-GY        | 13419           |
| 5 Pin 500V 40A Round Pin            | IP66      | 56SO540LE-GY        | 19548           |
| 5 Pin 500V 50A Round Pin            | IP66      | 56SO550LE-GY        | 20069           |



56SO320-GY



56SO520-GY

New

| Description                         | IP Rating | Reference  | Unit MRP<br>[₹] |
|-------------------------------------|-----------|------------|-----------------|
| <b>Surface Socket Outlets</b>       |           |            |                 |
| <b>3 Pin Sockets with Enclosure</b> |           |            |                 |
| 3 Pin 250V 20A Round Pin            | IP66      | 56SO320-GY | 7510            |
| 3 Pin 250V 32A Round Pin            | IP66      | 56SO332-GY | 8365            |
| <b>4 Pin Sockets with Enclosure</b> |           |            |                 |
| 4 Pin 500V 20A Round Pin            | IP66      | 56SO420-GY | 11218           |
| 4 Pin 500V 32A Round Pin            | IP66      | 56SO432-GY | 13413           |
| 4 Pin 500V 50A Round Pin            | IP66      | 56SO450-GY | 24078           |
| <b>5 Pin Sockets with Enclosure</b> |           |            |                 |
| 5 Pin 500V 10A Round Pin            | IP66      | 56SO510-GY | 12121           |
| 5 Pin 500V 20A Round Pin            | IP66      | 56SO520-GY | 12007           |
| 5 Pin 500V 32A Round Pin            | IP66      | 56SO532-GY | 14258           |
| 5 Pin 500V 40A Round Pin            | IP66      | 56SO540-GY | 24232           |
| 5 Pin 500V 50A Round Pin            | IP66      | 56SO550-GY | 24877           |

The socket will come integrated with the enclosures

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



# 56 Series



56PA420-EO



56PA532-EO



56CVI520-GY

| Description                                          | IP Rating | Reference          | Unit MRP [₹] |
|------------------------------------------------------|-----------|--------------------|--------------|
| <b>Plugs</b>                                         |           |                    |              |
| <b>3 Pin Angle Plugs</b>                             |           |                    |              |
| 3 pin 250V 16A Round Pin                             | IP66      | 56PA316RP-GY-EX    | 3663         |
| 3 Pin 250V 20A Round Pin                             | IP66      | 56PA320-EO         | 7324         |
| 3 Pin 250V 32A Round Pin                             | IP66      | 56PA332-EO         | 8462         |
| <b>4 Pin Angle Plugs</b>                             |           |                    |              |
| 4 Pin 500V 20A Round Pin                             | IP66      | <b>56PA420-EO</b>  | 9011         |
| 4 Pin 500V 32A Round Pin                             | IP66      | <b>56PA432-EO</b>  | 9381         |
| 4 Pin 500V 40A Round Pin                             | IP66      | <b>56PA440-EO</b>  | 15602        |
| 4 Pin 500V 50A Round Pin                             | IP66      | 56PA450-EO         | 11131        |
| <b>5 Pin Angle Plugs</b>                             |           |                    |              |
| 5 Pin 500V 10A Round Pin                             | IP66      | <b>56PA510-EO</b>  | 8857         |
| 5 Pin 500V 20A Round Pin                             | IP66      | 56PA520-EO         | 8857         |
| 5 Pin 500V 32A Round Pin                             | IP66      | 56PA532-EO         | 10136        |
| 5 Pin 500V 40A Round Pin                             | IP66      | 56PA540-EO         | 10823        |
| 5 Pin 500V 50A Round Pin                             | IP66      | 56PA550-EO         | 11080        |
| <b>Combination Switch Socket Outlet</b>              |           |                    |              |
| <b>IP66 Interlocked Switch Socket with Enclosure</b> |           |                    |              |
| 4 Pin 500V 20A Round Pin                             | IP66      | <b>56CVI420-GY</b> | 38717        |
| 5 Pin 500V 20A Round Pin                             | IP66      | <b>56CVI520-GY</b> | 35028        |
| 5 Pin 500V 32A Round Pin                             | IP66      | <b>56CVI532-GY</b> | 35347        |

| Description                                        | Module Width | Reference | Unit MRP [₹] |
|----------------------------------------------------|--------------|-----------|--------------|
| <b>Switchgear Cover Assembly</b>                   |              |           |              |
| For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width) | 4            | 56CB4N-GY | 8027         |



56FA2-GY



56E2-GY



56E1-GY

| Description                             | No. of Gangs | Reference       | Unit MRP [₹] |
|-----------------------------------------|--------------|-----------------|--------------|
| <b>Flush Surrounds</b>                  |              |                 |              |
| Flush Surround                          | 2            | <b>56FA2-GY</b> | 3955         |
| Flush Surround                          | 3            | <b>56FA3-GY</b> | 6227         |
| <b>Mounting Enclosures (Back Boxes)</b> |              |                 |              |
| 101X101X63mm                            | 1            | 56E1-GY         | 1709         |
| 198X101X63mm                            | 2            | 56E2-GY         | 4385         |

\* Mounting Enclosures are temporarily Blocked

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

# SWITCH TO STYLE



Perfect solutions for the perfect you



Anti-Bacterial  
Range

**LIVIA**  
Life. Style.



Miluz ZeTa



Opale



Unica Pure



Unica Pure+



ZENcelo



Avatar On



Unica X



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams.
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



New

New

New

| Description                               | Reference for White | Unit MRP [₹] | Reference for Pristine Grey | Unit MRP [₹] |
|-------------------------------------------|---------------------|--------------|-----------------------------|--------------|
| <b>Switches 10AX / 16AX</b>               |                     |              |                             |              |
| 10AX 1 way switch                         | P1001_P             | 167          | P1001_PG_P                  | 237          |
| 10AX 1 way switch with Indicator lamp     | P1081_P             | 357          | P1081_PG_P                  | 489          |
| 10AX 2 way switch                         | P1002_P             | 276          | P1002_PG_P                  | 342          |
| 16AX 1 way switch                         | P1101_P             | 302          | P1101_PG_P                  | 369          |
| 16AX 1 way switch with Indicator lamp     | P1181_P             | 419          | P1181_PG_P                  | 498          |
| 16AX 1 way switch (2M)                    | P1121_P             | 473          | P1121_PG_P                  | 613          |
| 16AX 2 way switch                         | P1102_P             | 415          | P1102_PG_P                  | 563          |
| <b>Switches 20A / 32A</b>                 |                     |              |                             |              |
| 20A 1 way switch (1M) with indicator lamp | P11201              | 390          | P11201_PG                   | 498          |
| 20A DP switch with Indicator lamp         | P1120               | 712          | P1120_PG                    | 978          |
| 32A DP switch with Indicator lamp         | P1132               | 1003         | P1132_PG                    | 1246         |
| <b>Bell Push</b>                          |                     |              |                             |              |
| 10A Bell Push switch                      | P1005_P             | 309          | P1005_PG_P                  | 421          |
| 10A Bell Push switch (2M)                 | P1025_P             | 465          | P1025_PG_P                  | 650          |
| 10A bell push switch with Indicator       | P1085_P             | 381          | P1085_PG_P                  | 518          |
| 10A bell push switch with Indicator (2M)  | P1086_P             | 494          | P1086_PG_P                  | 676          |
| <b>Sockets</b>                            |                     |              |                             |              |
| 6A 3Pin socket Outlet with shutter (BIS)  | P2005NS_P           | 318          | P2005NS_PG_P                | 390          |
| 10A/16A 3-pin Socket Outlet with Shutter  | P2106_P             | 476          | P2106_PG_P                  | 578          |
| <b>Fan Regulators &amp; Dimmers</b>       |                     |              |                             |              |
| Step type fan regulator (1M)              | P3100               | 992          | P3100_PG                    | 1207         |
| Step type fan regulator (2M)              | P3200               | 1131         | P3200_PG                    | 1412         |
| Dimmer 400W (1M)                          | <b>P3004</b>        | 1889         | <b>P3004_PG</b>             | 2444         |
| Dimmer 1000W (2M)                         | <b>P3012</b>        | 2722         | <b>P3012_PG</b>             | 2984         |
| <b>USB Charger</b>                        |                     |              |                             |              |
| USB Charger                               | P7002               | 2472         | P7002_PG                    | 2874         |
| Livia - A+C Type USB Charger (1M)         | P7004               | 3727         | P7004_PG                    | 3976         |
| <b>Accessories</b>                        |                     |              |                             |              |
| RJ 11 Telephone outlet with shutter       | P4011               | 278          | P4011_PG                    | 383          |
| RJ 45 Cat 5e Data outlet with shutter     | P4045               | 943          | P4045_PG                    | 1131         |
| RJ 45 Cat6 Data outlet with shutter       | P4046               | 1050         | P4046_PG                    | 1338         |
| TV socket                                 | P4500               | 265          | P4500_PG                    | 367          |
| Blank off unit (1M)                       | P0001               | 73           | P0001_PG                    | 97           |
| Foot Lamp with LED                        | P7001               | 1168         | P7001_PG                    | 1391         |
| Cord Outlet                               | -                   | -            | <b>P4550_PG</b>             | 418          |
| LED Phase Indicator                       | P5001               | 456          | -                           | -            |
| Door Chime 2M                             | P3301               | 1218         | P3301_PG                    | 1398         |
| 10A Mini MCB                              | P8010               | 663          | P8010_PG                    | 778          |
| 16A Mini MCB                              | P8016               | 663          | P8016_PG                    | 778          |
| 20A Mini MCB                              | P8020               | 663          | P8020_PG                    | 778          |
| 25A Mini MCB                              | P8025               | 663          | P8025_PG                    | 778          |
| 32A Mini MCB                              | P8032               | 663          | P8032_PG                    | 778          |

\* Available till stocks lasts

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



P6002



P6004



P6011



P6011\_PG

New

| Description                           | Reference for White | Unit MRP [₹] | Reference for Pristine Grey | Unit MRP [₹] |
|---------------------------------------|---------------------|--------------|-----------------------------|--------------|
| <b>Motor Starter Switch</b>           |                     |              |                             |              |
| 25A Motor Starter switch              | P1186MS             | 1721         | P1186MS_PG                  | 2332         |
| <b>Hotel Series</b>                   |                     |              |                             |              |
| DND Switch                            | <b>P6002</b>        | 407          | <b>P6002_PG</b>             | 465          |
| MMR Switch                            | <b>P6004</b>        | 407          | <b>P6004_PG</b>             | 465          |
| DND & MMR Indicator                   | P6013               | 1149         | <b>P6013_PG</b>             | 1480         |
| 20A Key Card Switch - Electronic (3M) | P6005               | 6303         | P6005_PG                    | 8403         |
| Shaver Socket                         | P6011               | 3600         | P6011_PG                    | 4320         |



P0703



P0704



P0706\_PG

| Description                       | Reference for White | Unit MRP [₹] | Reference for Pristine Grey | Unit MRP [₹] |
|-----------------------------------|---------------------|--------------|-----------------------------|--------------|
| <b>Cover Plates</b>               |                     |              |                             |              |
| 1-2M grid & 1M cover frame        | P0701               | 190          | P0701_PG                    | 241          |
| 1-2M grid & 2M cover frame        | P0702               | 188          | P0702_PG                    | 225          |
| 3M grid & 3M cover frame          | P0703               | 238          | P0703_PG                    | 264          |
| 4M grid & 4M cover frame          | P0704               | 275          | P0704_PG                    | 327          |
| 6M grid & 6M cover frame          | P0706               | 348          | P0706_PG                    | 429          |
| 8M grid & 8M cover frame - linear | P0708               | 461          | P0708_PG                    | 539          |
| 8M grid & 8M cover frame - square | P0709               | 537          | P0709_PG                    | 732          |
| 9 M Grid & Cover Plate            | P07010              | 517          | P07010_PG                   | 679          |
| 12M Grid & Cover Plate            | P0712               | 674          | P0712_PG                    | 782          |
| 16M Grid & cover frame            | P07016              | 802          | P07016_PG                   | 924          |
| 18M Grid and cover Plate          | P0718               | 989          | P0718_PG                    | 1276         |



P0706\_AB



P0704\_FS



P0706\_CM

| Description                       | Antique Bronze | Unit MRP [₹] | Frosted Silver | Unit MRP [₹] | Champagne Mist | Unit MRP [₹] |
|-----------------------------------|----------------|--------------|----------------|--------------|----------------|--------------|
| <b>Cover Frame</b>                |                |              |                |              |                |              |
| 1-2M grid & 1M cover frame        | P0701_AB       | 241          | P0701_FS       | 241          | P0701_CM       | 241          |
| 1-2M grid & 2M cover frame        | P0702_AB       | 225          | P0702_FS       | 225          | P0702_CM       | 225          |
| 3M grid & 3M cover frame          | P0703_AB       | 264          | P0703_FS       | 264          | P0703_CM       | 264          |
| 4M grid & 4M cover frame          | P0704_AB       | 327          | P0704_FS       | 327          | P0704_CM       | 327          |
| 6M grid & 6M cover frame          | P0706_AB       | 429          | P0706_FS       | 429          | P0706_CM       | 429          |
| 8M grid & 8M cover frame - linear | P0708_AB       | 539          | P0708_FS       | 539          | P0708_CM       | 539          |
| 8M grid & 8M cover frame - square | P0709_AB       | 732          | P0709_FS       | 732          | P0709_CM       | 732          |
| 9 M Grid & Cover Plate            | P07010_AB      | 679          | P07010_FS      | 679          | P07010_CM      | 679          |
| 12M Grid & Cover Plate            | P0712_AB       | 782          | P0712_FS       | 782          | P0712_CM       | 782          |
| 16M Grid & cover frame            | P07016_AB      | 924          | P07016_FS      | 924          | P07016_CM      | 924          |
| 18M Grid and cover Plate          | P0718_AB       | 1276         | P0718_FS       | 1276         | P0718_CM       | 1276         |


Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



# Miluz ZeTa

Little things, big impact



Glossy White  
+Glossy White switch



Matte Anthracite  
+Matt Anthracite Switch



Metallic  
Champagne Gold  
+Anthracite switch



Metallic  
Warm Grey  
+Metallic Warm Grey  
Switch



Metallic Silver Grey  
+Anthracite switch



Metallic Bronze  
+Anthracite switch

## A Smarter Way to Live:

- Unique 'see-saw' design offering a 'crisp click' experience
- Sleek cover frame shows off a simple yet elegant design
- 6 curated color frames with 3 switch color options

## Durability and Safety:

- The durable copper contact offers enhanced durability and lifespan
- No single pin insertion – offers utmost safety

## Effortless Installation:

- Slotted screws – to facilitate easy & quick installation
- Easy universal alignment – Vertical & Horizontal mounting to optimize space and add flexibility
- Keyhole feature on grid plates enables faster installation

## Seamless Connectivity:

- Seamless compatibility with Wiser™

## Sustainability:

- RoHS, REACH, PEP, EoLI compliance for the highest Environmental Data standards
- Brown paper packaging for better ecological impact

Now Miluz ZeTa comes with the 10 years of warranty



MZSW101M1W\_WH



MZSWI202MDP\_WH



MZSW101M1W\_AN



MZSW101M2W\_AN



MZSW101M1W\_WG



MZSWI202MDP\_WG

| Description                       | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-----------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Switches</b>                   |                     |              |          |                          |              |          |                         |              |          |
| 10A 1 Way Switch                  | MZSW101M1W_WH       | 164          | 20       | MZSW101M1W_AN            | 197          | 20       | MZSW101M1W_WG           | 197          | 20       |
| 10A 1 Way Switch (2M)             | MZSW102M1W_WH       | 374          | 10       | MZSW102M1W_AN            | 449          | 10       | MZSW102M1W_WG           | 449          | 10       |
| 10A 1 Way Switch with Indicator   | MZSWI101M1W_WH      | 363          | 20       | MZSWI101M1W_AN           | 435          | 20       | MZSWI101M1W_WG          | 435          | 20       |
| 10A 1W Switch with Ind (2M)       | MZSWI102M1W_WH      | 442          | 10       | MZSWI102M1W_AN           | 530          | 10       | MZSWI102M1W_WG          | 530          | 10       |
| 10A 2 Way Switch                  | MZSW101M2W_WH       | 300          | 20       | MZSW101M2W_AN            | 361          | 20       | MZSW101M2W_WG           | 361          | 20       |
| 16A 1 Way Switch                  | MZSW161M1W_WH       | 329          | 20       | MZSW161M1W_AN            | 395          | 20       | MZSW161M1W_WG           | 395          | 20       |
| 16A 1 Way Switch (2M)             | MZSW162M1W_WH       | 566          | 10       | MZSW162M1W_AN            | 680          | 10       | MZSW162M1W_WG           | 680          | 10       |
| 16A 1 Way Switch with Indicator   | MZSWI161M1W_WH      | 448          | 20       | MZSWI161M1W_AN           | 537          | 20       | MZSWI161M1W_WG          | 537          | 20       |
| 16A 1W Switch with Indicator (2M) | MZSWI162M1W_WH      | 624          | 10       | MZSWI162M1W_AN           | 748          | 10       | MZSWI162M1W_WG          | 748          | 10       |
| 16A 2Way Switch                   | MZSW161M2W_WH       | 511          | 20       | MZSW161M2W_AN            | 612          | 20       | MZSW161M2W_WG           | 612          | 20       |
| 20A DP Switch with Indicator (2M) | MZSWI202MDP_WH      | 815          | 10       | MZSWI202MDP_AN           | 977          | 10       | MZSWI202MDP_WG          | 977          | 10       |
| 32A DP Switch with Indicator (2M) | MZSWI322MDP_WH      | 1463         | 10       | MZSWI322MDP_AN           | 1614         | 10       | MZSWI322MDP_WG          | 1614         | 10       |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



MZSWI202MDP\_WG



MZMOTSTR2M\_AN



MZMOTSTR2M\_WG

| Description                 | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-----------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Motor Starter Switch</b> |                     |              |          |                          |              |          |                         |              |          |
| 25A Motor Starter Switch    | MZMOTSTR2M_WH       | 2026         | 10       | MZMOTSTR2M_AN            | 2296         | 10       | MZMOTSTR2M_WG           | 2296         | 10       |



MZBP1M\_WH



MZBP1M\_AN



MZBP2M\_WG

| Description                      | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|----------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Bell Push Switch</b>          |                     |              |          |                          |              |          |                         |              |          |
| 6A Bell Push                     | MZBP1M_WH           | 317          | 20       | MZBP1M_AN                | 381          | 20       | MZBP1M_WG               | 381          | 20       |
| 6A Bell Push (2M)                | MZBP2M_WH           | 476          | 10       | MZBP2M_AN                | 571          | 10       | MZBP2M_WG               | 571          | 10       |
| 6A Bell Push with Indicator      | MZBPI1M_WH          | 408          | 20       | MZBPI1M_AN               | 490          | 20       | MZBPI1M_WG              | 490          | 20       |
| 6A Bell Push with Indicator (2M) | MZBPI2M_WH          | 556          | 10       | MZBPI2M_AN               | 666          | 10       | MZBPI2M_WG              | 666          | 10       |



MZSO6162M3P\_WH



MZSO62M3P\_AN



MZSO62M3P\_WG

| Description                   | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Sockets</b>                |                     |              |          |                          |              |          |                         |              |          |
| 6A/16A 3P Socket with Shutter | MZSO6162M3P_WH      | 478          | 10       | MZSO6162M3P_AN           | 608          | 10       | MZSO6162M3P_WG          | 608          | 10       |
| 6A 3 Pin Socket with Shutter  | MZSO62M3P_WH        | 284          | 10       | MZSO62M3P_AN             | 370          | 10       | MZSO62M3P_WG            | 370          | 10       |



MZFR4STP1M\_WH



MZFR5STP2M\_AN



MZDMR1M\_WG

| Description                         | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-------------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Fan Regulators &amp; Dimmers</b> |                     |              |          |                          |              |          |                         |              |          |
| 4-Step Fan Regulator (1M)           | MZFR4STP1M_WH       | 1161         | 20       | MZFR4STP1M_AN            | 1393         | 20       | MZFR4STP1M_WG           | 1393         | 20       |
| 5-Step Fan Regulator (2M)           | MZFR5STP2M_WH       | 1382         | 10       | MZFR5STP2M_AN            | 1659         | 10       | MZFR5STP2M_WG           | 1659         | 10       |
| 400W Dimmer (1M)                    | MZDMR1M_WH          | 1679         | 10       | MZDMR1M_AN               | 2015         | 10       | MZDMR1M_WG              | 2015         | 10       |



MZUSBAC2MPDH\_WH



MZUSBAC1M\_AN



MZUSBAC1M\_WG

| Description                 | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-----------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>USB Charger</b>          |                     |              |          |                          |              |          |                         |              |          |
| 2.1A USB Charger (1M)       | MZUSBA1M_WH         | 2567         | 10       | MZUSBA1M_AN              | 3079         | 10       | MZUSBA1M_WG             | 3079         | 10       |
| 1M 12W A+C Type USB Charger | MZUSBAC1M_WH        | 3559         | 20       | MZUSBAC1M_AN             | 4269         | 20       | MZUSBAC1M_WG            | 4269         | 20       |
| A+C USB Charger PD HziI 2M  | MZUSBAC2MPDH_WH     | 5331         | 10       | MZUSBAC2MPDH_AN          | 6396         | 10       | MZUSBAC2MPDH_WG         | 6396         | 10       |

\*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.





MZRJ111M\_WH



MZHDMI1M\_WH



MZBLANK1M\_AN



MZTV1M\_AN



MZRJ111M\_WG



MZTV1M\_WG

| Description                   | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Accessories</b>            |                     |              |          |                          |              |          |                         |              |          |
| RJ11 Tel Shuttered 1M         | MZRJ111M_WH         | 311          | 10       | MZRJ111M_AN              | 373          | 10       | MZRJ111M_WG             | 373          | 10       |
| RJ45 Cat6 Outlet Shuttered 1M | MZRJ451M_WH         | 1136         | 10       | MZRJ451M_AN              | 1364         | 10       | MZRJ451M_WG             | 1364         | 10       |
| TV Socket 1M                  | MZTV1M_WH           | 293          | 10       | MZTV1M_AN                | 352          | 10       | MZTV1M_WG               | 352          | 10       |
| Preterminated HDMI socket 1M  | <b>MZHDMI1M_WH</b>  | 2036         | 10       | <b>MZHDMI1M_AN</b>       | 2444         | 10       | <b>MZHDMI1M_WG</b>      | 2444         | 10       |
| Door Chime 2M                 | <b>MZDRCHM2M_WH</b> | 1974         | 10       | <b>MZDRCHM2M_AN</b>      | 2370         | 10       | <b>MZDRCHM2M_WG</b>     | 2370         | 10       |
| Blank Off Unit (1M)           | MZBLANK1M_WH        | 76           | 20       | MZBLANK1M_AN             | 92           | 20       | MZBLANK1M_WG            | 92           | 20       |
| LED PhaseInd (Red)            | MZPHSIND1M_RD       | 433          | 10       | -                        | -            | -        | -                       | -            | -        |
| IP Cover 2M, Grey             | MZIPCVR2M_GY*       | 1903         | -        | -                        | -            | -        | -                       | -            | -        |
| IP Cover 3M, Grey             | MZIPCVR3M_GY*       | 2717         | -        | -                        | -            | -        | -                       | -            | -        |



MZKECRDSW2M\_WH



MZDMSW2M\_WH



MZKECRDSW2M\_AN



MZDMSW2M\_AN



MZKECRDSW2M\_WG



MZDMSW2M\_WG

| Description                   | Reference for White   | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-------------------------------|-----------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Hotel Series</b>           |                       |              |          |                          |              |          |                         |              |          |
| Electronic Keycard Switch 2M  | <b>MZKECRDSW2M_WH</b> | 6184         | 4        | <b>MZKECRDSW2M_AN</b>    | 7419         | 4        | <b>MZKECRDSW2M_WG</b>   | 7419         | 4        |
| DND MMR Switch (2M)           | <b>MZDMSW2M_WH</b>    | 1110         | 10       | <b>MZDMSW2M_AN</b>       | 1334         | 10       | <b>MZDMSW2M_WG</b>      | 1334         | 10       |
| 110V Shaver Socket Horizontal | <b>MZSHVRSO3M_WH</b>  | 5711         | 1        | <b>MZSHVRSO3M_AN</b>     | 6853         | 1        | <b>MZSHVRSO3M_WG</b>    | 6853         | 1        |
| DND MMR Indicator             | <b>MZDMI1M_NA</b>     | 864          | 10       | -                        | -            | -        | -                       | -            | -        |



MZSWSO62M\_WH



MZAQI2M\_AN



MZVSP1M\_WG



MZFTLMP2M\_AN

| Description                     | Reference for White     | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|---------------------------------|-------------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Innovative Functions</b>     |                         |              |          |                          |              |          |                         |              |          |
| 6A Switched Socket 2M           | MZSWSO62M_WH            | 511          | 10       | MZSWSO62M_AN             | 666          | 10       | MZSWSO62M_WG            | 666          | 10       |
| Air Quality Indicator, 2M       | <b>MZAQI2M_WH*</b>      | -            | -        | <b>MZAQI2M_AN*</b>       | -            | -        | <b>MZAQI2M_WG*</b>      | -            | -        |
| Voltage Surge Protector 1M      | <b>MZVSP1M_WH</b>       | 3307         | 10       | <b>MZVSP1M_AN</b>        | 3967         | 10       | <b>MZVSP1M_WG</b>       | 3967         | 10       |
| Foot lamp 2M                    | <b>MZFTLMP2M_WH</b>     | 1281         | 10       | <b>MZFTLMP2M_WG</b>      | 1441         | 10       | <b>MZFTLMP2M_AN</b>     | 1441         | 10       |
| Foot lamp with Motion Sensor 2M | <b>MZFTLMPSEN2M_WH*</b> | 4937         | -        | <b>MZFTLMPSEN2M_AN*</b>  | 5925         | -        | <b>MZFTLMPSEN2M_WG*</b> | 5925         | -        |

New



MZMM161P\_WH



MZMM161P\_AN



MZMM161P\_WG

| Description             | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|-------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>MCB</b>              |                     |              |          |                          |              |          |                         |              |          |
| 16 A MCB SP 1 M C curve | MZMM161P_WH         | 1049         | 10       | MZMM161P_AN              | 1259         | 10       | MZMM161P_WG             | 1259         | 10       |
| 20 A MCB SP 1 M C curve | MZMM201P_WH         | 1049         | 10       | MZMM201P_AN              | 1259         | 10       | MZMM201P_WG             | 1259         | 10       |
| 32 A MCB SP 1 M C curve | MZMM321P_WH         | 1049         | 10       | MZMM321P_AN              | 1259         | 10       | MZMM321P_WG             | 1259         | 10       |

\*Prices will be shared on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.





MZCP1M\_WH



MZCP6M\_AN



MZCP4M\_WG


| Description                     | Reference for White | Unit MRP [₹] | Box Qty. | Reference for Anthracite | Unit MRP [₹] | Box Qty. | Reference for Warm Grey | Unit MRP [₹] | Box Qty. |
|---------------------------------|---------------------|--------------|----------|--------------------------|--------------|----------|-------------------------|--------------|----------|
| <b>Cover Plates</b>             |                     |              |          |                          |              |          |                         |              |          |
| 1M or 2M Grid & 1M Cover Frame  | MZCP1M_WH           | 218          | 20       | MZCP1M_AN                | 273          | 20       | MZCP1M_WG               | 273          | 20       |
| 1M or 2M Grid & 2M Cover Frame  | MZCP2M_WH           | 218          | 20       | MZCP2M_AN                | 273          | 20       | MZCP2M_WG               | 273          | 20       |
| 3M Grid & 3M Cover Frame        | MZCP3M_WH           | 275          | 10       | MZCP3M_AN                | 344          | 10       | MZCP3M_WG               | 344          | 10       |
| 3M Uni Grid & 3M Cover Frame    | MZCP3MU_WH          | 301          | 10       | MZCP3MU_AN               | 376          | 10       | MZCP3MU_WG              | 376          | 10       |
| 4M Grid & 4M Cover Frame        | MZCP4M_WH           | 337          | 14       | MZCP4M_AN                | 421          | 14       | MZCP4M_WG               | 421          | 14       |
| 6M Grid & 6M Cover Frame        | MZCP6M_WH           | 426          | 5        | MZCP6M_AN                | 533          | 5        | MZCP6M_WG               | 533          | 5        |
| 8M Grid & 8M Cover Frame Linear | MZCP8MH_WH          | 539          | 5        | MZCP8MH_AN               | 675          | 5        | MZCP8MH_WG              | 675          | 5        |
| 8M Grid & 8M Cover Frame Square | MZCP8MS_WH          | 727          | 5        | MZCP8MS_AN               | 909          | 5        | MZCP8MS_WG              | 909          | 5        |
| 9M Cover Frame + 8M Grid        | MZCP9M_WH           | 690          | 5        | <b>MZCP9M_AN</b>         | 862          | 5        | <b>MZCP9M_WG</b>        | 862          | 5        |
| 12M Grid & 12M Cover Frame      | MZCP12M_WH          | 877          | 5        | MZCP12M_AN               | 1096         | 5        | MZCP12M_WG              | 1096         | 5        |
| 16M Cover Frame & Grid          | MZCP16M_WH          | 1053         | 5        | MZCP16M_AN               | 1317         | 5        | MZCP16M_WG              | 1317         | 5        |
| 18M Grid & 18M Cover Frame      | MZCP18M_WH          | 1216         | 5        | MZCP18M_AN               | 1520         | 5        | MZCP18M_WG              | 1520         | 5        |



MZCP3MU\_CG



MZCP2M\_SG




MZCP8M\_BZ

| Description                     | Reference for Champagne Gold | Unit MRP [₹] | Box Qty. | Reference for Silver Grey | Unit MRP [₹] | Box Qty. | Reference for Bronze | Unit MRP [₹] | Box Qty. |
|---------------------------------|------------------------------|--------------|----------|---------------------------|--------------|----------|----------------------|--------------|----------|
| <b>Cover Plates</b>             |                              |              |          |                           |              |          |                      |              |          |
| 1M or 2M Grid & 1M Cover Frame  | MZCP1M_CG                    | 273          | 20       | MZCP1M_SG                 | 273          | 20       | MZCP1M_BZ            | 273          | 20       |
| 1M or 2M Grid & 2M Cover Frame  | MZCP2M_CG                    | 273          | 20       | MZCP2M_SG                 | 273          | 20       | MZCP2M_BZ            | 273          | 20       |
| 3M Grid & 3M Cover Frame        | MZCP3M_CG                    | 344          | 10       | MZCP3M_SG                 | 344          | 10       | MZCP3M_BZ            | 344          | 10       |
| 3M Uni Grid & 3M Cover Frame    | MZCP3MU_CG                   | 376          | 10       | MZCP3MU_SG                | 376          | 10       | MZCP3MU_BZ           | 376          | 10       |
| 4M Grid & 4M Cover Frame        | MZCP4M_CG                    | 421          | 14       | MZCP4M_SG                 | 421          | 14       | MZCP4M_BZ            | 421          | 14       |
| 6M Grid & 6M Cover Frame        | MZCP6M_CG                    | 533          | 5        | MZCP6M_SG                 | 533          | 5        | MZCP6M_BZ            | 533          | 5        |
| 8M Grid & 8M Cover Frame Linear | MZCP8MH_CG                   | 675          | 5        | MZCP8MH_SG                | 675          | 5        | MZCP8MH_BZ           | 675          | 5        |
| 8M Grid & 8M Cover Frame Square | MZCP8MS_CG                   | 909          | 5        | MZCP8MS_SG                | 909          | 5        | MZCP8MS_BZ           | 909          | 5        |
| 9M Cover Frame + 8M Grid        | <b>MZCP9M_CG</b>             | 862          | 5        | <b>MZCP9M_SG</b>          | 862          | 5        | <b>MZCP9M_BZ</b>     | 862          | 5        |
| 12M Grid & 12M Cover Frame      | MZCP12M_CG                   | 1096         | 5        | MZCP12M_SG                | 1096         | 5        | MZCP12M_BZ           | 1096         | 5        |
| 16M Cover Frame & Grid          | MZCP16M_CG                   | 1317         | 5        | MZCP16M_SG                | 1317         | 5        | MZCP16M_BZ           | 1317         | 5        |
| 18M Grid & 18M Cover Frame      | MZCP18M_CG                   | 1520         | 5        | MZCP18M_SG                | 1520         | 5        | MZCP18M_BZ           | 1520         | 5        |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.


# Wiring Diagram Miluz ZeTa



## > Air Quality Indicator


MZAQI2M\_WH, MZAQI2M\_AN, MZAQI2M\_WG

## Universal LED Dimmer



## > Dimmer

MZDMRUNI1M\_WH, MZDMRUNI1M\_AN,  
MZDMRUNI1M\_WG



## > Door Chime

MZDRCHM2M\_WH, MZDRCHM2M\_AN, MZDRCHM2M\_WG

## 10 Years Warranty T&C

- Schneider Electric shall, at its sole discretion, repair or replace switches upto 16A (without LED indicator/lamp) and or 6A & 16A sockets in white color only if the Product is found to be having manufacturing defect (means defects solely as a result of faulty material and/or workmanship during manufacturing of Product) within 10 years from the date of manufacture of Product or from the date of invoice of Product, whichever is earlier.
- For all other wiring accessories, the warranty shall be 18 months starting from the date of delivery or 24 months from the date of manufacturing, whichever is earlier
- The warranty defines Schneider Electric's overall sole liability which does not include any other liability whatsoever including without limitation consequential losses or damages or re-installation costs arising from or in relation to the defective products.
- Schneider Electric reserves the right to change and/or improve the design of its Products without prior notice
- In any event whatsoever, if same Product with a similar design is not available, the Product will be replaced with an equivalent model available at that time at sole discretion of Schneider Electric.
- ***This warranty for the above products shall be rendered null & void in case of the following:***
  - a. If the original Schneider Electric mounting boxes have not been used to mount the plates & accessories.
  - b. If any attempt has been made to rectify, dismantle, tamper, or alter the product by any third party or by the customer himself.
  - c. If any damage resulting from the use of any cleaning chemicals on the Product which can adversely affect the product material (Like Acetone, Thinner, turpentine Oil etc.)
  - d. If the products are not installed as per the appropriate design specifications
- Warranty facilitations as per the standard process where customer to contact Customer Care Center (Email, Toll Free, chat) with relevant details & Log the complaint.

# Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WHNS



X2106WH



X3200WHCM



X3104WH



X7003WH



X5001

| Description                               | Reference for White | Unit MRP [₹] | Pack | Reference for Coke Grey | Unit MRP [₹] | Pack |
|-------------------------------------------|---------------------|--------------|------|-------------------------|--------------|------|
| <b>Switches</b>                           |                     |              |      |                         |              |      |
| 6AX 1 way switch                          | X1001WH             | 327          | 20   | AAKY1001                | 415          | 20   |
| 6AX 1 way switch with Indicator lamp      | <b>X1081WH</b>      | 614          | 20   | -                       | -            | -    |
| 6AX 2 way switch                          | X1002WH             | 458          | 20   | -                       | -            | -    |
| 16AX 1 way switch                         | X1101WH             | 524          | 20   | AAKY1101                | 663          | 20   |
| 16AX 1 way switch with Indicator lamp     | X1181WH             | 750          | 20   | AAKY1181                | 876          | 20   |
| 16AX 2 way switch                         | X1102WH             | 707          | 20   | -                       | -            | -    |
| 20A DP switch with Indicator (2M)         | X1286WH             | 1239         | 10   | -                       | -            | -    |
| 32A DP switch (2M)                        | AAKX1232            | 1929         | 10   | -                       | -            | -    |
| <b>Motor Starter Switch</b>               |                     |              |      |                         |              |      |
| 25A Motor Starter switch                  | X1186WH             | 3634         | 10   | -                       | -            | -    |
| <b>Bell Push</b>                          |                     |              |      |                         |              |      |
| 6A Bell Push                              | X1005WH             | 513          | 20   | -                       | -            | -    |
| 6A Bell Push (2M)                         | X1025WH             | 734          | 10   | -                       | -            | -    |
| 6A Bell Push with Indicator               | X1085WH             | 1024         | 20   | -                       | -            | -    |
| <b>Sockets</b>                            |                     |              |      |                         |              |      |
| 6A 3-Pin Socket Outlet with Shutter (BIS) | X2005WHNS           | 559          | 10   | AAXY2005NS              | 674          | 10   |
| 6A/16A 3-Pin Socket Outlet with Shutter   | X2106WH             | 862          | 10   | -                       | -            | -    |
| <b>Fan Regulators &amp; Dimmers</b>       |                     |              |      |                         |              |      |
| Step Fan Regulator (1M)                   | X3100CMWH           | 1509         | 10   | AAXY3100CM              | 1881         | 10   |
| Step Type Fan Regulator (2M)              | X3200WHCM           | 2054         | 5    | AAXY3200CM              | 2578         | 5    |
| Dimmer 400W (1M)                          | X3104WH             | 1903         | 10   | -                       | -            | -    |
| Dimmer 400W (2M)                          | X3004WH             | 2961         | 5    | -                       | -            | -    |
| <b>USB Chargers</b>                       |                     |              |      |                         |              |      |
| 2 Gang USB Charger - 2.1A (2M)            | <b>X7003WH</b>      | 5622         | 15   | -                       | -            | -    |
| <b>Accessories</b>                        |                     |              |      |                         |              |      |
| RJ11 Telephone outlet with shutter        | X4011WH             | 469          | 10   | -                       | -            | -    |
| RJ45 Data Outlet with shutter             | X4045WH             | 1558         | 20   | -                       | -            | -    |
| TV Socket                                 | X4500WH             | 423          | 10   | -                       | -            | -    |
| RJ45 Cover for Key Stone Type             | <b>X4050WH</b>      | 627          | 10   | -                       | -            | -    |
| Buzzer                                    | <b>X3300WH</b>      | 2096         | 2    | -                       | -            | -    |
| Blank off unit (1M)                       | X0001WH             | 121          | 10   | -                       | -            | -    |
| Neon Phase Indicator (Red)                | X5001               | 743          | 20   | -                       | -            | -    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

# Opale - Switches with Satin Finish



AAKX6006



AAKX6005

| Description                           | Reference       | Unit MRP [₹] | Pack |
|---------------------------------------|-----------------|--------------|------|
| <b>Hotel Series*</b>                  |                 |              |      |
| Key Tag Switch (Mechanical Type 20 A) | AAKX6005        | 2897         | 1    |
| Shaver Socket                         | <b>AAKX6006</b> | 12779        | 1    |

\*Available in white colour only



X0703



X0704



X0708

| Description                             | Reference for White | Unit MRP [₹] | Pack | Reference for Coke Grey | Unit MRP [₹] | Pack |
|-----------------------------------------|---------------------|--------------|------|-------------------------|--------------|------|
| <b>Cover Plates</b>                     |                     |              |      |                         |              |      |
| 1-2 M Grid & 1 M Cover Frame            | X0701               | 297          | 10   | AAKY0801                | 392          | 10   |
| 1-2 M Grid & 2 M Cover Frame            | X0702               | 315          | 10   | -                       | -            | -    |
| 3 M Grid & 3 M Cover Frame              | X0703               | 372          | 10   | AAKY0803                | 454          | 10   |
| 4 M Grid & 4 M Cover Frame              | X0704               | 437          | 10   | -                       | -            | -    |
| 6 M Grid & 6 M Cover Frame              | X0706               | 609          | 5    | AAKY0806                | 729          | 5    |
| 8 M Grid & 8 M Cover Frame - Horizontal | X0708               | 791          | 5    | -                       | -            | -    |
| 8 M Grid & 8 M Cover Frame - Square     | X0709               | 945          | 5    | -                       | -            | -    |
| 12 M Grid & 12 M Cover Frame            | X0712               | 1122         | 5    | -                       | -            | -    |
| 18 M Grid & 18 M Cover Frame            | AAKX0718            | 1463         | 5    | -                       | -            | -    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# Unica Pure - Irresistibly Beautiful



Wood




Glass



Metal Rhodium  
Black



Sandy Beige



Polar White



Volcanic Grey



Pearl Black



Pewter Grey



Oak

## Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

## Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Plated metal with Plastic over molded Gridplate - Robust, rigid & shock proof gridplate, ensuring durable installation on the metal box

## Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

## Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

## Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

## Irresistibly Versatile


- One Stop Shop - Extensive range covering residential, office, commercial or hospitality
- **Intermediate switches to control multiple 2way switches**

## Unica Pure switches with six patented technologies




### Life Guarded Sockets

Eliminate possibility of Single Pin Insertion making it extra safe for children



### Facile & Guarded Technology

Reduces tension in the switch rocker & increases the longevity of the switch



### Key Hole Feature

Angular and linear adjustments of the gridplate can be easily achieved



### Adjoining (V) Feature Technology

Ensuring perfect alignment of switches



### Self-piercing Terminal

Ensuring completely safe, robust and fast installation

# Unica Pure - Irresistibly Beautiful



UNS61SW1M\_WE



UNS161SWL1M\_WE



UNS162MSWL1M\_WE



UNS10SW1M\_WE



UNS162SW2M\_WE



UNSMTSTART2M\_WE



UNS616SK2M\_WE



UNSSWSO62M\_GY



UNSUSBAC2MPDH\_WE



UNSACUSB1P1M\_WE



UNS5STFAN2M\_WE



UNSHDMI\_WE



UNSCPTVDIG1M\_WE

| Description                                     | Reference for Polar White | Unit MRP [₹] | Pack | Reference for Volcanic Grey | Unit MRP [₹] | Pack |
|-------------------------------------------------|---------------------------|--------------|------|-----------------------------|--------------|------|
| <b>6A Switches</b>                              |                           |              |      |                             |              |      |
| 6AX 1 Way Switch                                | UNS61SW1M_WE              | 263          | 20   | UNS61SW1M_GY                | 308          | 20   |
| 6AX 1 Way Switch With Indicator                 | UNS61SWL1M_WE             | 479          | 20   | UNS61SWL1M_GY               | 550          | 20   |
| 6AX 2 Way Switch                                | UNS62SW1M_WE              | 385          | 10   | UNS62SW1M_GY                | 431          | 10   |
| <b>10A Intermediate Switches</b>                |                           |              |      |                             |              |      |
| 10AX Intermediate Switch                        | UNS10SW1M_WE              | 1825         | 1    | UNS10SW1M_GY                | 2201         | 1    |
| <b>16AX Switches</b>                            |                           |              |      |                             |              |      |
| 16AX 1 Way Switch                               | UNS161SW1M_WE             | 441          | 20   | UNS161SW1M_GY               | 514          | 20   |
| 16AX 1 Way Switch With Indicator                | UNS161SWL1M_WE            | 527          | 20   | UNS161SWL1M_GY              | 613          | 20   |
| 16AX 2 Way Switch, Polar White                  | UNS162SW1M_WE             | 594          | 10   | UNS162SW1M_GY               | 699          | 10   |
| 16A Master Switch, 2 Way, With Locator & Label  | <b>UNS162MSWL1M_WE</b>    | 1379         | 20   | <b>UNS162MSWL1M_GY</b>      | 1630         | 1    |
| 16Ax 2 Way 2M Switch                            | UNS162SW2M_WE             | 606          | 10   | UNS162SW2M_GY               | 720          | 10   |
| 16AX~20A 1Way switch with Neon indicator        | UNS201SWL1M_WE            | 532          | 10   | UNS201SWL1M_GY              | 629          | 10   |
| <b>Double Pole Switches</b>                     |                           |              |      |                             |              |      |
| 20A Double Pole Switch With Indicator           | UNS20DP2M_WE              | 1067         | 10   | UNS20DP2M_GY                | 1257         | 1    |
| 32A Double Pole Switch With Indicator           | UNS32DP2M_WE              | 1572         | 10   | UNS32DP2M_GY                | 1883         | 10   |
| <b>Motor Starter Switch</b>                     |                           |              |      |                             |              |      |
| Motor Starter                                   | UNSMTSTART2M_WE           | 2432         | 10   | UNSMTSTART2M_GY             | 2875         | 10   |
| <b>Bell Switches</b>                            |                           |              |      |                             |              |      |
| 6A Bellpress, 1M                                | UNS6BP1M_WE               | 387          | 20   | UNS6BP1M_GY                 | 453          | 20   |
| 6A Bellpress With Indicator, 1M                 | UNS6BPL1M_WE              | 534          | 20   | UNS6BPL1M_GY                | 639          | 1    |
| 6A Bellpress, 2M, Polar White                   | UNS6BP2M_WE               | 539          | 10   | UNS6BP2M_GY                 | 634          | 1    |
| 6A Bellpress With Indicator, 2M                 | UNS6BPL2M_WE              | 665          | 10   | UNS6BPL2M_GY                | 781          | 1    |
| <b>6A Sockets</b>                               |                           |              |      |                             |              |      |
| 6A 3PIN Sockets outlet with Shutter (BIS)       | UNS6SK3P2MNS_WE           | 553          | 10   | UNS6SK3P2MNS_GY             | 616          | 10   |
| 6A Switched Socket 2M                           | UNSSWSO62M_WE             | 781          | 10   | UNSSWSO62M_GY               | 830          | 10   |
| <b>6/16A Sockets</b>                            |                           |              |      |                             |              |      |
| 6/16A Socket                                    | UNS616SK2M_WE             | 656          | 10   | UNS616SK2M_GY               | 814          | 10   |
| <b>USB Chargers</b>                             |                           |              |      |                             |              |      |
| 2.1A 5V USB Charger, 2 Module                   | UNS21USB2P2M_WE           | 4127         | 10   | UNS21USB2P2M_GY             | 4878         | 1    |
| 2.1A 5V USB Charger, 1 Module                   | UNS21USB1P1M_WE           | 2837         | 20   | UNS21USB1P1M_GY             | 3365         | 20   |
| 2.4A 5V A+C USB Charger, 1 Module               | UNSACUSB1P1M_WE           | 4370         | 10   | UNSACUSB1P1M_GY             | 4914         | 10   |
| USB A+C 21W PDH 2M WE                           | UNSUSBAC2MPDH_WE          | 6262         | 10   | UNSUSBAC2MPDH_GY            | 6917         | 10   |
| <b>Blank Plates</b>                             |                           |              |      |                             |              |      |
| Single Module Blank Plate                       | UNSBLANK1M_WE             | 95           | 20   | UNSBLANK1M_GY               | 106          | 20   |
| <b>Fan Regulators</b>                           |                           |              |      |                             |              |      |
| 4 Steps 360 Deg Fan Regulator, 1M               | UNS4STFAN1M_WE            | 1155         | 20   | UNS4STFAN1M_GY              | 1337         | 20   |
| 5 Steps 360 Deg Fan Regulator, 2M               | UNS5STFAN2M_WE            | 1855         | 10   | UNS5STFAN2M_GY              | 2094         | 10   |
| <b>Emergency Light Indicator</b>                |                           |              |      |                             |              |      |
| Emergency Light Module*                         | <b>UNSEMERGENCY2M_WE</b>  | 16022        | 1    | -                           | -            | -    |
| <b>Network, Connectivity &amp; Media Series</b> |                           |              |      |                             |              |      |
| RJ 11 (WITH Shutter)                            | UNSRJ11_1M_WE             | 378          | 20   | UNSRJ11_1M_GY               | 446          | 20   |
| RJ 45 (WITH Shutter), Cat 6                     | UNSRJ45_1M_WE             | 1379         | 20   | UNSRJ45_1M_GY               | 1597         | 20   |
| TV Socket Coaxial                               | UNSTVCOAX1M_WE            | 397          | 20   | UNSTVCOAX1M_GY              | 470          | 20   |
| Volume Control                                  | <b>UNSVOLCTRL2M_WE</b>    | 3260         | 10   | <b>UNSVOLCTRL2M_GY</b>      | 3888         | 10   |
| HDMI                                            | <b>UNSHDMI_WE</b>         | 2820         | 20   | UNSHDMI_GY                  | 3181         | 20   |
| TV Socket Digital (F-Connector)                 | <b>UNSCPTVDIG1M_WE</b>    | 450          | 1    | -                           | -            | -    |
| PIR Motion Sensor*                              | UNSPIR_WE                 | 13155        | 4    | -                           | -            | -    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



# Unica Pure - Irresistibly Beautiful



UNSEKCSW\_WE



UNSSHAVER\_WE



UNSSKTLT2M\_WE



UNSCURTAINSW2M\_WE



UNSPIR\_WE

| Description                            | Reference for Polar White | Unit MRP [₹] | Pack | Reference for Volcanic Grey | Unit MRP [₹] | Pack |
|----------------------------------------|---------------------------|--------------|------|-----------------------------|--------------|------|
| <b>Hotel Series*</b>                   |                           |              |      |                             |              |      |
| Cord Outlet                            | <b>UNSCORD1M_WE</b>       | 548          | 20   | <b>UNSCORD1M_GY</b>         | 609          | 20   |
| DND / MMR Indicator*                   | <b>UNSDM1M</b>            | 17167        | 20   | -                           | -            | -    |
| DND/MMR Indicator v.2                  | <b>UNSDM1M_WE</b>         | 2178         | -    | UNSDM1M_GY                  | 2489         | -    |
| DND Switch                             | UNSDNDSW1M_WE             | 737          | 10   | UNSDNDSW1M_GY               | 899          | 10   |
| MMR Switch                             | UNSMMRSW1M_WE             | 737          | 10   | UNSMMRSW1M_GY               | 899          | 10   |
| SW DND MMR with interlock              | UNSDNDMMRSW2M_WE          | 1228         | 10   | UNSDNDMMRSW2M_GY            | 1472         | 10   |
| Electronic Keycard Switch, White       | UNSEKCSW_WE               | 9803         | 5    | UNSEKCSW_GY                 | 11331        | 5    |
| Electronic Keycard Switch, Sandy Beige | <b>UNSEKCSW_CL</b>        | 10241        | 5    | <b>UNSEKCSW_CD</b>          | 10104        | 5    |
| Curtain Control Switch                 | <b>UNSCURTAINSW2M_WE</b>  | 1385         | 10   | <b>UNSCURTAINSW2M_GY</b>    | 1606         | 10   |
| Shaver Socket                          | UNSSHAVER_WE              | 10234        | 1    | UNSSHAVER_GY                | 11162        | 1    |
| Skirt Light with LED, 2M               | UNSSKTLT2M_WE             | 1829         | 10   | UNSSKTLT2M_GY               | 2141         | 10   |
| Door Chime 230V AC 2M                  | UNSICHIME2M_WE            | 1824         | -    | UNSICHIME2M_GY              | 2000         | -    |

\* Fully compatible with Miluz & Unica Pure



UNSPHASEG1M



UNSPHASER1M

| Description                 | Reference          | Unit MRP [₹] | Pack |
|-----------------------------|--------------------|--------------|------|
| <b>LED Phase Indicator</b>  |                    |              |      |
| LED Phase Indicator, Red    | UNSPHASER1M        | 672          | 20   |
| LED Phase Indicator, Green  | UNSPHASEG1M        | 672          | 20   |
| LED Phase Indicator, Yellow | <b>UNSPHASEY1M</b> | 672          | 20   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# Unica Pure - Irresistibly Beautiful



UNPGP2M



UNPGP6M

| Description                                    | Reference for Gridplate | Unit MRP [₹] | Pack |
|------------------------------------------------|-------------------------|--------------|------|
| <b>Cover Plates</b>                            |                         |              |      |
| 2 Module Gridplate (Fixing Frame) Only         | UNPGP2M                 | 222          | 4    |
| 3 Module Gridplate (Fixing Frame) Only         | UNPGP3M                 | 271          | 9    |
| 4 Module Gridplate (Fixing Frame) Only         | UNPGP4M                 | 312          | 8    |
| 6 Module Gridplate (Fixing Frame) Only         | UNPGP6M                 | 425          | 9    |
| 8 Module Gridplate (Fixing Frame) Only, Linear | UNPGP8ML                | 438          | 9    |
| 8 Module Gridplate (Fixing Frame) Only, Square | UNPGP8MSQ               | 560          | 6    |
| 9 Module Gridplate (Fixing Frame) Only         | UNPGP9M                 | 583          | 6    |
| 12 Module Gridplate (Fixing Frame) Only        | UNPGP12M                | 654          | 6    |
| 16 Module Gridplate (Fixing Frame) Only        | UNPGP16M                | 795          | 6    |
| 18 Module Gridplate (Fixing Frame) Only        | UNPGP18M                | 901          | 6    |



UNPSP2M\_WD



UNPSP6M\_WD


| Description                            | Reference for Oak Wood | Unit MRP [₹] | Pack |
|----------------------------------------|------------------------|--------------|------|
| <b>Cover Plates</b>                    |                        |              |      |
| 1 Module Wood Cover Frame Only         | UNPSP1M_WD             | 3253         | 6    |
| 2 Module Wood Cover Frame Only         | UNPSP2M_WD             | 3457         | 6    |
| 3 Module Wood Cover Frame Only         | UNPSP3M_WD             | 4279         | 6    |
| 4 Module Wood Cover Frame Only         | UNPSP4M_WD             | 4952         | 6    |
| 6 Module Wood Cover Frame Only         | UNPSP6M_WD             | 7066         | 3    |
| 8 Module Wood Cover Frame Only, Linear | UNPSP8ML_WD            | 8587         | 3    |
| 8 Module Wood Cover Frame Only, Square | <b>UNPSP8MSQ_WD</b>    | 10243        | 6    |
| 12 Module Wood Cover Frame Only        | UNPSP12M_WD            | 13695        | 6    |



UNPSP2M\_GW



UNPSP6M\_GW



UNPSP2M\_GB



UNPSP6M\_GB

| Description                            | Reference for Aqua Glass | Unit MRP [₹] | Pack | Reference for Pearl Black Glass | Unit MRP [₹] | Pack |
|----------------------------------------|--------------------------|--------------|------|---------------------------------|--------------|------|
| <b>Cover Plates</b>                    |                          |              |      |                                 |              |      |
| 1 Module Aqua Glass Cover Frame Only   | UNPSP1M_GW               | 1798         | 6    | UNPSP1M_GB                      | 2129         | 6    |
| 2 Module Aqua Glass Cover Frame Only   | UNPSP2M_GW               | 2023         | 6    | UNPSP2M_GB                      | 2395         | 6    |
| 3 Module Aqua Glass Cover Frame Only   | UNPSP3M_GW               | 2278         | 6    | UNPSP3M_GB                      | 2603         | 6    |
| 4 Module Aqua Glass Cover Frame Only   | UNPSP4M_GW               | 2381         | 6    | UNPSP4M_GB                      | 2822         | 6    |
| 6 Module Aqua Glass Cover Frame Only   | UNPSP6M_GW               | 4301         | 3    | UNPSP6M_GB                      | 4933         | 3    |
| 8M Aqua Glass Cover Frame Only, Linear | UNPSP8ML_GW              | 4887         | 3    | UNPSP8ML_GB                     | 5757         | 3    |
| 8M Aqua Glass Cover Frame Only, Square | UNPSP8MSQ_GW             | 6190         | 6    | UNPSP8MSQ_GB                    | 7295         | 6    |
| 12 Module Aqua Glass Cover Frame Only  | UNPSP12M_GW              | 7714         | 6    | UNPSP12M_GB                     | 9078         | 6    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026


# Unica Pure - Irresistibly Beautiful



UNPSP2M\_ML



UNPSP6M\_ML



UNPSP2M\_MD



UNPSP6M\_MD


| Description                             | Reference for Pewter Grey Metal | Unit MRP [₹] | Pack | Reference for Black Metal | Unit MRP [₹] | Pack |
|-----------------------------------------|---------------------------------|--------------|------|---------------------------|--------------|------|
| <b>Cover Plates</b>                     |                                 |              |      |                           |              |      |
| 1 Module Pw Grey Metal Cover Frame Only | UNPSP1M_ML                      | 3213         | 6    | UNPSP1M_MD                | 3213         | 6    |
| 2 Module Pw Grey Metal Cover Frame Only | UNPSP2M_ML                      | 3566         | 6    | UNPSP2M_MD                | 3566         | 6    |
| 3 Module Pw Grey Metal Cover Frame Only | UNPSP3M_ML                      | 4060         | 6    | UNPSP3M_MD                | 4060         | 6    |
| 4 Module Pw Grey Metal Cover Frame Only | UNPSP4M_ML                      | 4267         | 6    | UNPSP4M_MD                | 4267         | 6    |
| 6 Module Pw Grey Metal Cover Frame Only | UNPSP6M_ML                      | 7557         | 3    | UNPSP6M_MD                | 7557         | 3    |
| 8Module Pw Grey Metal CF Only, Linear   | UNPSP8ML_ML                     | 8514         | 3    | UNPSP8ML_MD               | 8514         | 3    |
| 8 Module Pw Grey Metal CF Only, Suare   | UNPSP8MSQ_ML                    | 10814        | 6    | UNPSP8MSQ_MD              | 10814        | 6    |
| 12Module Pw Grey Metal Cover Frame Only | UNPSP12M_ML                     | 13415        | 6    | UNPSP12M_MD               | 13415        | 6    |



UNSCP2M\_WE



UNSCP6M\_WE



UNSCP2M\_GY



UNSCP6M\_GY



UNSCP2M\_CD



UNSCP6M\_CD



UNSCP2M\_CL



UNSCP6M\_CL

| Description                                     | Reference for Molded Polar White | Unit MRP [₹] | Pack | Reference for Molded Volcanic Grey | Unit MRP [₹] | Pack | Reference for Painted Mocha Brown | Unit MRP [₹] | Pack | Reference for Painted Sandy Biege | Unit MRP [₹] | Pack |
|-------------------------------------------------|----------------------------------|--------------|------|------------------------------------|--------------|------|-----------------------------------|--------------|------|-----------------------------------|--------------|------|
| <b>Cover Plates</b>                             |                                  |              |      |                                    |              |      |                                   |              |      |                                   |              |      |
| 1 Module Plastic Surround and Gridplate         | UNSCP1M_WE                       | 309          | 20   | UNSCP1M_GY                         | 439          | 20   | <b>UNSCP1M_CD</b>                 | 592          | 20   | UNSCP1M_CL                        | 603          | 20   |
| 2 Module Plastic Surround and Gridplate         | UNSCP2M_WE                       | 345          | 20   | UNSCP2M_GY                         | 492          | 20   | UNSCP2M_CD                        | 661          | 20   | UNSCP2M_CL                        | 683          | 20   |
| 3 Module Plastic Surround and Gridplate         | UNSCP3M_WE                       | 394          | 10   | UNSCP3M_GY                         | 560          | 10   | UNSCP3M_CD                        | 769          | 10   | UNSCP3M_CL                        | 767          | 10   |
| 4 Module Plastic Surround and Gridplate         | UNSCP4M_WE                       | 416          | 14   | UNSCP4M_GY                         | 599          | 14   | UNSCP4M_CD                        | 804          | 14   | UNSCP4M_CL                        | 804          | 14   |
| 6 Module Plastic Surround and Gridplate         | UNSCP6M_WE                       | 725          | 5    | UNSCP6M_GY                         | 1035         | 5    | UNSCP6M_CD                        | 1384         | 5    | UNSCP6M_CL                        | 1432         | 5    |
| 8 Module Plastic Surround and Gridplate, Linear | UNSCP8ML_WE                      | 816          | 5    | UNSCP8ML_GY                        | 1155         | 5    | UNSCP8ML_CD                       | 1562         | 5    | UNSCP8ML_CL                       | 1591         | 5    |
| 8 Module Plastic Surround and Gridplate, Square | UNSCP8MSQ_WE                     | 1056         | 10   | UNSCP8MSQ_GY                       | 1601         | 10   | UNSCP8MSQ_CD                      | 1976         | 10   | UNSCP8MSQ_CL                      | 1976         | 5    |
| 9 Module Plastic Surround and Gridplate         | UNSCP9M_WE                       | 1326         | 5    | UNSCP9M_GY                         | 2069         | 5    | -                                 | -            | -    | -                                 | -            | -    |
| 12 Module Plastic Surround and Gridplate        | UNSCP12M_WE                      | 1476         | 5    | UNSCP12M_GY                        | 2596         | 5    | UNSCP12M_CD                       | 2498         | 5    | UNSCP12M_CL                       | 2494         | 5    |
| 16 Module Plastic Surround and Gridplate        | UNSCP16M_WE                      | 1816         | 5    | UNSCP16M_GY                        | 3134         | 5    | UNSCP16M_CD                       | 3381         | 5    | UNSCP16M_CL                       | 3381         | 5    |
| 18 Module Plastic Surround and Gridplate        | UNSCP18M_WE                      | 1883         | 1    | UNSCP18M_GY                        | 3345         | 1    | UNSCP18M_CD                       | 3624         | 1    | UNSCP18M_CL                       | 3624         | 1    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

# Unica Pure

## Unica Pure+ New

### The Full Flat Face of Unica

## A Full-Flat Experience, Refined to Perfection



Unica Pure+ builds on an iconic full-flat design that complements modern Indian aesthetics, clean, refined, and elegantly minimal.

Ideal for luxury residences, boutique hotels, and premium workspaces, Unica Pure+ elevates every environment with subtle sophistication.

### Built on Strength, Designed for Safety, Made to Last

#### Robust Unica Platform

Engineered with modular grids and genuine, long-lasting components.

#### Safety You Can Trust

Child-safe shutters, guarded mechanics, and durability proven through rigorous testing.

#### Soft, Smooth Interaction

Low-noise, soft-touch switches that bring calmness and ease to every use.



#### Compact Flat Switch

Optimized Flat Switch Terminal Assembly with Enhanced Wiring Accessibility

## Unica Pure+ Cover Frames


The new Unica Pure+ cover frames blend effortlessly with any wall, creating a pure, uninterrupted plane that elevates contemporary interiors.

### Key Features that Elevate Every Space

- > Complete One-Stop Solution
- > New Cover Frames
- > Switches with LED ON/OFF Indicators
- > Precision-Aligned Switching

### Key Benefits

- > Designed for modern Indian interiors
- > Future-ready ecosystem built to evolve with your needs
- > Consistent design DNA across any project size
- > A timeless blend of functionality and elegance




#### Note:

Mix and match Unica Pure+ switches or cover frames with the Unica Pure range to create a seamless look that perfectly complements your interior style.

## Introducing Unica Pure+ Switches

The latest extension of the Unica Pure series




UN6FSW1W1M\_WE



UN6FSW2W1M\_WE



UN16FSW1W1M\_WE



UN16FSW2W2M\_WE



UN6FB2M\_WE



UN32FDPSW2M\_WE



UNFDMIL2M\_WE



UNFCUR2M\_WE



NUPCEKCSW\_WE

| Description                                          | Reference for Polar White | Unit MRP [₹] | Pack | Reference for Volcanic Grey | Unit MRP [₹] | Pack |
|------------------------------------------------------|---------------------------|--------------|------|-----------------------------|--------------|------|
| <b>6A Switches</b>                                   |                           |              |      |                             |              |      |
| 6AX 1 Way Switch With Indicator                      | UN6FSW1W1M_WE             | 407          | 20   | UN6FSW1W1M_GY               | 468          | 20   |
| 6AX 2 Way Switch, 1M                                 | UN6FSW2W1M_WE             | 578          | 20   | UN6FSW2W1M_GY               | 647          | 20   |
| 6AX 2 Way Switch, 2M                                 | UN6FSW2W2M_WE             | 693          | 10   | UN6FSW2W2M_GY               | 776          | 10   |
| <b>16A Switches</b>                                  |                           |              |      |                             |              |      |
| 16AX 1 Way Switch With Indicator                     | UN16FSW1W1M_WE            | 764          | 20   | UN16FSW1W1M_GY              | 889          | 20   |
| 16AX 2 Way Switch, 1M                                | UN16FSW2W1M_WE            | 861          | 20   | UN16FSW2W1M_GY              | 1014         | 20   |
| 16AX 2 Way Switch, 2M                                | UN16FSW2W2M_WE            | 879          | 10   | UN16FSW2W2M_GY              | 1044         | 10   |
| <b>Double Pole Switches</b>                          |                           |              |      |                             |              |      |
| 20A Double Pole Switch With Indicator                | UN20FDPSW2M_WE            | 1494         | 10   | UN20FDPSW2M_GY              | 1760         | 10   |
| 32A Double Pole Switch With Indicator                | UN32FDPSW2M_WE            | 2201         | 10   | UN32FDPSW2M_GY              | 2636         | 10   |
| <b>Bell Switches</b>                                 |                           |              |      |                             |              |      |
| 6A Bellpress With Indicator, 1M                      | UN6FB1M_WE                | 774          | 20   | UN6FB1M_GY                  | 927          | 20   |
| 6A Bellpress With Indicator, 2M                      | UN6FB2M_WE                | 964          | 10   | UN6FB2M_GY                  | 1132         | 10   |
| <b>Hotel Series</b>                                  |                           |              |      |                             |              |      |
| DND Switch                                           | UNFDND1M_WE               | 1106         | 10   | UNFDND1M_GY                 | 1349         | 10   |
| MMR Switch                                           | UNFMMR1M_WE               | 1106         | 10   | UNFMMR1M_GY                 | 1349         | 10   |
| SW DND MMR With Interlock                            | UNFDMIL2M_WE              | 1781         | 10   | UNFDMIL2M_GY                | 2208         | 10   |
| Curtain Controll Switch                              | UNFCUR2M_WE               | 2078         | 10   | UNFCUR2M_GY                 | 2409         | 10   |
| Electronic Keycard Switch                            | NUPCEKCSW_WE              | 14705        | 4    | NUPCEKCSW_GY                | 15354        | 4    |
| Electronic Keycard Switch, Warm Grey & Silver Bronze | NUPCEKCSW_WG              | 15355        | 4    | NUPCEKCSW_SZ                | 15355        | 4    |

### Note:

All mechanisms other than the switches mentioned above can be used from the Unica Pure range only, as they are common across the series

Please contact Customer Care Center for Stockable and Non stockable status of references.


\*Bold references are MTO reference.



NUPC3M\_WE



NUPC3M\_GY



NUPC3M\_SZ




NUPC3M\_WG

| Description                                 | Reference for Polar White | Unit MRP [₹] | Pack | Reference for Volcanic Grey | Unit MRP [₹] | Pack | Reference for Silver Bronze | Unit MRP [₹] | Pack | Reference for Warm Grey | Unit MRP [₹] | Pack |
|---------------------------------------------|---------------------------|--------------|------|-----------------------------|--------------|------|-----------------------------|--------------|------|-------------------------|--------------|------|
| <b>Cover Plates</b>                         |                           |              |      |                             |              |      |                             |              |      |                         |              |      |
| 1 Module Plastic Surround and Plate         | NUPC1M_WE                 | 94           | 20   | NUPC1M_GY                   | 228          | 20   | NUPC1M_SZ                   | 296          | 20   | NUPC1M_WG               | 296          | 20   |
| 2 Module Plastic Surround and Plate         | NUPC2M_WE                 | 116          | 20   | NUPC2M_GY                   | 270          | 20   | NUPC2M_SZ                   | 351          | 20   | NUPC2M_WG               | 351          | 20   |
| 3 Module Plastic Surround and Plate         | NUPC3M_WE                 | 128          | 10   | NUPC3M_GY                   | 304          | 10   | NUPC3M_SZ                   | 399          | 10   | NUPC3M_WG               | 399          | 10   |
| 4 Module Plastic Surround and Plate         | NUPC4M_WE                 | 132          | 14   | NUPC4M_GY                   | 330          | 14   | NUPC4M_SZ                   | 418          | 14   | NUPC4M_WG               | 418          | 14   |
| 6 Module Plastic Surround and Plate         | NUPC6M_WE                 | 256          | 5    | NUPC6M_GY                   | 488          | 5    | NUPC6M_SZ                   | 700          | 5    | NUPC6M_WG               | 700          | 5    |
| 8 Module Plastic Surround and Plate, Linear | NUPC8ML_WE                | 322          | 5    | NUPC8ML_GY                  | 574          | 5    | NUPC8ML_SZ                  | 800          | 5    | NUPC8ML_WG              | 800          | 5    |
| 8 Module Plastic Surround and Plate, Square | NUPC8MSQ_WE               | 422          | 5    | NUPC8MSQ_GY                 | 750          | 5    | NUPC8MSQ_SZ                 | 850          | 5    | NUPC8MSQ_WG             | 850          | 5    |
| 9 Module Plastic Surround and Plate         | NUPC9M_WE                 | 521          | 5    | NUPC9M_GY                   | 1100         | 5    | -                           | -            | -    | -                       | -            | -    |
| 12 Module Plastic Surround and Plate        | NUPC12M_WE                | 576          | 5    | NUPC12M_GY                  | 1400         | 5    | NUPC12M_SZ                  | 1500         | 5    | NUPC12M_WG              | 1500         | 5    |
| 16 Module Plastic Surround and Plate        | NUPC16M_WE                | 716          | 5    | NUPC16M_GY                  | 1700         | 5    | NUPC16M_SZ                  | 1850         | 5    | NUPC16M_WG              | 1850         | 5    |
| 18 Module Plastic Surround and Plate        | NUPC18M_WE                | 787          | 5    | NUPC18M_GY                  | 1850         | 5    | NUPC18M_SZ                  | 2000         | 5    | NUPC18M_WG              | 2000         | 5    |


**Note:**

Cover plate does not include the grid plate. Please refer to the **Unica Pure Grid Plate**


# Wiring Diagram Unica Pure



> 10AX Intermediate Switch  
UNS10SW1M\_WE, UNS10SW1M\_GY




> 20A Double Pole Switch With Indicator  
UNS20DP2M\_WE, UNS20DP2M\_GY




> 32A Double Pole Switch With Indicator  
UNS32DP2M\_WE, UNS32DP2M\_GY




# Wiring Diagram Unica Pure




> Curtain Control Switch  
UNSCURTAINSW2M\_WE



> PIR Motion Sensor\*  
UNSPIR\_WE




> PIR Motion Sensor\*  
UNSPIR\_WE




> PIR Motion Sensor\*  
UNSPIR\_WE

# Wiring Diagram Unica Pure




> DND/MMR Indicator v.2 > Do Not Disturb Switch  
 > Make My Room Switch > DND Switch  
 > MMR Switch

UNSDM1M\_WE, UNSDM1M\_GY, UNSDNDSW1M\_WE,  
 UNSDNDSW1M\_GY, UNSMMRSW1M\_WE, UNSMMRSW1M\_GY



> Unica Pure Key Card

UNSEKCSW\_WE, UNSEKCSW\_GY,  
 UNSEKCSW\_CL, UNSEKCSW\_CD



> SW DNDMMR with interlock

UNSDNDMMRSW2M\_WE & UNSDNDMMRSW2M\_GY

# ZENcelo India - The Revolutionary Full-Flat Switch




- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**
- **All Dark Grey references covered with electrostatic protective film**
- **Intermediate switches to control multiple 2way switches**
- **16AX~20A 1 Way 2G Switch (1M) - IN8444/16: Single: switch to control two loads**



IN8401

IN8401/16



IN8444/16

IN8486/20



IN8405

IN8425



IN84SFR

IN8404D



IN8426/16

IN8425MS



IN8431RJS4

IN8431AC21USB\_BZ



INH8451

INH8454

| Description                                 | Reference for White | Unit MRP [₹] | Pack | Reference for Dark Grey | Unit MRP [₹] | Pack |
|---------------------------------------------|---------------------|--------------|------|-------------------------|--------------|------|
| <b>Switches</b>                             |                     |              |      |                         |              |      |
| 6AX 1 Way switch                            | IN8401              | 552          | 10   | IN8401(BZ)              | 691          | 10   |
| 6AX 1 Way switch (2M)                       | <b>IN8421</b>       | 991          | 10   | <b>IN8421(BZ)</b>       | 1173         | 10   |
| 6AX 2 Way switch                            | IN8402              | 691          | 10   | IN8402(BZ)              | 831          | 10   |
| 6AX 1 Way switch with Neon                  | IN8481              | 887          | 10   | IN8481(BZ)              | 1061         | 10   |
| 16AX~20A 1 Way switch                       | IN8401/16           | 843          | 10   | IN8401/16(BZ)           | 1026         | 10   |
| 16AX~20A 1 Way switch (2M)                  | IN8421/16           | 1311         | 10   | -                       | -            | -    |
| 16AX~20A 1 Way switch with Neon             | IN8481/16           | 1209         | 10   | IN8481/16(BZ)           | 1433         | 10   |
| 16AX~20A 1 Way switch with Neon (2M)        | <b>IN8482/16</b>    | 1549         | 10   | <b>IN8482/16(BZ)</b>    | 1840         | 10   |
| 16AX~20A 2 Way switch                       | IN8402/16           | 1196         | 10   | IN8402/16(BZ)           | 1551         | 10   |
| 16AX~20A 2 Way switch (2M)                  | IN8422/16           | 1433         | 10   | IN8422/16(BZ)           | 1848         | 10   |
| 16AX~20A 1 Way 2G switch (1M)               | IN8444/16           | 1377         | 10   | IN8444/16(BZ)           | 1677         | 10   |
| 10AX Intermediate switch                    | IN8430/IM           | 2326         | 10   | -                       | -            | -    |
| 6A Momentary Switch                         | <b>IN8487</b>       | 1149         | 10   | <b>IN8487_BZ</b>        | 1357         | -    |
| 20A DP Switch with Neon (2M)                | IN8486/20           | 1845         | 5    | IN8486/20(BZ)           | 2550         | 5    |
| 32A DP Switch with Neon (2M)                | IN8486/32           | 2871         | 5    | IN8486/32(BZ)           | 3642         | 5    |
| <b>Motor Starter Switch</b>                 |                     |              |      |                         |              |      |
| 25A Motor Starter switch (2M)               | IN8425MS            | 4986         | 10   | IN8425MS(BZ)            | 5331         | 10   |
| <b>Bell Push</b>                            |                     |              |      |                         |              |      |
| 6A Bell Push switch                         | IN8405              | 784          | 10   | IN8405(BZ)              | 1005         | 10   |
| 6A Bell Push switch (2M)                    | IN8425              | 1274         | 10   | <b>IN8425(BZ)</b>       | 1600         | 10   |
| 6A Bell Push switch with Neon               | IN8485              | 1151         | 10   | IN8485(BZ)              | 1356         | 10   |
| 6A Bell Push switch with Neon (2M)          | IN8486              | 1347         | 10   | IN8486(BZ)              | 1761         | 10   |
| <b>Sockets</b>                              |                     |              |      |                         |              |      |
| 6A 3 PIN Socket Outlet with Shutter (BIS)   | IN8426UNS           | 911          | 10   | IN8426UNS_BZ            | 1104         | 10   |
| 6A/16A 3 Pin Socket with Shutter            | IN8426/16           | 1356         | 10   | IN8426/16(BZ)           | 1661         | 10   |
| <b>Fan Regulators &amp; Dimmers</b>         |                     |              |      |                         |              |      |
| Fan Control (5 Speeds)                      | IN84SFR             | 3438         | 5    | IN84SFR(BZ)             | 4127         | 5    |
| Full Flat 500W Dimmer Module (1 Gang)       | IN8404D             | 3123         | 10   | IN8404D(BZ)             | 3700         | 10   |
| <b>USB Chargers</b>                         |                     |              |      |                         |              |      |
| 1 Gang USB Charger - 2.1A (1M)              | IN8431USB_WE        | 5254         | 10   | IN8431USB_BZ            | 6029         | 10   |
| 2.4A 5V A+C USB Charger (1M)                | IN8431AC21USB_WE    | 5222         | 10   | IN8431AC21USB_BZ        | 5985         | 10   |
| <b>Accessories</b>                          |                     |              |      |                         |              |      |
| RJ11 Telephone Outlet with shutter (1 Gang) | IN8431RJS4          | 825          | 10   | IN8431RJS4(BZ)          | 1015         | 10   |
| RJ45 Cat6 Data Outlet with shutter          | IN8431RJ6           | 2912         | 10   | IN8431RJ6(BZ)           | 3557         | 10   |
| TV Socket                                   | IN8431TV            | 630          | 10   | IN8431TV(BZ)            | 810          | 10   |
| Foot Lamp with White LED (2M)               | IN8490FLW           | 6622         | 10   | -                       | -            | -    |
| Foot Lamp with Yellow LED (2M)              | IN8490FLY           | 6458         | 10   | -                       | -            | -    |
| Blank off unit (1M)                         | IN8430X             | 206          | 10   | IN8430X(BZ)             | 254          | 10   |
| Door Chime 230VAC 2M                        | INCHIME8488         | 3196         | -    | INCHIME8488_BZ          | 3575         | -    |
| <b>Hotel Series</b>                         |                     |              |      |                         |              |      |
| Do Not Disturb Panel                        | <b>INH8451</b>      | 5204         | 10   | INH8451(BZ)             | 5882         | 10   |
| Make My Room Panel                          | <b>INH8454</b>      | 4864         | 10   | INH8454(BZ)             | 5428         | 10   |
| Do Not Disturb Switch                       | <b>INH8452</b>      | 2583         | 10   | INH8452(BZ)             | 2851         | 10   |
| Do Not Disturb Switch (2M)                  | -                   | -            | -    | <b>INH8453(BZ)</b>      | 3197         | 10   |
| Make My Room Switch                         | <b>INH8455</b>      | 2524         | 10   | INH8455(BZ)             | 3006         | 10   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

# ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)




IN84012C(SA)

| Description                           | Reference for White | Unit MRP [₹] | Pack | Reference for Dark Grey | Unit MRP [₹] | Pack | Reference for Silver Bronze | Unit MRP [₹] | Pack | Reference for Satin Silver | Unit MRP [₹] | Pack |
|---------------------------------------|---------------------|--------------|------|-------------------------|--------------|------|-----------------------------|--------------|------|----------------------------|--------------|------|
| <b>Cover Plates</b>                   |                     |              |      |                         |              |      |                             |              |      |                            |              |      |
| 1M Grid & 1M Cover Frame              | IN8401C             | 553          | 10   | IN8401C(BZ)             | 698          | 10   | IN8401C(SZ)                 | 1641         | 10   | <b>IN8401C(SA)</b>         | 1801         | 10   |
| 2M Grid & 2M Cover Frame              | IN8402C             | 580          | 10   | IN8402C(BZ)             | 733          | 10   | IN8402C(SZ)                 | 1625         | 10   | IN8402C(SA)                | 1782         | 10   |
| 3M Grid & 3M Cover Frame              | IN8403C             | 682          | 10   | IN8403C(BZ)             | 864          | 10   | IN8403C(SZ)                 | 1997         | 10   | IN8403C(SA)                | 2191         | 10   |
| 4M Grid & 4M Cover Frame              | IN8404C             | 744          | 10   | IN8404C(BZ)             | 1015         | 10   | IN8404C(SZ)                 | 2400         | 10   | IN8404C(SA)                | 2635         | 10   |
| 6M Grid & 6M Cover Frame              | IN8406C             | 1135         | 5    | IN8406C(BZ)             | 1442         | 5    | IN8406C(SZ)                 | 3295         | 5    | IN8406C(SA)                | 3650         | 5    |
| 8M Grid & 8M Cover Frame - Horizontal | IN8408HC            | 1361         | 5    | IN8408HC(BZ)            | 1724         | 5    | IN8408HC(SZ)                | 4494         | 5    | IN8408HC(SA)               | 4932         | 5    |
| 8M Grid & 8M Cover Frame - Square     | IN8408SC            | 1815         | 5    | IN8408SC(BZ)            | 2659         | 5    | -                           | -            | -    | <b>IN8408SC(SA)</b>        | 5987         | 5    |
| 9M Grid & 9M Cover Frame              | <b>IN8409C</b>      | 2499         | 5    | -                       | -            | -    | <b>IN8409C(SZ)</b>          | 7544         | 5    | -                          | -            | -    |
| 12M Grid & 12M Cover Frame            | IN84012C            | 3011         | 5    | IN84012C(BZ)            | 3927         | 5    | IN84012C(SZ)                | 10145        | 5    | <b>IN84012C(SA)</b>        | 11134        | 5    |
| 18M Grid & 18M Cover Frame            | IN84018C            | 4247         | 5    | IN84018C(BZ)            | 5812         | 5    | IN84018C(SZ)                | 13428        | 5    | <b>IN84018C(SA)</b>        | 14739        | 5    |


Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.


# Wiring Diagram ZENcelo



> 10AX Intermediate Switch  
IN8430/IM, IN8430/IM (BZ)




> 16AX~20A 1 Way 2G Switch (1M)  
IN8444/16, IN8444/16 (BZ)




> 20A DP Switch with Neon (2M)  
IN8486/20, IN8486/20 (BZ)

# Wiring Diagram ZENcelo




## > 32A DP Switch with Neon (2M)

IN8486/32, IN8486/32 (BZ)



## > Do Not Disturb Panel > Make My Room Panel > Do Not Distrub Switch > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ),  
INH8452, INH8452 (BZ), INH8455, INH8455 (BZ)



## > Do Not Disturb Panel > Make My Room Panel > Do Not Disturb Switch (2M) > Make My Room Switch

INH8451, INH8451 (BZ), INH8454, INH8454 (BZ)  
INH8453 (BZ), INH8455, INH8455 (BZ)

# AvatarOn - It's also a Switch



White  
(WE)



Wine Gold  
(WG)



Dark Grey  
(DG)



Dark Wood  
(WD)



Gold Hairline  
(GH)



Light Wood  
(LW)

**Award-winning Designs:** In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

## Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

## Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

## Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

## Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

## Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

## Multifunctional Accessories for Every Day Conveniences



E8331L1\_WE\_G8



E8331L1\_WD\_G8



E8331L1LED\_WE\_G8



E8331L1LED\_WD\_G8



E8331L2\_WE\_G8



E8331L2\_WD\_G8



E8332L1\_WE\_G8



E8332L1\_WD\_G8



E8332L2\_WE\_G8



E8332L2\_WD\_G8



| Product Description                              | Color               | Product Ref. No.        | Unit MRP<br>[₹] | Pack |
|--------------------------------------------------|---------------------|-------------------------|-----------------|------|
| <b>16A Switches (Base + Cover Plate)</b>         |                     |                         |                 |      |
| 16AX 250V 1 Gang 1 Way Switch                    | White               | E8331L1_WE_G8           | 770             | 1    |
|                                                  | Wine Gold           | E8331L1_WG_G8           | 1156            | 10   |
|                                                  | Dark Grey           | E8331L1_DG_G8           | 1156            | 1    |
|                                                  | Metal Gold Hairline | E8331L1_GH_G8           | 1161            | 10   |
|                                                  | Light Wood          | <b>E8331L1_LW_G8</b>    | 1252            | 10   |
|                                                  | Dark Wood           | E8331L1_WD_G8           | 1161            | 10   |
| 16AX 250V 1 Gang 1 Way Switch with LED Indicator | White               | E8331L1LED_WE_G8        | 1156            | 1    |
|                                                  | Wine Gold           | <b>E8331L1LED_WG_G8</b> | 1729            | 10   |
|                                                  | Dark Grey           | <b>E8331L1LED_DG_G8</b> | 1729            | 1    |
|                                                  | Metal Gold Hairline | <b>E8331L1LED_GH_G8</b> | 1737            | 10   |
|                                                  | Light Wood          | <b>E8331L1LED_LW_G8</b> | 2042            | 10   |
|                                                  | Dark Wood           | <b>E8331L1LED_WD_G8</b> | 1737            | 10   |
| 16AX 250V 1 Gang 2 Way Switch                    | White               | E8331L2_WE_G8           | 795             | 1    |
|                                                  | Wine Gold           | E8331L2_WG_G8           | 1234            | 10   |
|                                                  | Dark Grey           | E8331L2_DG_G8           | 1234            | 1    |
|                                                  | Metal Gold Hairline | <b>E8331L2_GH_G8</b>    | 1239            | 10   |
|                                                  | Light Wood          | <b>E8331L2_LW_G8</b>    | 1336            | 10   |
|                                                  | Dark Wood           | E8331L2_WD_G8           | 1239            | 10   |
| 16AX 250V 1 Gang 2 Way Switch with LED Indicator | White               | <b>E8331L2LED_WE_G8</b> | 1234            | 10   |
|                                                  | Wine Gold           | <b>E8331L2LED_WG_G8</b> | 1852            | 10   |
|                                                  | Dark Grey           | <b>E8331L2LED_DG_G8</b> | 1852            | 1    |
|                                                  | Metal Gold Hairline | <b>E8331L2LED_GH_G8</b> | 1861            | 10   |
|                                                  | Light Wood          | <b>E8331L2LED_LW_G8</b> | 2188            | 10   |
|                                                  | Dark Wood           | <b>E8331L2LED_WD_G8</b> | 2106            | 10   |
| 16AX 250V 2 Gang 1 Way Switch                    | White               | E8332L1_WE_G8           | 1200            | 1    |
|                                                  | Wine Gold           | E8332L1_WG_G8           | 1801            | 10   |
|                                                  | Dark Grey           | E8332L1_DG_G8           | 1801            | 1    |
|                                                  | Metal Gold Hairline | E8332L1_GH_G8           | 1818            | 10   |
|                                                  | Light Wood          | <b>E8332L1_LW_G8</b>    | 1896            | 10   |
|                                                  | Dark Wood           | E8332L1_WD_G8           | 1818            | 10   |
| 16AX 250V 2 Gang 1 Way Switch with LED Indicator | White               | E8332L1LED_WE_G8        | 1801            | 1    |
|                                                  | Wine Gold           | <b>E8332L1LED_WG_G8</b> | 2703            | 10   |
|                                                  | Dark Grey           | <b>E8332L1LED_DG_G8</b> | 2703            | 1    |
|                                                  | Metal Gold Hairline | <b>E8332L1LED_GH_G8</b> | 2730            | 10   |
|                                                  | Light Wood          | <b>E8332L1LED_LW_G8</b> | 3221            | 10   |
|                                                  | Dark Wood           | <b>E8332L1LED_WD_G8</b> | 2730            | 10   |
| 16AX 250V 2 Gang 2 Way Switch                    | White               | E8332L2_WE_G8           | 1461            | 1    |
|                                                  | Wine Gold           | E8332L2_WG_G8           | 2191            | 10   |
|                                                  | Dark Grey           | E8332L2_DG_G8           | 2191            | 1    |
|                                                  | Metal Gold Hairline | E8332L2_GH_G8           | 2211            | 10   |
|                                                  | Light Wood          | <b>E8332L2_LW_G8</b>    | 2611            | 10   |
|                                                  | Dark Wood           | E8332L2_WD_G8           | 2211            | 10   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



# AvatarOn - It's also a Switch





| Product Description                                                                                            |                                                                                                                | Color               | Product Ref. No.        | Unit MRP<br>[₹] | Pack |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------|-------------------------|-----------------|------|
| <b>16A Switches (Base + Cover Plate)</b>                                                                       |                                                                                                                |                     |                         |                 |      |
| <br><b>E8332L2LED_WE_G8</b>   | <br><b>E8332L2LED_WD_G8</b>   | White               | <b>E8332L2LED_WE_G8</b> | 2191            | 10   |
|                                                                                                                |                                                                                                                | Wine Gold           | <b>E8332L2LED_WG_G8</b> | 3288            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | <b>E8332L2LED_DG_G8</b> | 3288            | 1    |
|                                                                                                                |                                                                                                                | Dark Wood           | <b>E8332L2LED_WD_G8</b> | 3320            | 10   |
| <br><b>E8333L1LED_WE_G8</b>   | <br><b>E8333L1LED_WD_G8</b>   | White               | E8333L1_WE_G8           | 1979            | 1    |
|                                                                                                                |                                                                                                                | Wine Gold           | E8333L1_WG_G8           | 2969            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | E8333L1_DG_G8           | 3025            | 1    |
|                                                                                                                |                                                                                                                | Metal Gold Hairline | E8333L1_GH_G8           | 3011            | 10   |
|                                                                                                                |                                                                                                                | Light Wood          | <b>E8333L1_LW_G8</b>    | 3111            | 10   |
| <br><b>E8333L2_WE_G8</b>      | <br><b>E8333L2_WD_G8</b>      | Dark Wood           | E8333L1_WD_G8           | 3011            | 10   |
|                                                                                                                |                                                                                                                | White               | <b>E8333L1LED_WE_G8</b> | 2969            | 10   |
|                                                                                                                |                                                                                                                | Wine Gold           | <b>E8333L1LED_WG_G8</b> | 4451            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | <b>E8333L1LED_DG_G8</b> | 4451            | 1    |
| <br><b>E8333L2LED_WE_G8</b>  | <br><b>E8333L2LED_WD_G8</b>  | Metal Gold Hairline | <b>E8333L1LED_GH_G8</b> | 4515            | 10   |
|                                                                                                                |                                                                                                                | Light Wood          | <b>E8333L1LED_LW_G8</b> | 5280            | 10   |
|                                                                                                                |                                                                                                                | Dark Wood           | <b>E8333L1LED_WD_G8</b> | 4515            | 10   |
|                                                                                                                |                                                                                                                | White               | E8333L2_WE_G8           | 2130            | 1    |
| <br><b>E8333L2LED_WE_G8</b> | <br><b>E8333L2LED_WD_G8</b> | Wine Gold           | E8333L2_WG_G8           | 3196            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | E8333L2_DG_G8           | 3196            | 1    |
|                                                                                                                |                                                                                                                | Metal Gold Hairline | E8333L2_GH_G8           | 3243            | 10   |
|                                                                                                                |                                                                                                                | Dark Wood           | E8333L2_WD_G8           | 3243            | 10   |
| <br><b>E8334L1_WE_G8</b>    | <br><b>E8334L1_WD_G8</b>    | White               | <b>E8333L2LED_WE_G8</b> | 3196            | 10   |
|                                                                                                                |                                                                                                                | Wine Gold           | <b>E8333L2LED_WG_G8</b> | 4793            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | <b>E8333L2LED_DG_G8</b> | 4793            | 1    |
|                                                                                                                |                                                                                                                | Metal Gold Hairline | <b>E8333L2LED_GH_G8</b> | 4862            | 10   |
|                                                                                                                |                                                                                                                | Light Wood          | <b>E8333L2LED_LW_G8</b> | 5426            | 10   |
| <br><b>E8334L1LED_WE_G8</b> | <br><b>E8334L1LED_WD_G8</b> | Dark Wood           | <b>E8333L2LED_WD_G8</b> | 4862            | 10   |
|                                                                                                                |                                                                                                                | White               | E8334L1_WE_G8           | 2846            | 1    |
|                                                                                                                |                                                                                                                | Wine Gold           | E8334L1_WG_G8           | 4272            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | E8334L1_DG_G8           | 4272            | 1    |
| <br><b>E8334L2_WE_G8</b>    | <br><b>E8334L2_WD_G8</b>    | Metal Gold Hairline | E8334L1_GH_G8           | 4331            | 10   |
|                                                                                                                |                                                                                                                | Light Wood          | <b>E8334L1_LW_G8</b>    | 4475            | 10   |
|                                                                                                                |                                                                                                                | Dark Wood           | E8334L1_WD_G8           | 4331            | 10   |
|                                                                                                                |                                                                                                                | White               | E8334L1LED_WE_G8        | 4272            | 10   |
| <br><b>E8334L2LED_WE_G8</b> | <br><b>E8334L2LED_WD_G8</b> | Wine Gold           | <b>E8334L1LED_WG_G8</b> | 6405            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | <b>E8334L1LED_DG_G8</b> | 6405            | 1    |
|                                                                                                                |                                                                                                                | Metal Gold Hairline | <b>E8334L1LED_GH_G8</b> | 6497            | 10   |
|                                                                                                                |                                                                                                                | Light Wood          | <b>E8334L1LED_LW_G8</b> | 7597            | 10   |
| <br><b>E8334L2LED_WE_G8</b> | <br><b>E8334L2LED_WD_G8</b> | Dark Wood           | <b>E8334L1LED_WD_G8</b> | 6497            | 10   |
|                                                                                                                |                                                                                                                | White               | E8334L2_WE_G8           | 3274            | 1    |
|                                                                                                                |                                                                                                                | Wine Gold           | E8334L2_WG_G8           | 4909            | 10   |
|                                                                                                                |                                                                                                                | Dark Grey           | E8334L2_DG_G8           | 5003            | 1    |
| <br><b>E8334L2LED_WE_G8</b> | <br><b>E8334L2LED_WD_G8</b> | Metal Gold Hairline | E8334L2_GH_G8           | 4981            | 10   |
|                                                                                                                |                                                                                                                | Dark Wood           | E8334L2_WD_G8           | 4981            | 10   |
|                                                                                                                |                                                                                                                | White               | <b>E8334L2LED_WE_G8</b> | 4909            | 10   |
|                                                                                                                |                                                                                                                | Wine Gold           | <b>E8334L2LED_WG_G8</b> | 7366            | 10   |
| <br><b>E8334L2LED_WE_G8</b> | <br><b>E8334L2LED_WD_G8</b> | Dark Grey           | <b>E8334L2LED_DG_G8</b> | 7366            | 1    |
|                                                                                                                |                                                                                                                | Metal Gold Hairline | <b>E8334L2LED_GH_G8</b> | 7471            | 10   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# AvatarOn - It's also a Switch

|                                                                                     |                                                                                     | Product Description                                   | Color               | Product Ref. No. | Unit MRP<br>₹ | Pack |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------|------------------|---------------|------|
| 16A Intermediate Switches                                                           |                                                                                     |                                                       |                     |                  |               |      |
|    |    | 16AX 250V 1 Gang Intermediate Switch                  | White               | E8331M_WE_G8     | 2647          | 1    |
|                                                                                     |                                                                                     |                                                       | Wine Gold           | E8331M_WG_G8     | 3971          | 1    |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8331M_DG_G8     | 3971          | 1    |
| 10A Momentary Switches                                                              |                                                                                     |                                                       |                     |                  |               |      |
|    |    | 10A 250V 1 Gang Momentary Switch                      | Dark Wood           | E8331PRL1_WD_G8  | 1415          | 10   |
|                                                                                     |                                                                                     |                                                       |                     |                  |               |      |
|    |    | 10A 250V 2 Gang Momentary Switch                      | White               | E8332PRL1_WE_G8  | 1188          | 10   |
|                                                                                     |                                                                                     |                                                       | Wine Gold           | E8332PRL1_WG_G8  | 1779          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8332PRL1_DG_G8  | 1779          | 1    |
|                                                                                     |                                                                                     |                                                       | Metal Gold Hairline | E8332PRL1_GH_G8  | 1779          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Wood           | E8332PRL1_WD_G8  | 1779          | 10   |
| Double Pole Switches                                                                |                                                                                     |                                                       |                     |                  |               |      |
|    |    | 20A 250V 1 Gang Double Pole Switch with LED Indicator | White               | E8331D20N_WE_G8  | 2037          | 10   |
|                                                                                     |                                                                                     |                                                       | Wine Gold           | E8331D20N_WG_G8  | 3051          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8331D20N_DG_G8  | 3051          | 1    |
|                                                                                     |                                                                                     |                                                       | Metal Gold Hairline | E8331D20N_GH_G8  | 3080          | 10   |
|                                                                                     |                                                                                     |                                                       | Light Wood          | E8331D20N_LW_G8  | 2997          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Wood           | E8331D20N_WD_G8  | 3080          | 10   |
|  |  | 20A 250V 2 Gang Double Pole Switch with LED Indicator | White               | E8332D20N_WE_G8  | 2593          | 10   |
|                                                                                     |                                                                                     |                                                       | Wine Gold           | E8332D20N_WG_G8  | 3662          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8332D20N_DG_G8  | 3662          | 1    |
|                                                                                     |                                                                                     |                                                       | Metal Gold Hairline | E8332D20N_GH_G8  | 3872          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Wood           | E8332D20N_WD_G8  | 3697          | 10   |
|  |  | 32A 250V 1 Gang Double Pole Switch with LED Indicator | White               | E8331D32N_WE_G8  | 2702          | 10   |
|                                                                                     |                                                                                     |                                                       | Wine Gold           | E8331D32N_WG_G8  | 4051          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8331D32N_DG_G8  | 4051          | 1    |
|                                                                                     |                                                                                     |                                                       | Metal Gold Hairline | E8331D32N_GH_G8  | 4089          | 10   |
|                                                                                     |                                                                                     |                                                       | Light Wood          | E8331D32N_LW_G8  | 4089          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Wood           | E8331D32N_WD_G8  | 4089          | 10   |
|  |  | 45A 250V 1 Gang Double Pole Switch with LED Indicator | Wine Gold           | E8331D45N_WG_G8  | 5066          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Grey           | E8331D45N_DG_G8  | 5157          | 1    |
|                                                                                     |                                                                                     |                                                       | Metal Gold Hairline | E8331D45N_GH_G8  | 5207          | 10   |
|                                                                                     |                                                                                     |                                                       | Dark Wood           | E8331D45N_WD_G8  | 4880          | 10   |

Please contact Customer Care Center for Stockable and Non stockable status of references.  
\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# AvatarOn - It's also a Switch



E8331BPL1\_WE\_G8



E8331BPL1\_WD\_G8

| Product Description                            | Color               | Product Ref. No.        | Unit MRP<br>[₹] | Pack |
|------------------------------------------------|---------------------|-------------------------|-----------------|------|
| <b>Bell Push Switch</b>                        |                     |                         |                 |      |
| 10A 250V Door Bell Push Switch                 | White               | E8331BPL1_WE_G8         | 862             | 1    |
|                                                | Wine Gold           | E8331BPL1_WG_G8         | 1296            | 10   |
|                                                | Dark Grey           | E8331BPL1_DG_G8         | 1290            | 1    |
|                                                | Metal Gold Hairline | E8331BPL1_GH_G8         | 1309            | 10   |
|                                                | Light Wood          | <b>E8331BPL1_LW_G8</b>  | 1321            | 10   |
|                                                | Dark Wood           | E8331BPL1_WD_G8         | 1309            | 10   |
| <b>Sockets</b>                                 |                     |                         |                 |      |
| 6A 2/3 Pin Switched Socket                     | White               | E8315_6_NS_WE           | 1716            | 8    |
|                                                | Wine Gold           | E8315_6_NS_WG           | 2223            | 8    |
|                                                | Dark Grey           | E8315_6_NS_DG           | 2181            | 1    |
|                                                | Metal Gold Hairline | E8315_6_NS_GH           | 2203            | 8    |
|                                                | Light Wood          | E8315_6_NS_LW           | 2286            | 8    |
|                                                | Dark Wood           | E8315_6_NS_WD           | 2203            | 8    |
| 6/16A Switched Socket                          | White               | E8315_16_WE             | 2153            | 8    |
|                                                | Wine Gold           | E8315_16_WG             | 2738            | 8    |
|                                                | Dark Grey           | E8315_16_DG             | 2738            | 1    |
|                                                | Metal Gold Hairline | E8315_16_GH             | 2816            | 8    |
|                                                | Light Wood          | <b>E8315_16_LW</b>      | 2869            | 8    |
|                                                | Dark Wood           | E8315_16_WD             | 2764            | 8    |
| <b>Fan Regulators</b>                          |                     |                         |                 |      |
| 5 Steps 360 Deg Fan Regulator                  | White               | E8331FR350_WE_G8        | 4088            | 1    |
|                                                | Wine Gold           | E8331FR350_WG_G8        | 5389            | 1    |
|                                                | Dark Grey           | E8331FR350_DG_G8        | 5389            | 1    |
|                                                | Metal Gold Hairline | E8331FR350_GH_G8        | 5389            | 1    |
|                                                | Light Wood          | <b>E8331FR350_LW_G8</b> | 5751            | 1    |
|                                                | Dark Wood           | E8331FR350_WD_G8        | 5389            | 1    |
| <b>Switch &amp; Socket Covers (Additional)</b> |                     |                         |                 |      |
| 1 Gang Switch Cover                            | White               | <b>E8331_WE</b>         | 234             | 1    |
|                                                | Wine Gold           | <b>E8331_WG</b>         | 648             | 1    |
|                                                | Metal Gold Hairline | <b>E8331_GH</b>         | 943             | 1    |
|                                                | Dark Wood           | <b>E8331_WD</b>         | 648             | 1    |
| 1 Gang Switch Cover with Keyholder             | White               | <b>E8331KH_WE</b>       | 558             | 1    |
| 2 Gang Switch Cover                            | White               | <b>E8332_WE</b>         | 353             | 1    |
|                                                | Wine Gold           | <b>E8332_WG</b>         | 884             | 1    |
|                                                | Metal Gold Hairline | <b>E8332_GH</b>         | 884             | 1    |
|                                                | Light Wood          | <b>E8332_LW</b>         | 908             | 1    |
|                                                | Dark Wood           | <b>E8332_WD</b>         | 884             | 1    |
| 3 Gang Switch Cover                            | White               | <b>E8333_WE</b>         | 546             | 1    |
|                                                | Wine Gold           | <b>E8333_WG</b>         | 1300            | 1    |
|                                                | Metal Gold Hairline | <b>E8333_GH</b>         | 1300            | 1    |
|                                                | Light Wood          | <b>E8333_LW</b>         | 1275            | 1    |



E8315\_6\_NS\_WE



E8315\_6\_NS\_WD



E8331FR350\_WE\_G8



E8331FR350\_WD\_G8



E8331\_WE



E8331\_WD



E8331KH\_WE



E8332\_WD



E8332\_WE



E8333\_WE



E8332\_WE



E8333\_WE

Please contact Customer Care Center for Stockable and Non stockable status of references.  
\*Bold references are MTO reference.

# AvatarOn - It's also a Switch



E8334\_WE



E8334\_WD



E8315C\_6\_NC\_WE



E8315C\_6\_NC\_WD



E8332USB\_WE\_G8



E8315C\_16\_WD




E8332ACQUSB\_WE




E8332USB\_WD\_G8



E8331\_26\_WE



E8331\_36\_WE



E8331\_46\_WE



E8330TX\_WE

| Product Description                                                               | Color               | Product Ref. No.      | Unit MRP<br>[₹] | Pack |
|-----------------------------------------------------------------------------------|---------------------|-----------------------|-----------------|------|
| 4G Switch Cover                                                                   | White               | <b>E8334_WE</b>       | 853             | 1    |
|                                                                                   | Wine Gold           | <b>E8334_WG</b>       | 1594            | 1    |
|                                                                                   | Dark Grey           | <b>E8334_DG</b>       | 1523            | 1    |
|                                                                                   | Metal Gold Hairline | <b>E8334_GH</b>       | 1771            | 1    |
|                                                                                   | Light Wood          | <b>E8334_LW</b>       | 1741            | 1    |
|                                                                                   | Dark Wood           | <b>E8334_WD</b>       | 1594            | 1    |
| 6A 2/3 Pin Switched Socket Cover                                                  | White               | E8315C_6_NC_WE        | 610             | 12   |
|                                                                                   | Wine Gold           | E8315C_6_NC_WG        | 1032            | 12   |
|                                                                                   | Dark Grey           | E8315C_6_NC_DG        | 1032            | 1    |
|                                                                                   | Metal Gold Hairline | E8315C_6_NC_GH        | 1032            | 12   |
|                                                                                   | Light Wood          | E8315C_6_NC_LW        | 1193            | 12   |
|                                                                                   | Dark Wood           | E8315C_6_NC_WD        | 1032            | 12   |
| 16A 2/3 Pin Switched Socket Cover                                                 | Wine Gold           | <b>E8315C_16_WG</b>   | 1080            | 12   |
|                                                                                   | Dark Grey           | <b>E8315C_16_DG</b>   | 1080            | 1    |
|                                                                                   | Metal Gold Hairline | <b>E8315C_16_GH</b>   | 1199            | 12   |
|                                                                                   | Light Wood          | <b>E8315C_16_LW</b>   | 1189            | 12   |
| USB Chargers                                                                      | Dark Wood           | <b>E8315C_16_WD</b>   | 1199            | 12   |
|                                                                                   | White               | <b>E8332USB_WE_G8</b> | 10250           | 1    |
|                                                                                   | Wine Gold           | <b>E8332USB_WG_G8</b> | 15377           | 1    |
|                                                                                   | Dark Grey           | <b>E8332USB_DG_G8</b> | 15377           | 1    |
|                                                                                   | Metal Gold Hairline | <b>E8332USB_GH_G8</b> | 15377           | 1    |
|                                                                                   | Light Wood          | <b>E8332USB_LW_G8</b> | 18225           | 1    |
| 2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously) | Dark Wood           | <b>E8332USB_WD_G8</b> | 15377           | 1    |
|                                                                                   | Metal Gold Hairline | E8332ACQUSB_GH        | 9330            | -    |
|                                                                                   | Light Wood          | <b>E8332ACQUSB_LW</b> | 10000           | -    |
|                                                                                   | Dark Wood           | E8332ACQUSB_WD        | 9330            | -    |
|                                                                                   | White               | E8332ACQUSB_WE        | 7542            | -    |
|                                                                                   | Wine Gold           | E8332ACQUSB_WG        | 9330            | -    |
| <b>Blacket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)</b>    |                     |                       |                 |      |
| 2 Gang Blacket/Frame                                                              | White               | E8331_26_WE           | 387             | 1    |
|                                                                                   | Wine Gold           | E8331_26_WG           | 507             | 1    |
|                                                                                   | Dark Grey           | E8331_26_DG           | 482             | 1    |
| 3 Gang Blacket/Frame                                                              | White               | E8331_36_WE           | 426             | 1    |
|                                                                                   | Wine Gold           | E8331_36_WG           | 597             | 1    |
|                                                                                   | Dark Grey           | E8331_36_DG           | 569             | 1    |
| 4 Gang Blacket/ Frame                                                             | White               | E8331_46_WE           | 455             | 1    |
|                                                                                   | Wine Gold           | E8331_46_WG           | 640             | 1    |
|                                                                                   | Dark Grey           | E8331_46_DG           | 611             | 1    |
| <b>Blank Plates</b>                                                               |                     |                       |                 |      |
| 1 Gang Blank Plate                                                                | White               | E8330X_WE             | 519             | 1    |
|                                                                                   | Wine Gold           | E8330X_WG             | 781             | 1    |
|                                                                                   | Dark Grey           | E8330X_DG             | 781             | 1    |
|                                                                                   | Metal Gold Hairline | E8330X_GH             | 817             | 1    |
|                                                                                   | Dark Wood           | E8330X_WD             | 817             | 1    |
| 2 Gang Blank Plate                                                                | White               | <b>E8330TX_WE</b>     | 726             | 1    |
|                                                                                   | Wine Gold           | <b>E8330TX_WG</b>     | 1127            | 1    |
|                                                                                   | Dark Grey           | <b>E8330TX_DG</b>     | 1127            | 1    |
|                                                                                   | Metal Gold Hairline | <b>E8330TX_GH</b>     | 3124            | 1    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

# AvatarOn - It's also a Switch



E8331BPDMW\_WE\_G8



E8331KPB\_WE



E8332C\_WE\_G8



E8332C\_WD\_G8



E83T727V\_WE



E83T727V\_WD



E8331RJS4\_WE



E8331RJS4\_WD

| Product Description                                                                       | Color               | Product Ref. No. | Unit MRP<br>[₹] | Pack |
|-------------------------------------------------------------------------------------------|---------------------|------------------|-----------------|------|
| <b>Hotel Series</b>                                                                       |                     |                  |                 |      |
| DND, PCU, PW Indicator with Bell Switch<br>(Do Not Disturb, Please Clean Up, Please Wait) | White               | E8331BPDMW_WE_G8 | 7465            | 1    |
|                                                                                           | Wine Gold           | E8331BPDMW_WG_G8 | 11196           | 10   |
|                                                                                           | Dark Grey           | E8331BPDMW_DG_G8 | 11196           | 1    |
|                                                                                           | White               | E8333DMWS_WE_G8  | 7104            | 1    |
| 16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)   | Wine Gold           | E8333DMWS_WG_G8  | 10366           | 10   |
|                                                                                           | Dark Grey           | E8333DMWS_DG_G8  | 10859           | 1    |
|                                                                                           | Dark Wood           | E8333DMWS_WD_G8  | 11061           | 10   |
|                                                                                           | White               | E8331EKT_WE      | 13288           | 1    |
| 250V 16A Electronic Keycard Switch                                                        | Wine Gold           | E8331EKT_WG      | 19934           | 1    |
|                                                                                           | Dark Grey           | E8331EKT_DG      | 19933           | 1    |
|                                                                                           | Dark Wood           | E8331EKT_WD      | 20882           | 1    |
| Panic Button with Key Reset                                                               | White               | E8331KPB_WE      | 2493            | 1    |
|                                                                                           | Wine Gold           | E8331KPB_WG      | 3663            | 1    |
|                                                                                           | Dark Grey           | E8331KPB_DG      | 3149            | 1    |
| 10A 2 Gang Mechanical Curtain Switch                                                      | White               | E8332C_WE_G8     | 1547            | 1    |
|                                                                                           | Wine Gold           | E8332C_WG_G8     | 2320            | 10   |
|                                                                                           | Dark Grey           | E8332C_DG_G8     | 2320            | 1    |
|                                                                                           | Metal Gold Hairline | E8332C_GH_G8     | 2320            | 10   |
|                                                                                           | Light Wood          | E8332C_LW_G8     | 2579            | 10   |
|                                                                                           | Dark Wood           | E8332C_WD_G8     | 2320            | 10   |
| 115/240V 20VA Universal Version Shaver                                                    | White               | E83T727V_WE      | 7375            | 1    |
|                                                                                           | Wine Gold           | E83T727V_WG      | 11945           | 1    |
|                                                                                           | Dark Grey           | E83T727V_DG      | 12516           | 1    |
|                                                                                           | Metal Gold Hairline | E83T727V_GH      | 12516           | 1    |
|                                                                                           | Dark Wood           | E83T727V_WD      | 13112           | 1    |
| <b>Connection Units</b>                                                                   |                     |                  |                 |      |
| 13A 250V 1 Gang Fused Connection with DP Switch and Neon                                  | Wine Gold           | E8331DFSGN_WG    | 6719            | 10   |
| 25A 250V 1 Gang Connection Unit                                                           | Metal Gold Hairline | E8331TB_GH       | 2908            | 10   |
| <b>Telecom, Network, Connectivity &amp; Media Series</b>                                  |                     |                  |                 |      |
| 1 Gang Telephone Socket, Shuttered Wallplate                                              | White               | E8331RJS4_WE     | 1149            | 1    |
|                                                                                           | Wine Gold           | E8331RJS4_WG     | 1916            | 1    |
|                                                                                           | Dark Grey           | E8331RJS4_DG     | 1916            | 1    |
|                                                                                           | Metal Gold Hairline | E8331RJS4_GH     | 1916            | 1    |
|                                                                                           | Dark Wood           | E8331RJS4_WD     | 1916            | 1    |

Please contact Customer Care Center for Stockable and Non stockable status of references.  
\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# AvatarOn - It's also a Switch



E8332RJS4\_WE



E8331RJS5\_WE



E8332RJS5\_WE



E8331RJS6\_WE



E8332RJS6\_WE



E8331TV\_WE



E8331TVSF\_WE



E8332TDRJS5\_WE



E8332TVRJS5\_WE



E8332HDUSB\_WE



E8332HDHD\_WE



E8331RJS\_WE



E8332RJS\_WE

| Product Description                     | Color               | Product Ref. No.      | Unit MRP<br>[₹] | Pack |
|-----------------------------------------|---------------------|-----------------------|-----------------|------|
| 2G Tel Socket, Shuttered Wallplate      | White               | <b>E8332RJS4_WE</b>   | 2821            | 1    |
|                                         | Wine Gold           | <b>E8332RJS4_WG</b>   | 4236            | 1    |
| 1 Gang RJ45 Data Cat5E, Shuttered       | White               | E8331RJS5_WE          | 1797            | 1    |
|                                         | Wine Gold           | E8331RJS5_WG          | 3134            | 1    |
|                                         | Dark Grey           | <b>E8331RJS5_DG</b>   | 2991            | 1    |
|                                         | Metal Gold Hairline | E8331RJS5_GH          | 2991            | 1    |
|                                         | Dark Wood           | <b>E8331RJS5_WD</b>   | 3134            | 1    |
| 2 Gang RJ45 Data Cat5E, Shuttered       | White               | <b>E8332RJS5_WE</b>   | 3285            | 1    |
|                                         | Wine Gold           | <b>E8332RJS5_WG</b>   | 5478            | 1    |
|                                         | Dark Grey           | <b>E8332RJS5_DG</b>   | 5180            | 1    |
| 1 Gang RJ45 Data Cat6, Shuttered        | Metal Gold Hairline | <b>E8332RJS5_GH</b>   | 5229            | 10   |
|                                         | White               | E8331RJS6_WE          | 2148            | 1    |
|                                         | Wine Gold           | E8331RJS6_WG          | 3219            | 1    |
| 2 Gang RJ45 Data Cat6, Shuttered        | Dark Grey           | E8331RJS6_DG          | 3219            | 1    |
|                                         | White               | <b>E8332RJS6_WE</b>   | 4023            | 1    |
|                                         | Wine Gold           | <b>E8332RJS6_WG</b>   | 6036            | 1    |
| 1 Gang TV Socket, 75Ω, Through-Connect  | Dark Grey           | <b>E8332RJS6_DG</b>   | 6036            | 1    |
|                                         | White               | E8331TV_WE            | 906             | 1    |
|                                         | Wine Gold           | <b>E8331TV_WG</b>     | 1509            | 1    |
|                                         | Dark Grey           | <b>E8331TV_DG</b>     | 1509            | 1    |
|                                         | Metal Gold Hairline | <b>E8331TV_GH</b>     | 1509            | 10   |
| 1 Gang TV Socket, Slave 5-1000          | Dark Wood           | <b>E8331TV_WD</b>     | 1509            | 1    |
|                                         | White               | <b>E8331TVSF_WE</b>   | 1002            | 10   |
|                                         | Wine Gold           | <b>E8331TVSF_WG</b>   | 1678            | 1    |
| 1 Gang Tel + RJ45 Data Cat5E, Shuttered | Dark Grey           | <b>E8331TVSF_DG</b>   | 1598            | 1    |
|                                         | White               | E8332TDRJS5_WE        | 2821            | 1    |
|                                         | Wine Gold           | E8332TDRJS5_WG        | 4703            | 1    |
|                                         | Dark Grey           | E8332TDRJS5_DG        | 4490            | 1    |
|                                         | Metal Gold Hairline | <b>E8332TDRJS5_GH</b> | 4490            | 1    |
| 1 Gang TV+ RJ45 Data Cat5E, Shuttered   | Dark Wood           | <b>E8332TDRJS5_WD</b> | 4703            | 1    |
|                                         | White               | <b>E8332TVRJS5_WE</b> | 3498            | 1    |
|                                         | Wine Gold           | <b>E8332TVRJS5_WG</b> | 5837            | 1    |
|                                         | Dark Grey           | <b>E8332TVRJS5_DG</b> | 5570            | 1    |
|                                         | Metal Gold Hairline | <b>E8332TVRJS5_GH</b> | 5570            | 1    |
| 1 Gang TV+ RJ45 Data Cat6, Shuttered    | Dark Wood           | <b>E8332TVRJS5_WD</b> | 6485            | 1    |
|                                         | White               | <b>E8332TVRJS6_WE</b> | 3498            | 1    |
|                                         | Wine Gold           | <b>E8332TVRJS6_WG</b> | 5837            | 1    |
| HDMI + USB Socket                       | Dark Grey           | <b>E8332TVRJS6_DG</b> | 5570            | 1    |
|                                         | White               | <b>E8332HDUSB_WE</b>  | 7455            | 1    |
|                                         | Wine Gold           | <b>E8332HDUSB_WG</b>  | 12423           | 8    |
| 2 Gang HDMI+HDMI, Keystone on Wallplate | Dark Grey           | <b>E8332HDUSB_DG</b>  | 11858           | 1    |
|                                         | White               | <b>E8332HDHD_WE</b>   | 4088            | 1    |
| Volume Control, 5W, 8Ohm                | Wine Gold           | <b>E8331VC_WG</b>     | 4648            | 10   |
|                                         | Dark Grey           | <b>E8331VC_DG</b>     | 4924            | 1    |
| 1 Gang S Keystone Wallplate (w/o Mod)   | White               | <b>E8331RJS_WE</b>    | 906             | 10   |
|                                         | Wine Gold           | <b>E8331RJS_WG</b>    | 1359            | 10   |
|                                         | Dark Grey           | <b>E8331RJS_DG</b>    | 1395            | 1    |
| 2 Gang S Keystone Wallplate (w/o Mod)   | White               | <b>E8332RJS_WE</b>    | 1657            | 10   |
|                                         | Wine Gold           | <b>E8332RJS_WG</b>    | 2484            | 10   |
|                                         | Dark Grey           | <b>E8332RJS_DG</b>    | 2483            | 1    |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# Unica X - Feel the luxury

New



Painted White



Stainless Steel



Jet Black



Dark Grey



Dark Bronze



Antique Brass

## Unica X

Elevate the aesthetics and functionality of your living spaces with Unica X. Our all-new comprehensive range of ultra-slim and sophisticated switches and sockets features unique ergonomic designs, advanced connectivity features, and so much more. Unica X isn't just a switch – it's the epitome of excellence and luxury that is crafted to complement your unique style and sensibilities.

- **Architectural Slimness, Redefined**

A precision-engineered 6.5 mm ultra-slim profile that integrates effortlessly into walls, creating a refined, near-invisible design statement.

- **Timeless Materials. Impeccable Finishes**

Crafted from premium stainless steel and perfected through advanced finishing techniques, delivering understated luxury across a palette of exclusive finishes.

- **Intelligence, Seamlessly Integrated**

Thoughtfully designed with sensor-led illumination and high-performance USB A+C charging, enhancing comfort through intuitive technology.

- **Designed as a Complete System**

A cohesive portfolio of switches, sockets, and controls ensuring visual harmony and functional consistency across every environment.

- **Precision Engineering. Enduring Performance.**

Manufactured with advanced processes and superior materials, offering lasting reliability with a distinctly premium tactile experience.

2mm



6.5mm

- **3° TILT ANGLE**

Experience ultimate switch design (50% lower than standard)


- **2.5MM KEYSTROKE**

Refined smooth operation experience

- **ULTRA-SLIM 6.5MM**

2mm Metal cover plate  
(Slimmest & Best in Industry)

## Unica X – Redefining Modern Living





# Unica X - Feel the luxury



NUX31\_1\_SS



NUX31\_1\_DB



NUX31\_1N\_SS



NUX31\_1N\_DB



NUX31\_2\_SS



NUX31\_2\_DB



NUX31\_2N\_SS



NUX31\_2N\_DB



NUX32\_1\_SS



NUX32\_1\_DB



NUX32\_1N\_SS



NUX32\_1N\_DB



NUX32\_2\_SS



NUX32\_2\_DB



NUX32\_2N\_SS



NUX32\_2N\_DB

| Product Description                              | Color           | Product Ref. No. | Unit MRP [₹] | Pack |
|--------------------------------------------------|-----------------|------------------|--------------|------|
| <b>16A Switches (Base+Cover Plate)</b>           |                 |                  |              |      |
| 16AX 250V 1 Gang 1 Way Switch                    | Stainless Steel | NUX31_1_SS       | 2489         | 1    |
|                                                  | Jet Black       | NUX31_1_JB       | 2556         | 1    |
|                                                  | Painted White   | NUX31_1_PW       | 2889         | 1    |
|                                                  | Dark Grey       | NUX31_1_DG       | 2644         | 1    |
|                                                  | Dark Bronze     | NUX31_1_DB       | 2667         | 1    |
|                                                  | Antique Brass   | NUX31_1_AB       | 2689         | 1    |
| 16AX 250V 1 Gang 1 Way Switch with LED Indicator | Stainless Steel | NUX31_1N_SS      | 2889         | 1    |
|                                                  | Jet Black       | NUX31_1N_JB      | 2996         | 1    |
|                                                  | Painted White   | NUX31_1N_PW      | 3556         | 1    |
|                                                  | Dark Grey       | NUX31_1N_DG      | 3022         | 1    |
|                                                  | Dark Bronze     | NUX31_1N_DB      | 3044         | 1    |
|                                                  | Antique Brass   | NUX31_1N_AB      | 3067         | 1    |
| 16AX 250V 1 Gang 2 Way Switch                    | Stainless Steel | NUX31_2_SS       | 2756         | 1    |
|                                                  | Jet Black       | NUX31_2_JB       | 2844         | 1    |
|                                                  | Painted White   | NUX31_2_PW       | 3267         | 1    |
|                                                  | Dark Grey       | NUX31_2_DG       | 2856         | 1    |
|                                                  | Dark Bronze     | NUX31_2_DB       | 2889         | 1    |
|                                                  | Antique Brass   | NUX31_2_AB       | 2867         | 1    |
| 16AX 250V 1 Gang 2 Way Switch with LED Indicator | Stainless Steel | NUX31_2N_SS      | 2933         | 1    |
|                                                  | Jet Black       | NUX31_2N_JB      | 2978         | 1    |
|                                                  | Painted White   | NUX31_2N_PW      | 3778         | 1    |
|                                                  | Dark Grey       | NUX31_2N_DG      | 3111         | 1    |
|                                                  | Dark Bronze     | NUX31_2N_DB      | 2989         | 1    |
|                                                  | Antique Brass   | NUX31_2N_AB      | 3022         | 1    |
| 16AX 250V 2 Gang 1 Way Switch                    | Stainless Steel | NUX32_1_SS       | 3244         | 1    |
|                                                  | Jet Black       | NUX32_1_JB       | 3289         | 1    |
|                                                  | Painted White   | NUX32_1_PW       | 3778         | 1    |
|                                                  | Dark Grey       | NUX32_1_DG       | 3311         | 1    |
|                                                  | Dark Bronze     | NUX32_1_DB       | 3333         | 1    |
|                                                  | Antique Brass   | NUX32_1_AB       | 3356         | 1    |
| 16AX 250V 2 Gang 1 Way Switch with LED Indicator | Stainless Steel | NUX32_1N_SS      | 3556         | 1    |
|                                                  | Jet Black       | NUX32_1N_JB      | 3600         | 1    |
|                                                  | Painted White   | NUX32_1N_PW      | 3978         | 1    |
|                                                  | Dark Grey       | NUX32_1N_DG      | 3733         | 1    |
|                                                  | Dark Bronze     | NUX32_1N_DB      | 3749         | 1    |
|                                                  | Antique Brass   | NUX32_1N_AB      | 3756         | 1    |
| 16AX 250V 2 Gang 2 Way Switch                    | Stainless Steel | NUX32_2_SS       | 3711         | 1    |
|                                                  | Jet Black       | NUX32_2_JB       | 3733         | 1    |
|                                                  | Painted White   | NUX32_2_PW       | 4000         | 1    |
|                                                  | Dark Grey       | NUX32_2_DG       | 3767         | 1    |
|                                                  | Dark Bronze     | NUX32_2_DB       | 3778         | 1    |
|                                                  | Antique Brass   | NUX32_2_AB       | 3822         | 1    |
| 16AX 250V 2 Gang 2 Way Switch with LED Indicator | Stainless Steel | NUX32_2N_SS      | 4000         | 1    |
|                                                  | Jet Black       | NUX32_2N_JB      | 4111         | 1    |
|                                                  | Painted White   | NUX32_2N_PW      | 4133         | 1    |
|                                                  | Dark Grey       | NUX32_2N_DG      | 4156         | 1    |
|                                                  | Dark Bronze     | NUX32_2N_DB      | 4200         | 1    |
|                                                  | Antique Brass   | NUX32_2N_AB      | 4222         | 1    |

# Unica X - Feel the luxury



NUX33\_1\_SS



NUX33\_1\_DB



NUX33\_1N\_SS



NUX33\_1N\_DB



NUX33\_2\_SS



NUX33\_2\_DB



NUX33\_2N\_SS



NUX33\_2N\_DB



NUX34\_1\_SS



NUX34\_1\_DB



NUX34\_1N\_SS



NUX34\_1N\_DB



NUX34\_2\_SS



NUX34\_2\_DB



NUX34\_2N\_SS



NUX34\_2N\_DB



NUX31\_IM\_SS



NUX31\_IM\_DB



NUX32\_IM\_SS



NUX32\_IM\_DB

| Product Description                              | Color           | Product Ref. No. | Unit MRP [₹] | Pack |
|--------------------------------------------------|-----------------|------------------|--------------|------|
| <b>16A Switches (Base+Cover Plate) Cont.</b>     |                 |                  |              |      |
| 16AX 250V 3 Gang 1 Way Switch                    | Stainless Steel | NUX33_1_SS       | 4667         | 1    |
|                                                  | Jet Black       | NUX33_1_JB       | 4778         | 1    |
|                                                  | Painted White   | NUX33_1_PW       | 5111         | 1    |
|                                                  | Dark Grey       | NUX33_1_DG       | 4844         | 1    |
|                                                  | Dark Bronze     | NUX33_1_DB       | 4867         | 1    |
|                                                  | Antique Brass   | NUX33_1_AB       | 4878         | 1    |
| 16AX 250V 3 Gang 1 Way Switch with LED Indicator | Stainless Steel | NUX33_1N_SS      | 5333         | 1    |
|                                                  | Jet Black       | NUX33_1N_JB      | 5356         | 1    |
|                                                  | Painted White   | NUX33_1N_PW      | 5778         | 1    |
|                                                  | Dark Grey       | NUX33_1N_DG      | 5467         | 1    |
|                                                  | Dark Bronze     | NUX33_1N_DB      | 5489         | 1    |
|                                                  | Antique Brass   | NUX33_1N_AB      | 5507         | 1    |
| 16AX 250V 3 Gang 2 Way Switch                    | Stainless Steel | NUX33_2_SS       | 5111         | 1    |
|                                                  | Jet Black       | NUX33_2_JB       | 5222         | 1    |
|                                                  | Painted White   | NUX33_2_PW       | 5444         | 1    |
|                                                  | Dark Grey       | NUX33_2_DG       | 5289         | 1    |
|                                                  | Dark Bronze     | NUX33_2_DB       | 5311         | 1    |
|                                                  | Antique Brass   | NUX33_2_AB       | 5322         | 1    |
| 16AX 250V 3 Gang 2 Way Switch with LED Indicator | Stainless Steel | NUX33_2N_SS      | 5556         | 1    |
|                                                  | Jet Black       | NUX33_2N_JB      | 5667         | 1    |
|                                                  | Painted White   | NUX33_2N_PW      | 6000         | 1    |
|                                                  | Dark Grey       | NUX33_2N_DG      | 5733         | 1    |
|                                                  | Dark Bronze     | NUX33_2N_DB      | 5756         | 1    |
|                                                  | Antique Brass   | NUX33_2N_AB      | 5767         | 1    |
| 16AX 250V 4 Gang 1 Way Switch                    | Stainless Steel | NUX34_1_SS       | 5889         | 1    |
|                                                  | Jet Black       | NUX34_1_JB       | 5956         | 1    |
|                                                  | Painted White   | NUX34_1_PW       | 6222         | 1    |
|                                                  | Dark Grey       | NUX34_1_DG       | 5989         | 1    |
|                                                  | Dark Bronze     | NUX34_1_DB       | 6000         | 1    |
|                                                  | Antique Brass   | NUX34_1_AB       | 6022         | 1    |
| 16AX 250V 4 Gang 1 Way Switch with LED Indicator | Stainless Steel | NUX34_1N_SS      | 6444         | 1    |
|                                                  | Jet Black       | NUX34_1N_JB      | 6556         | 1    |
|                                                  | Painted White   | NUX34_1N_PW      | 6889         | 1    |
|                                                  | Dark Grey       | NUX34_1N_DG      | 6644         | 1    |
|                                                  | Dark Bronze     | NUX34_1N_DB      | 6667         | 1    |
|                                                  | Antique Brass   | NUX34_1N_AB      | 7222         | 1    |
| 16AX 250V 4 Gang 2 Way Switch                    | Stainless Steel | NUX34_2_SS       | 7691         | 1    |
|                                                  | Jet Black       | NUX34_2_JB       | 7764         | 1    |
|                                                  | Painted White   | NUX34_2_PW       | 8222         | 1    |
|                                                  | Dark Grey       | NUX34_2_DG       | 7900         | 1    |
|                                                  | Dark Bronze     | NUX34_2_DB       | 7691         | 1    |
|                                                  | Antique Brass   | NUX34_2_AB       | 7764         | 1    |
| 16AX 250V 4 Gang 2 Way Switch with LED Indicator | Stainless Steel | NUX34_2N_SS      | 8163         | 1    |
|                                                  | Jet Black       | NUX34_2N_JB      | 8245         | 1    |
|                                                  | Painted White   | NUX34_2N_PW      | 8667         | 1    |
|                                                  | Dark Grey       | NUX34_2N_DG      | 8444         | 1    |
|                                                  | Dark Bronze     | NUX34_2N_DB      | 8556         | 1    |
|                                                  | Antique Brass   | NUX34_2N_AB      | 8622         | 1    |
| <b>16A Intermediate Switches</b>                 |                 |                  |              |      |
| 16AX 250V 1 Gang Intermediate Switch             | Stainless Steel | NUX31_IM_SS      | 4000         | 1    |
|                                                  | Jet Black       | NUX31_IM_JB      | 4111         | 1    |
|                                                  | Painted White   | NUX31_IM_PW      | 4444         | 1    |
|                                                  | Dark Grey       | NUX31_IM_DG      | 4178         | 1    |
|                                                  | Dark Bronze     | NUX31_IM_DB      | 4222         | 1    |
|                                                  | Antique Brass   | NUX31_IM_AB      | 4244         | 1    |
| 16AX 250V 2 Gang Intermediate Switch             | Stainless Steel | NUX32_IM_SS      | 4444         | 1    |
|                                                  | Jet Black       | NUX32_IM_JB      | 4667         | 1    |
|                                                  | Painted White   | NUX32_IM_PW      | 5111         | 1    |
|                                                  | Dark Grey       | NUX32_IM_DG      | 5000         | 1    |
|                                                  | Dark Bronze     | NUX32_IM_DB      | 5111         | 1    |
|                                                  | Antique Brass   | NUX32_IM_AB      | 5244         | 1    |

W.E.F. August 15<sup>th</sup>, 2026

# Unica X - Feel the luxury



| Product Description                                   | Color           | Product Ref. No. | Unit MRP [₹] | Pack |
|-------------------------------------------------------|-----------------|------------------|--------------|------|
| <b>10A Momentary Switches</b>                         |                 |                  |              |      |
| 10A 250V 1 Gang Momentary Switch                      | Stainless Steel | NUX31_PR_SS      | 4000         | 1    |
|                                                       | Jet Black       | NUX31_PR_JB      | 4222         | 1    |
|                                                       | Painted White   | NUX31_PR_PW      | 4889         | 1    |
|                                                       | Dark Grey       | NUX31_PR_DG      | 4356         | 1    |
|                                                       | Dark Bronze     | NUX31_PR_DB      | 4400         | 1    |
| 10A 250V 2 Gang Momentary Switch                      | Antique Brass   | NUX31_PR_AB      | 4411         | 1    |
|                                                       | Stainless Steel | NUX32_PR_SS      | 4444         | 1    |
|                                                       | Jet Black       | NUX32_PR_JB      | 4667         | 1    |
|                                                       | Painted White   | NUX32_PR_PW      | 4889         | 1    |
|                                                       | Dark Grey       | NUX32_PR_DG      | 5111         | 1    |
| Double Pole Switches                                  | Dark Bronze     | NUX32_PR_DB      | 5222         | 1    |
|                                                       | Antique Brass   | NUX32_PR_AB      | 5289         | 1    |
| 20A 250V 1 Gang Double Pole Switch with LED Indicator | Stainless Steel | NUX31D20N_SS     | 5556         | 1    |
|                                                       | Jet Black       | NUX31D20N_JB     | 5667         | 1    |
|                                                       | Painted White   | NUX31D20N_PW     | 6000         | 1    |
|                                                       | Dark Grey       | NUX31D20N_DG     | 5733         | 1    |
|                                                       | Dark Bronze     | NUX31D20N_DB     | 5756         | 1    |
| 32A 250V 1 Gang Double Pole Switch with LED Indicator | Antique Brass   | NUX31D20N_AB     | 5778         | 1    |
|                                                       | Stainless Steel | NUX31D32N_SS     | 6000         | 1    |
|                                                       | Jet Black       | NUX31D32N_JB     | 6111         | 1    |
|                                                       | Painted White   | NUX31D32N_PW     | 6667         | 1    |
|                                                       | Dark Grey       | NUX31D32N_DG     | 6200         | 1    |
| Bell Press Switch                                     | Dark Bronze     | NUX31D32N_DB     | 6222         | 1    |
|                                                       | Antique Brass   | NUX31D32N_AB     | 6244         | 1    |
| 10A 250V 1 Gang Bell Press Switch                     | Stainless Steel | NUX31_BP_SS      | 2889         | 1    |
|                                                       | Jet Black       | NUX31_BP_JB      | 2978         | 1    |
|                                                       | Painted White   | NUX31_BP_PW      | 3333         | 1    |
|                                                       | Dark Grey       | NUX31_BP_DG      | 3022         | 1    |
|                                                       | Dark Bronze     | NUX31_BP_DB      | 3044         | 1    |
| Sockets                                               | Antique Brass   | NUX31_BP_AB      | 3056         | 1    |
|                                                       | Stainless Steel | NUX15_6_SS       | 4531         | 1    |
|                                                       | Jet Black       | NUX15_6_JB       | 4573         | 1    |
|                                                       | Painted White   | NUX15_6_PW       | 6444         | 1    |
|                                                       | Dark Grey       | NUX15_6_DG       | 4649         | 1    |
| 6A 250V 1 Gang 3 Pin Switched Socket                  | Dark Bronze     | NUX15_6_DB       | 4531         | 1    |
|                                                       | Antique Brass   | NUX15_6_AB       | 4573         | 1    |
| 6/16A 250V 1 Gang 3 Pin Switched Socket               | Stainless Steel | NUX15_616_SS     | 6428         | 1    |
|                                                       | Jet Black       | NUX15_616_JB     | 6487         | 1    |
|                                                       | Painted White   | NUX15_616_PW     | 8553         | 1    |
|                                                       | Dark Grey       | NUX15_616_DG     | 6594         | 1    |
|                                                       | Dark Bronze     | NUX15_616_DB     | 6428         | 1    |
| Fan Regulators                                        | Antique Brass   | NUX15_616_AB     | 6487         | 1    |
|                                                       | Stainless Steel | NUX31FR350_SS    | 6667         | 1    |
|                                                       | Jet Black       | NUX31FR350_JB    | 6590         | 1    |
|                                                       | Painted White   | NUX31FR350_PW    | 9333         | 1    |
|                                                       | Dark Grey       | NUX31FR350_DG    | 7111         | 1    |
| 5 Steps 360 Degree Fan Regulator                      | Dark Bronze     | NUX31FR350_DB    | 6530         | 1    |
|                                                       | Antique Brass   | NUX31FR350_AB    | 6590         | 1    |
| <b>Dimmer</b>                                         |                 |                  |              |      |
| 1 Gang Universal Push Button Dimmers - 250 W          | Stainless Steel | NUX31RUD250_SS   | 12444        | 1    |
|                                                       | Jet Black       | NUX31RUD250_JB   | 12667        | 1    |
|                                                       | Painted White   | NUX31RUD250_PW   | 12556        | 1    |
|                                                       | Dark Grey       | NUX31RUD250_DG   | 12889        | 1    |
|                                                       | Dark Bronze     | NUX31RUD250_DB   | 13111        | 1    |
| 2 Gang Universal Push Button Dimmers - 250 W          | Antique Brass   | NUX31RUD250_AB   | 13111        | 1    |
|                                                       | Stainless Steel | NUX32RUD250_SS   | 18889        | 1    |
|                                                       | Jet Black       | NUX32RUD250_JB   | 19111        | 1    |
|                                                       | Painted White   | NUX32RUD250_PW   | 19222        | 1    |
|                                                       | Dark Grey       | NUX32RUD250_DG   | 19333        | 1    |
|                                                       | Dark Bronze     | NUX32RUD250_DB   | 19444        | 1    |
|                                                       | Antique Brass   | NUX32RUD250_AB   | 19556        | 1    |

# Unica X - Feel the luxury



| Product Description                                                    | Color           | Product Ref. No. | Unit MRP [₹] | Pack |
|------------------------------------------------------------------------|-----------------|------------------|--------------|------|
| <b>USB Chargers</b>                                                    |                 |                  |              |      |
| 2 Ports USB Charger, Type A+C 45W                                      | Stainless Steel | NUX32ACQUSB_SS   | 10444        | 1    |
|                                                                        | Jet Black       | NUX32ACQUSB_JB   | 10667        | 1    |
|                                                                        | Painted White   | NUX32ACQUSB_PW   | 11556        | 1    |
|                                                                        | Dark Grey       | NUX32ACQUSB_DG   | 10778        | 1    |
|                                                                        | Dark Bronze     | NUX32ACQUSB_DB   | 11022        | 1    |
|                                                                        | Antique Brass   | NUX32ACQUSB_AB   | 11044        | 1    |
| <b>Hotel Accessories</b>                                               |                 |                  |              |      |
| DND, PCU Indicator with Bell Switch (Do Not Disturb, Please Clean Up)  | Stainless Steel | NUX31BPDM_SS     | 11111        | 1    |
|                                                                        | Jet Black       | NUX31BPDM_JB     | 11333        | 1    |
|                                                                        | Painted White   | NUX31BPDM_PW     | 13333        | 1    |
|                                                                        | Dark Grey       | NUX31BPDM_DG     | 12889        | 1    |
|                                                                        | Dark Bronze     | NUX31BPDM_DB     | 13111        | 1    |
|                                                                        | Antique Brass   | NUX31BPDM_AB     | 12667        | 1    |
| 16AX 2 Gang Switch with PCU, DND Sym (Please Clean Up, Do Not Disturb) | Stainless Steel | NUX32DMS_SS      | 8667         | 1    |
|                                                                        | Jet Black       | NUX32DMS_JB      | 8778         | 1    |
|                                                                        | Painted White   | NUX32DMS_PW      | 9556         | 1    |
|                                                                        | Dark Grey       | NUX32DMS_DG      | 9333         | 1    |
|                                                                        | Dark Bronze     | NUX32DMS_DB      | 9444         | 1    |
|                                                                        | Antique Brass   | NUX32DMS_AB      | 9556         | 1    |
| Night Foot Lamps with LED Indicator and PIR Sensor                     | Stainless Steel | NUXFLIR_SS       | 8444         | 1    |
|                                                                        | Jet Black       | NUXFLIR_JB       | 8556         | 1    |
|                                                                        | Painted White   | NUXFLIR_PW       | 8667         | 1    |
|                                                                        | Dark Grey       | NUXFLIR_DG       | 8778         | 1    |
|                                                                        | Dark Bronze     | NUXFLIR_DB       | 8889         | 1    |
|                                                                        | Antique Brass   | NUXFLIR_AB       | 9111         | 1    |
| 16A 250V Electronic Key Card Switch                                    | Stainless Steel | NUX31EKT_SS      | 50217        | 1    |
|                                                                        | Jet Black       | NUX31EKT_JB      | 50679        | 1    |
|                                                                        | Painted White   | NUX31EKT_PW      | 66826        | 8    |
|                                                                        | Dark Grey       | NUX31EKT_DG      | 51520        | 1    |
|                                                                        | Dark Bronze     | NUX31EKT_DB      | 50217        | 1    |
|                                                                        | Antique Brass   | NUX31EKT_AB      | 50679        | 1    |
| 115/230V Shaver Socket (Vertical)                                      | Stainless Steel | NUXT727V_SS      | 25770        | 1    |
|                                                                        | Jet Black       | NUXT727V_JB      | 26007        | 1    |
|                                                                        | Painted White   | NUXT727V_PW      | 34294        | 13   |
|                                                                        | Dark Grey       | NUXT727V_DG      | 26439        | 1    |
|                                                                        | Dark Bronze     | NUXT727V_DB      | 25770        | 1    |
|                                                                        | Antique Brass   | NUXT727V_AB      | 26007        | 1    |
| Panic Button with Key Reset                                            | Stainless Steel | NUX31KPB_SS      | 5649         | 1    |
|                                                                        | Jet Black       | NUX31KPB_JB      | 5700         | 10   |
|                                                                        | Painted White   | NUX31KPB_PW      | 7517         | 10   |
|                                                                        | Dark Grey       | NUX31KPB_DG      | 5795         | 10   |
|                                                                        | Dark Bronze     | NUX31KPB_DB      | 5649         | 10   |
|                                                                        | Antique Brass   | NUX31KPB_AB      | 5700         | 10   |
| <b>Telecom, Network, Connectivity &amp; Media Series</b>               |                 |                  |              |      |
| 1 Gang RJ45 Data Cat6 Shuttered Socket                                 | Stainless Steel | NUX31RJ6_SS      | 5565         | 1    |
|                                                                        | Jet Black       | NUX31RJ6_JB      | 5616         | 1    |
|                                                                        | Painted White   | NUX31RJ6_PW      | 7406         | 1    |
|                                                                        | Dark Grey       | NUX31RJ6_DG      | 5710         | 1    |
|                                                                        | Dark Bronze     | NUX31RJ6_DB      | 5565         | 1    |
|                                                                        | Antique Brass   | NUX31RJ6_AB      | 5616         | 1    |
| 2 Gang TV+RJ45 Data Cat6 Shuttered Socket                              | Stainless Steel | NUX32TVRJ6_SS    | 8438         | 1    |
|                                                                        | Jet Black       | NUX32TVRJ6_JB    | 8516         | 1    |
|                                                                        | Painted White   | NUX32TVRJ6_PW    | 11229        | 10   |
|                                                                        | Dark Grey       | NUX32TVRJ6_DG    | 8657         | 1    |
|                                                                        | Dark Bronze     | NUX32TVRJ6_DB    | 8438         | 10   |
|                                                                        | Antique Brass   | NUX32TVRJ6_AB    | 8516         | 10   |
| 2 Gang Telephone+RJ45 Data Cat6 Shuttered Socket                       | Stainless Steel | NUX32TDRJ6_SS    | 6743         | 1    |
|                                                                        | Jet Black       | NUX32TDRJ6_JB    | 6805         | 1    |
|                                                                        | Painted White   | NUX32TDRJ6_PW    | 8973         | 10   |
|                                                                        | Dark Grey       | NUX32TDRJ6_DG    | 6918         | 10   |
|                                                                        | Dark Bronze     | NUX32TDRJ6_DB    | 6743         | 10   |
|                                                                        | Antique Brass   | NUX32TDRJ6_AB    | 6805         | 10   |

W.E.F. August 15<sup>th</sup>, 2026

# Unica X - Feel the luxury



NUX31TV\_SS



NUX31TV\_DB



NUX31RJ4\_SS



NUX31RJ4\_DB



NUX30X\_SS



NUX30X\_DB



NUX30TX\_SS



NUX30TX\_DB



NUX\_21\_SS




NUX\_21\_DB




NUX\_31\_SS



NUX\_31\_DB



NUX\_41\_SS



NUX\_41\_DB

| Product Description                          | Color           | Product Ref. No. | Unit MRP [₹] | Pack |
|----------------------------------------------|-----------------|------------------|--------------|------|
| 1 Gang TV Socket, 75Ω                        | Stainless Steel | NUX31TV_SS       | 4031         | 1    |
|                                              | Jet Black       | NUX31TV_JB       | 4068         | 1    |
|                                              | Painted White   | NUX31TV_PW       | 5365         | 1    |
|                                              | Dark Grey       | NUX31TV_DG       | 4136         | 1    |
|                                              | Dark Bronze     | NUX31TV_DB       | 4031         | 1    |
|                                              | Antique Brass   | NUX31TV_AB       | 4068         | 1    |
| 1 Gang Telephone Socket, Shuttered Wallplate | Stainless Steel | NUX31RJ4_SS      | 4554         | 1    |
|                                              | Jet Black       | NUX31RJ4_JB      | 4596         | 1    |
|                                              | Painted White   | NUX31RJ4_PW      | 6060         | 1    |
|                                              | Dark Grey       | NUX31RJ4_DG      | 4672         | 1    |
|                                              | Dark Bronze     | NUX31RJ4_DB      | 4554         | 1    |
|                                              | Antique Brass   | NUX31RJ4_AB      | 4596         | 1    |
| <b>Cover Frames and Accessories</b>          |                 |                  |              |      |
| 1 Gang Blank Plate                           | Stainless Steel | NUX30X_SS        | 2778         | 1    |
|                                              | Jet Black       | NUX30X_JB        | 2444         | 1    |
|                                              | Painted White   | NUX30X_PW        | 2889         | 1    |
|                                              | Dark Grey       | NUX30X_DG        | 2667         | 1    |
|                                              | Dark Bronze     | NUX30X_DB        | 2556         | 1    |
|                                              | Antique Brass   | NUX30X_AB        | 2622         | 1    |
| 2 Gang Blank Plate                           | Stainless Steel | NUX30TX_SS       | 4000         | 1    |
|                                              | Jet Black       | NUX30TX_JB       | 4333         | 1    |
|                                              | Painted White   | NUX30TX_PW       | 4667         | 10   |
|                                              | Dark Grey       | NUX30TX_DG       | 4222         | 1    |
|                                              | Dark Bronze     | NUX30TX_DB       | 4111         | 1    |
|                                              | Antique Brass   | NUX30TX_AB       | 4289         | 10   |
| 2 Gang Multi Surround Plate                  | Stainless Steel | NUX_21_SS        | 1367         | 1    |
|                                              | Jet Black       | NUX_21_JB        | 1380         | 1    |
|                                              | Painted White   | NUX_21_PW        | 1819         | 1    |
|                                              | Dark Grey       | NUX_21_DG        | 1403         | 1    |
|                                              | Dark Bronze     | NUX_21_DB        | 1367         | 1    |
|                                              | Antique Brass   | NUX_21_AB        | 1380         | 1    |
| 3 Gang Multi Surround Plate                  | Stainless Steel | NUX_31_SS        | 1778         | 1    |
|                                              | Jet Black       | NUX_31_JB        | 1794         | 1    |
|                                              | Painted White   | NUX_31_PW        | 2365         | 70   |
|                                              | Dark Grey       | NUX_31_DG        | 1824         | 1    |
|                                              | Dark Bronze     | NUX_31_DB        | 1778         | 1    |
|                                              | Antique Brass   | NUX_31_AB        | 1794         | 1    |
| 4 Gang Multi Surround Plate                  | Stainless Steel | NUX_41_SS        | 2235         | 1    |
|                                              | Jet Black       | NUX_41_JB        | 2255         | 1    |
|                                              | Painted White   | NUX_41_PW        | 2974         | 40   |
|                                              | Dark Grey       | NUX_41_DG        | 2293         | 1    |
|                                              | Dark Bronze     | NUX_41_DB        | 2235         | 1    |
|                                              | Antique Brass   | NUX_41_AB        | 2255         | 40   |

# Kavacha - Weather Protected Series



CSW110-GY-EX



A3031WBP\_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

| Description                                                        | Reference      | Unit MRP [₹] | Pack |
|--------------------------------------------------------------------|----------------|--------------|------|
| <b>Kavacha IP56 Surface Mount Combined Switched Socket Outlets</b> |                |              |      |
| <b>Combination Switch Socket Outlets</b>                           |                |              |      |
| 16A Single Pole Switched Socket Outlet                             | CSC316RP_GY    | 5778         | 1    |
| <b>Kavacha IP56 Surface Mount Socket Outlets</b>                   |                |              |      |
| 16A Socket Outlet                                                  | CSO316RP-GY-EX | 4082         | 1    |
| <b>Kavacha Full-Time Weatherproof Cover</b>                        |                |              |      |
| Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55 | E223R_TR       | 1478         | 1    |
| Weatherproof Bell Press Grey                                       | A3031WBP_GY    | 2264         | 1    |
| Weatherproof Bell Press White                                      | A3031WBP_WE    | 1978         | 1    |

## Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

| Description                                                                                | Reference | Unit MRP [₹] | Pack |
|--------------------------------------------------------------------------------------------|-----------|--------------|------|
| <b>Metal Boxes for Indian Format Ranges (Livia, Opale, Unica Pure &amp; ZENcelo India)</b> |           |              |      |
| <b>0.8 mm thickness</b>                                                                    |           |              |      |
| Metal Box 1 & 2 modules                                                                    | ME0102    | 124          | 20   |
| Metal Box 3 modules                                                                        | ME0103    | 162          | 20   |
| Metal Box 4 modules                                                                        | ME0104    | 186          | 20   |
| <b>1 mm thickness</b>                                                                      |           |              |      |
| Metal Box 1 & 2 modules                                                                    | MR1102    | 138          | 20   |
| Metal Box 3 modules                                                                        | MR1103    | 182          | 20   |
| Metal Box 4 modules                                                                        | MR1104    | 210          | 20   |
| Metal Box 6 modules                                                                        | MR1106    | 286          | 10   |
| Metal Box 8 modules - Horizontal                                                           | MR1108    | 371          | 10   |
| Metal Box 8 modules - Square                                                               | MR1109    | 371          | 10   |
| Metal Box 12 module                                                                        | MR1112    | 477          | 5    |
| Metal Box 18 modules                                                                       | MR1118    | 566          | 5    |

| Description                                                                                                                          | Reference | Unit MRP [₹] | Pack |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------|------|
| <b>Metal Boxes for BS Format Ranges (AvatarON, Unica X) - New &amp; Improved Design</b>                                              |           |              |      |
| <b>Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to AvatarOn, Unica X section for references)</b> |           |              |      |
| <b>1 mm thickness</b>                                                                                                                |           |              |      |
| 2 GANG GI Metal Boxes                                                                                                                | MM1102    | 376          | 20   |
| 3 GANG GI Metal Boxes                                                                                                                | MM1103    | 532          | 20   |
| 4 GANG GI Metal Boxes                                                                                                                | MM1104    | 689          | 20   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026



# Smart Home Energy Management System



The Future of Homes

It's Time to  
Get **Wiser**





## Smart Home **Energy Management** System

With the rise of the Internet of Things (IoT), automation has simplified our lives and made our homes smarter. Smart homes, the foundation of smart cities, offer a more secure lifestyle by automating functions and providing greater control over living spaces.

Introducing **Wiser**, the next leap in Home Energy Management. Schneider Electric's vision for a sustainable, connected home of the future enables every device to be easily controlled and personalized through the Wiser Home Application.

Wiser offers an intuitive system with tools to control electricity usage and optimize energy needs without sacrificing comfort. It goes beyond convenience and security, empowering smarter, more sustainable living. Wiser homes focus on people, adding a new dimension to Stylish, Smart, Sustainable and Safe.

**Together, we are creating the homes of the future by connecting electricity with digital solutions to help you achieve your sustainability goals.**

# Home Automation Possibilities



## Semi Home Automation

- Lighting Control
- Fan Control
- HVAC Control
- Curtain Control
- Dimming – 10-100%
- Voice, App Control



## Full Home Automation

- Mood Creation
- Geo-Fencing
- Digital Door-Lock Integration
- Sensor Based Automation
- Air Quality Management



## Safety

- Appliance Protection
- Arc Fault Protection
- Thermal Protection



## Home Energy Management

- Energy Monitoring
- Energy Efficiency Features
- Prosumer Management
- NEL Integration



## AI / Machine Learning

- Lifestyle Recommendations
- Energy Saving Tips
- Appliance Management Tips



**Wiser:** One System. Infinite Control.

## Make your home **Smart** and **Sustainable** with **Wiser**



**Wiser**  
Next-gen smart home and energy management solutions.

Enhance comfort and optimize energy usage, easily!

Live Smart, Be Energy Wise.

| SE Ref.       | Description of reference                        | Unit MRP [₹] |
|---------------|-------------------------------------------------|--------------|
| CS16A1MSW_WE* | 16A 1M Connected Switch, White                  | 7490         |
| CS16A1MSW_GY* | 16A 1M Connected Switch, Grey                   | 10210        |
| CD4SFR2M_WE*  | 4 Step Connected Fan Regulator, White           | 7905         |
| CD4SFR2M_GY*  | 4 Step Connected Fan Regulator, Grey            | 10590        |
| CDWCRTC2M_WE* | Connected Curtain Controller 2M, White          | On Request   |
| CDWCRTC2M_GY* | Connected Curtain Controller 2M, Grey           | On Request   |
| ENMOD1P*      | Energy Monitoring Device, Single Phase          | On Request   |
| ENMOD3P*      | Energy Monitoring Device, Three Phase           | On Request   |
| CDWENMOD3P*   | Energy Monitoring Device, Three Phase, 400A CTs | On Request   |
| CCIRC1M*      | IR Controller - Wi-Fi                           | On Request   |
| CR2CHRLYPG*   | 5A 2 Channel Relay Puck - Wi-Fi                 | On Request   |
| CDWRLY1CH16A* | 16A 1 Channel Connected Relay Puck - Wi-Fi      | On Request   |
| B1GTEWY*      | Multi-Protocol Gateway                          | On Request   |
| IH100WFVDP*   | Smart Doorbell                                  | On Request   |
| IH14000100*   | 4 Channel Automation Relay                      | On Request   |
| IH1200010F*   | Fan Speed Controller                            | On Request   |
| IH12000020*   | 2 Channel Dimmer Controller                     | On Request   |
| IH101ZW2IR*   | ZW_IR Controller                                | On Request   |
| IH11000200*   | 2 Channel Curtain Controller                    | On Request   |
| IH101ZWIFI*   | Automation Gateway                              | On Request   |

Please contact Customer Care Center for Stockable and Non stockable status of references.

\*Bold references are MTO reference.



# Surface and Flush Mount Occupancy Sensors



## PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

| Description                                            | Reference        | Unit MRP [₹] |
|--------------------------------------------------------|------------------|--------------|
| Surface Mount Single-Load 360 degrees PIR              | CSS54E_WE        | 4140         |
| Flush/Surface Mount Single-Load 360 degrees PIR        | SAE-UE-MS-CSAWE  | 5043         |
| ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch | <b>CCT551011</b> | 16588        |
| ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 2ch | <b>CCT551012</b> | 17821        |
| ARGUS IR Remote Controller Dual-Tech                   | <b>CCT556011</b> | 23596        |
| ARGUS Presence High Frequency High Bay Sensor - 2ch    | <b>CCT551023</b> | 19503        |
| ARGUS IR Remote Controller HF                          | <b>CCT556023</b> | 21631        |
| ARGUS Presence Wide Sense - 2ch                        | <b>CCT551003</b> | 16514        |
| INFRASCAN OUTDOOR 3WIRE 10A                            | <b>750WPR-GY</b> | 25305        |
| INFRASCAN INDOOR 3WIRE 10A                             | <b>751R-WE</b>   | 14682        |
| INFRASCAN 360 DEGREE 3WIRE                             | <b>753R-WE</b>   | 12752        |



## PIR Flush Mount Sensors

| Description                                                      | Reference        | Unit MRP [₹] |
|------------------------------------------------------------------|------------------|--------------|
| ARGUS Standard min 360° False ceiling indoor movement detector   | <b>CCT570005</b> | 5902         |
| ARGUS Standard 360° False ceiling indoor movement detector - 2ch | <b>CCT570003</b> | 8664         |
| Flush Mount Dual load 360 degrees standalone sensor              | SAE-UE-MS-CDBWE  | 9864         |



# Dimmable Sensors with Light Regulation

## Dali Dimmable Sensor

| Description                         | Reference           | Unit MRP [₹] |
|-------------------------------------|---------------------|--------------|
| ARGUS Presence Master with IR, DALI | <b>MTN5510-1519</b> | 17821        |

Please contact Customer Care Center for Stockable and Non stockable status of references.  
\*Bold references are MTO reference.

W.E.F. August 15<sup>th</sup>, 2026

# Wall Mount Sensors



## BS Standard & Outdoor IP55 Sensor

| Description                                                                                                                             | Reference            | Unit MRP [₹] |
|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| Neo C-Metro 200 degrees wall mount sensor, grey colour                                                                                  | <b>E3751MS3C_GS</b>  | 7881         |
| Zencelo 110 degrees wall mount sensor, white colour                                                                                     | <b>E84751MS3B_WE</b> | 7980         |
| Zencelo 90 degrees wall mount sensor, white colour                                                                                      | <b>E84751MS3A_WE</b> | 6085         |
| Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection                     | <b>MTN565119</b>     | 8688         |
| Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection | <b>MTN565219</b>     | 13406        |


# Hotel - ELV Dual Motion Sensor

| Description                 | Reference                | Unit MRP [₹] |
|-----------------------------|--------------------------|--------------|
| ELV DUAL TECH MOTION SENSOR | <b>SAE_UE_MS_CULV_WE</b> | 11022        |

Please contact Customer Care Center for Stockable and Non stockable status of references.  
 \*Bold references are MTO reference.







## Schneider Electric India Pvt. Ltd.

Corporate Office: 15th Floor, DT-4 Downtown, DLF Phase 3, Sector 25A, Gurugram, Haryana - 122002

### Ahmedabad

Schneider Electric India (P) Ltd.  
1506-1507, 15<sup>th</sup> Floor Shapth-5  
Opp.Karnavati Club, SG Highway,  
Ahmedabad, Gujarat - 380015  
Tel.: 079-66826701

### Bengaluru

Schneider Electric India (P) Ltd.  
No. 3/1, JP Techno Park  
Mezzanine Floor, Millers Tank Bund  
Road, Vasanth Nagar  
Bengaluru - 560052  
Tel.: 080-71481351

### Bhubaneswar

Schneider Electric India (P) Ltd.  
Workloop Co-Working in the property  
Office No. 316, Esplanade One Mall  
Rasulgarh, Bhubaneswar - 751010

### Chennai

Schneider Electric India (P) Ltd.  
No: 29, 2<sup>nd</sup> Floor,  
Bannari Amman Towers, B-Block  
Dr. Radhakrishnan Road, Mylapore  
Chennai - 600 004  
Tel.:044-71912000

### Cochin

Schneider Electric India (P) Ltd.  
Alapatt Properties Private Limited  
(Trade Name: Centre A)  
Main Door Number: 66/4971  
(Old Door Number: 40/6584-H)  
7<sup>th</sup> Floor Alapatt Heritage Building  
MG Road Kochi - 682035

### Coimbatore

Schneider Electric India Pvt. Ltd.  
Mikro Grafeio Services Pvt Ltd.,  
Elysium Tower, #21, A.T.T  
Colony, Near Honda Office,  
Coimbatore, Tamil Nadu - 641018

### Hyderabad

Schneider Electric Pvt. Ltd.  
4B-4th Floor, Gumidelli Towers,  
Prakash Nagar, Begumpet,  
Hyderabad - 500016

### Indore

Schneider Electric India (P) Ltd.  
219, Dhan Trident Building  
Vijay Nagar, A.B.Road  
Indore - 452001

### Jaipur

Schneider Electric India (P) Ltd.  
Jaipur Business Centre 309  
3<sup>rd</sup> Floor, Sangam Tower 190  
Church Road, Jaipur - 302001  
Tel.: 0141-2374810

### Kolkata

Schneider Electric (I) Pvt. Ltd.  
BN3, Salt Lake, Sector V,  
Kolkata - 700091

### Lucknow

Schneider Electric India (P) Ltd.  
Summit, Plot No. TCG 3/3  
6<sup>th</sup> Floor, 604A/B/C, Vibhuti Khand  
Gomti Nagar, Lucknow  
Uttar Pradesh - 226010  
Tel.: 0522-3500334

### Ludhiana

Schneider Electric India (P) Ltd.  
SCO 23, 2nd Floor,  
Chandigarh Road, Sector 32  
Ludhiana, Punjab -141010  
Tel.: 0161- 5203011

### Mohali

Schneider Electric India (P) Ltd.  
2nd Floor, Tower-A  
Bestech Business Tower  
Mega Information & Technology Park  
Industrial Plot No.1, Phase IX  
(Expansion), Mohali - 160059  
Tel.: 0172-7198200

### Mumbai

Schneider Electric India Pvt. Ltd.  
L&T Business Park, Tower B,  
7th Floor, TC-II, Gate No.5,  
Saki Vihar Road, Powai,  
Mumbai - 400072

### Nagpur

Schneider Electric India (P) Ltd.  
6, Vasant Vihar Complex  
W.H.C Road, Shankar Nagar  
Nagpur - 440010  
Tel.: 0712-2558581

### Nashik

Schneider Electric India (P) Ltd.  
401, 4<sup>th</sup> Floor, Rishi Raj Towers  
Jehan Circle, Gangapur Road  
Nashik - 422013  
Tel.: 0253-2344333

### New Delhi

Schneider Electric India (P) Ltd.  
C-56, Mayapuri Industrial Area, Phase-2  
New Delhi - 110064  
Tel.: 011-61317400

### Pune

Schneider Electric India (P) Ltd.  
Amar Caliber, CTS No 911, BMCC Road,  
OFF F.C. Road, Deccan Gymkhana,  
Shivaji Nagar, Pune - 411007  
Tel.: 020-67492500

### Vadodara

Schneider Electric India (P) Ltd.  
Notus IT Park, 10<sup>th</sup> Floor, Block-D  
Sarabhai Campus, Vadiwadi  
Vadodara, Gujarat - 390017

### Vishakhapatnam

Schneider Electric India (P) Ltd.  
D.N.10-1-43, 1<sup>st</sup> Floor  
Ratnam's Business Centre,  
Siripuram Fort, C.B.M.Compound  
Visakhapatnam - 530016  
Tel.: 0891-6675500

### Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: [customercare.in@schneider-electric.com](mailto:customercare.in@schneider-electric.com)

For more information, visit our website at: [www.se.com/in](http://www.se.com/in)

- All Prices are in Indian Rupees
- Prices are subject to change without prior notice
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice
- Prices charged will be as prevailing on the date of dispatch
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %
- Tax incidence on invoices is basis applicable GST rates
- Invoice amount not to exceed MRP
- Product pictures shown are for illustration purpose only; actual product may vary
- Kindly refer product datasheet for detailed specification
- SE recommends to procure products from our authorized sellers only, list of our authorized sellers can be found on <https://www.se.com/in/en/work/support/locator/partner-map/>

### Distributor