


MRP LIST No 01/26
EFFECTIVE FROM 01.01.2026.

CONTENTS

	Page No
• CAM OPERATED ROTARY SWITCHES	1-3
• LIMIT SWITCHES	4
• PLUG IN RELAYS	4
• CONTROL & SIGNALLING UNITS	5-8
• PUSH BUTTON STATIONS	9
(In FRP, Cast Aluminum, Thermoplastic Enclosure)	
• JUNCTION BOXES	9
(In FRP, Cast Aluminum, Sheet Steel Enclosure)	
• NEON JEWEL LIGHTS	9
• ANALOG & DIGITAL PANEL METERS	10
• INDUSTRIAL HOOTERS	11
• ELECTRONIC BUZZERS	11
• HRC FUSE FITTINGS	11
• HRC FUSE BASES	11
• HEAVY DUTY FOOT SWITCHES	11

Rotary Switches 6A - 200A 	Limit Switches IP-65, Ip-67 	Plug in Relay 2C/O & 3C/O 
Control & Signaling Units Ø 22.5, 25.5, 30.5 MM 	Push Button Stations 	Junction Boxes 
Neon Jewel Light Ø 8, 10, 15 M 	Analog & Digital Panel Meters 	Current Transformers Tape Wound & Resin Cast 
DC Shunts 	Industrial Hooters 12V - 220V AC/DC 	Electronic Buzzers 12V - 220V AC/DC 
HRC Fuse Fittings 20A-125A 	H.R.C. Fuse Bases 160A-630A 	Heavy Duty Foot Switches 1NO+1NC & 2NO+2NC 



NS-EN ISO 14001 : 2004 / ISO 14001 : 2004 CERTIFIED COMPANY



Mfd. By :

Hotline Switchgear & Controls


(ISO 9001: 2015 CERTIFIED)

D-2, SECTOR-8, NOIDA (U.P.)-201301 INDIA

PH. : +91-9650599170, 9818644135

e-mail : sales@hsc.in ; marketing@hsc.in

Website : www.hsc.in



Cam Operated Rotary Switches

SWITCHES -6 AMPS. TYPE "HG 91C"

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
ON-OFF 	1	HG001	130	SIX WAY NO-OFF 60° 	1	HG052	230
	2	HG002	145		2	HG072	435
	3	HG003	160		3	HG092	520
	4	HG004	190				
TWO WAY NO - OFF 90° 	1	HG037	150	SIX WAY WITH - OFF 45° 	1	HG063	280
	2	HG038	190		2	HG083	435
	3	HG039	230		3	HG103	610
	4	HG040	280				
TWO WAY WITH - OFF 60° 	1	HG025	150	SEVEN WAY NO - OFF 45° 	1	HG064	280
	2	HG026	190		2	HG084	445
	3	HG027	230		3	HG104	620
	4	HG028	280				
THREE WAY NO - OFF 60° 	1	HG049	155	SEVEN WAY WITH - OFF 45° 	1	HG053	280
	2	HG069	225		2	HG073	450
	3	HG089	320		3	HG093	620
	4	HG120	400				
THREE WAY WITH - OFF 90° 	1	HG060	170	EIGHT WAY NO - OFF 45° 	1	HG054	310
	2	HG080	225		2	HG074	510
	3	HG100	360		3	HG094	610
	4	HG131	435				
FOUR WAY NO - OFF 90° 	1	HG050	180	EIGHT WAY WITH - OFF 30° 	1	HG065	310
	2	HG070	240		2	HG085	500
	3	HG190	340				
	4	HG121	510				
FOUR WAY WITH - OFF 60° 	1	HG061	200	NINE WAY NO - OFF 30° 	1	HG055	330
	2	HG081	330		2	HG075	530
	3	HG101	425				
	4	HG132	530				
FIVE WAY WITH - OFF 60° 	1	HG051	210	NINE WAY WITH - OFF 30° 	1	HG066	335
	2	HG071	370		2	HG086	590
	3	HG091	490				
FIVE WAY NO - OFF 60° 	1	HG062	210	TEN WAY WITH - OFF 30° 	1	HG056	340
	2	HG082	360		2	HG076	590
	3	HG102	485				

SWITCHES -6 AMPS. TYPE "HG 91C"

SWITCHING	POLE	CAT NO.	PRICE (IN RS.)	SWITCHING	POLE	CAT NO.	PRICE (IN RS.)
TEN WAY NO-OFF 30° 	1	HG067	570	ELEVEN WAY WITH - OFF 90° 	1	HG068	440
	2	HG087	610		2	HG088	650
ELEVEN WAY NO - OFF 30° 	1	HG057	700	TWELVE WAY NO - OFF 30° 	1	HG058	640
	2	HG077	750		2	HG078	760

AMMETER SELECTOR SWITCHES

SWITCHING	POLE	AMP.	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF 	3	6	HG91C	HG325	To read current to be used with CT with off	230
	3	10	HG101C	HG325	-DO-	270
L OFF 	3	10	HG101C	HG721	Current in each phase and leakage or out of balance current with off	490
OFF 	3	16	HG121C	HG710	Ammeter Selector Switch without CT's	910
	3	25	HG241C	HG710		1020
	3	40	HG461C	HG710		2650
	3	63	HG561C	HG710		2260

VOLTMETER SELECTOR SWITCHES

OFF 	3	6	HG91C	HG312	Voltage between Phase with off	170
	3	10	HG101C	HG312	-DO-	245
OFF 	3	6	HG91C	HG313	Voltage between Phase and neutral with off	280
	3	10	HG101C	HG313	-DO-	470
OFF 	3	10	HG101C	HG314	Voltage between Phase to Phase and phase to neutral without off	460
	3	6	HG91C	HG311	Voltage between Phase to neutral with off	300
	3	10	HG101C	HG311	Voltage between Phase to neutral with off	335

AMMETER VOLTMETER COMBINED SELECTOR -10 AMPS

SWITCHING	POLE	TYPE	CAT NO.	DESCRIPTION	PRICE (IN RS.)
OFF 	3	HG101C	HG338	Voltage between Phase to neutral in current off that phase	510

SWITCHES WITH METAL BOX: (60 DEG)

SWITCHING	AC3	TYPE	CAT NO.	PRICE (IN RS.)
Three poles reversing	16	H220	HG913	800
	25	H241	HG913	950
Three pole ON-OFF	16	H220	HG244	800
	25	H241	HG244	950

Prices mentioned above is for Switch+SS Enclosure + Operating handle



Cam Operated Rotary Switches

SWITCHES-6A,10A,16A,25A,32A,40A,63A,100A

SWITCHES	POLE	CAT NO.	6 A (Rs.)	10 A (Rs.)	16 A HG121C (Rs.)	25 A HG241/H220 (Rs.)	32 A HG341/H225 (Rs.)	40 A H461C H540C (Rs.)	63 A H561C H563C (Rs.)	100 A HG608 (Rs.)
ON-OFF 	1	HG195	130	205	240	290	335	455	505	2480
	2	HG198	150	245	280	345	390	555	660	3100
	3	HG197	160	270	315	425	460	600	840	3700
	4	HG196	190	305	335	510	530	665	950	4200
ON-OFF 	1	HG191	130	205	240	290	335	455	505	2480
	2	HG192	150	245	280	345	390	555	660	3100
	3	HG199	160	270	315	425	460	600	840	3700
	4	HG194	190	305	335	510	530	665	960	4200
TWO WAY-WITH NO-OFF 	1	HG037	150	255	300	335	365	530	590	3140
	2	HG038	190	305	335	435	500	660	950	4500
	3	HG039	230	360	445	630	680	815	1260	5770
	4	HG040	280	425	500	840	865	970	1560	7220
TWO WAY-WITH-OFF 	1	HG151	150	255	300	335	365	530	645	3140
	2	HG152	190	305	335	435	500	660	960	4500
	3	HG153	230	360	445	630	680	815	1260	5770
	4	HG154	280	425	500	840	865	970	1560	7220
THREE WAY-WITH-OFF 	1	HG060	170	285	310	330	385	570	630	3180
	2	HG080	225	330	370	515	545	790	900	4570
	3	HG100	360	415	600	735	795	1030	1320	5930
	4	HG131	435	540	730	910	990	1350	1580	7440
FOUR WAY-WITH NO-OFF 	1	HG050	180	295	380	475	500	700	940	3190
	2	HG070	240	410	435	555	600	820	1040	4810
	3	HG090	340	418	670	855	945	1055	1360	6270
	4	HG121	510	540	740	1040	1080	1400	1800	7660
FIVE WAY-WITH-OFF 	1	HG051	210	310	405	520	600	830	920	-
	2	HG071	370	470	545	-	-	-	-	-
	3	HG091	490	840	1040	1195	1250	1480	1700	-
SIX WAY-WITH NO-OFF 	1	HG052	230	410	470	595	665	715	810	4590
	2	HG072	435	540	670	1020	1040	1090	1340	8940
	3	HG092	520	1000	1120	1175	1210	1380	1780	14960
SEVEN WAY-WITH-OFF 	1	HG064	280	455	525	665	695	745	1110	-
	2	HG084	445	590	685	1015	1050	1105	1720	-
	3	HG104	620	890	1090	1315	1430	2010	2420	-
EIGHT WAY-WITH NO-OFF 	1	HG054	340	565	595	630	695	845	-	-
	2	HG074	540	670	965	1060	1130	1370	-	-
	3	HG094	640	1005	1350	1430	1430	1640	-	-

PRICES OF CAM SWITCHES FOR DC RATINGS ON REQUEST.

SPRING RETURN SWITCHES FOR CONTROL CIRCUITS

SWITCHING 60°/45°	POLE	CAT NO.	DESCRIPTION	16A PRICE (IN RS.)	HG-241 (25A) PRICE (IN RS.)
	1	HG351	ON-OFF with Spring Return to OFF	500	755
	2	HG352		525	835
	3	HG353		590	1000
	4	HG354		680	1100
	1	HG361	Double Throw spring return both sides to OFF	525	835
	2	HG362		750	1100
	3	HG363		820	1350
	1	HG364	Three positions with one position spring to OFF	480	850
	2	HG365		710	1120
	3	HG369		760	1380
	1	HG371	Two position spring return Switch 2 To 1	500	900
	2	HG372		690	1100
	3	HG373		740	1350
	1	HG300	Start Stop Switches Spring Return to center position	590	850
	2	HG388		690	1100

SPRING RETURN SWITCHES FOR CONTROL CIRCUITS (T.N.C)

SWITCHING	POLE	CAT NO.	AMPS	CONTACT CONFIGURATION	PRICE (IN RS.)
	2	HG009	25	2NO+2NC	1050
	3	HG244	25	3NO+3NC	1500
	2	HG009	32	2NO+2NC	1450
	3	HG244	32	3NO+3NC	1850

*TNCswitches as per requirement in different contact configuration specific programmed can also be manufactured at short notice.

ROTARY SWITCHES FOR MOTOR DUTIES

Vaishno Hotline make cam operated rotary switches suitable for switching, controlling & starting three phases for 440-volt 50 Hz squirrel cage induction motors up to 55kw & for AC3 & AC4 duties conforming to IS: and IEC: DIN/VDE

TYPE	AC3	ON-OFF 60Deg. HG-003,	3PoleForward-Off Rev. HG-211	Star-Delta HG-200	Two speed forward HG-212	Two speed for Rev. HG-217
HG121	16	450	340	450	-	-
HG241/H220	25	750	450	575	900	950
HG341/H225	32	930	460	735	-	-
HG461/H540	40	1070	1140	1130	-	-
HG561/H563	63	1270	1375	1390	-	-
H608	100	3760	3510	-	-	-



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADEMARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

Cam Operated Rotary Switches SPARES FOR ROTARY SWITCHES INDICATING PLATES (FRONT PLATES)

S.No.	Description	Size in mm.	Price (in Rs.)	S.No.	Description	Size in mm.	Price (in Rs.)
1	6 & 10 Amps	32 X 32	35	3	25 & 32 Amps	64 X 64	65
2	6 & 10 Amps	48 X 48	45	4	40- 200 Amps	88 X 88	70

Plates of size 32*32, 48*48 and 48* 60 can be supplied with of hot stamping aluminum finish.
Price will be higher by 20% over the normal plate price.

SPECIAL INDICATING PLATES

1	Up to 16 Amps	48 x 60	50	3	40 To 200 Amps	104 X 104	95
2	16 to 32 Amps	64 x 18	75	4	Up to 16 Amps	48 X 60 Alum. Finish	100

SCRIPT PLATE (MARKING PLATE)

1	FOR 6 & 10 Amps	32*32	20	4	40 To 200 Amps	88 *88	35
2	Up to 16 Amps	48*48	25	5	Up to 16 Amps Small Legend	48*60	25
3	16 to 32 Amps	64*64	35	6	Plate 16 - 32 Amps Big Legend Plate		25

* HOT STAMPING ALUMINIUM PLATE CAN ALSO BE OFFERED IN SIZE 32*32, 48*48 ,48*60 & 64*60.
PRICE WILL BE HIGHER BY 20% OVER THE NORMAL PRICE

KNOBS

1	Round Knob 6 & 10A	48 *48 48 *60	50	3	Tear drop for 16 to 32 A	64*64 64*80	60
2	Tear drop for 6 to 16 A	48 *48 48 *60	50	4	Tear drop for 40 to 200 A	88*88 104*104	80

HANDLE

1	Flag handle for 6-10 A.	32*32	50	5	Ball handle for 40 to 200A	88*88 104*104	120
2	Flag handle for 16 A.	48*48 48*60	60	6	Pistol Grip handle for 16 to 32A	64*64 64*80	90
3	Flag handle for 25 & 32 A.	64*64 64*80	70	7	Long handle for 16 to 32A	64*64 64*80	90
4	Ball handle for 16-32A	64*64 64*80	90	8	Lever handle for 40 to 200A	88*88 104*104	120

MOUNTING PLATES (USED FOR REAR MOUNTING)

1	6 to 16A	48*48	25				
2	25 & 32A	64*64	30				
3	40 & 63A	88*88	40				

WALL TYPE MOUNTING BOXES (UPTO 32 AMPS-MAX. 4 CONTACTS)

1	Aluminum Enclosure-B17	800	2	SS Enclosure-B-17 (Metal Box) M-17	600
---	------------------------	-----	---	------------------------------------	-----

LOCKS

1	B63 for 16-32A (25&32A only in H220/H225 Type)	400	2	B63 for 16-63A (40 and 63A only in H540/H563 Type)	550
---	---	-----	---	---	-----

PAD LOCKS

1	B33 for 16A	65*65	160	4	B33 for 100&200A	95*95	490
2	B33 for 25&32A	80*80	240	5	B30 for 40-63A	98*126	450
3	B33 for 40& 63 A	95*95	360	6	B30 for 100 &200 A	98*126	500

DOOR INTERLOCK(B42)

1	For 16,25 &32A	260	1	For 48*48 & 48*60 Plate	60
2	For 40 & 63A	360	2	For 64*64 & 64*80 Plate	95
3	For 100& 200A	510	3	For 88*88 & 104*104 Plate	160

Door clutch (B41 without interlock) can also be offered and the price will be same as per the price of door interlock(B42)

PANEL FIXING screws (100 Nos./Pkt.)

1	For 16,25 &32A	260	1	For 48*48 & 48*60 Plate	60
2	For 40 & 63A	360	2	For 64*64 & 64*80 Plate	95
3	For 100& 200A	510	3	For 88*88 & 104*104 Plate	160

SHROUDING COVER (Maximum 6 Contact round type)

1	For 16A	40	1	For 100&200 Amps	80
2	For 25-63A	65	2	Special Cover for extended terminal 63-200 Amp(Maximum 2 contact stage (ie) 4contacts)	460

FIGURE KEY (C/W) LOCK (CASTLE LOCK)

PRICE (IN RS.)

1	Any alpha bate /Numeric 1 lock & 1Key	680
---	---------------------------------------	-----

Tailor made Rotary Cam Switches as per specific customer requirement can also be manufactured at very short notice on request.



VAISHNO **HOTLINE**

Limit Switch

IP-67 OIL TIGHT LIMIT SWITCH WITH 1 NO + 1 NC CONTACTS WITH METAL ROLLER LEVER

DESCRIPTION	LEVER LENGTH (mm)	ROLLER		SPRING RETURN TYPE		MAINTAINED TYPE	
ROLLER LEVER	38MM	DIA. 19MM	WDTH. 8MM	CAT NO. VLL1	PRICE 730	CAT NO. VLL1-M	PRICE 800
ROLLER LEVER	76.2MM	19MM	8MM	VLL2	730	VLL2-M	800
ROLLER LEVER	50MM	19MM	8MM	VLL3	760	-	-
ROLLER LEVER	64MM	19MM	8MM	VLL4	730	-	-
OFFSET ROLLER LEVER	50MM	16MM	16MM	VLL0	730	-	-
ADJUSTABLE ROLLER LEVER	From 32MM TO 82.5MM	19MM	8MM	VLLA	730	VLLA-M	800
FORK ROLLER LEVER	Both Roller in line	19MM	8MM	VLLF	800	VLLF-M	950
OFFSET FORK ROLLER LEVER	Both in Offset	19MM	8MM	VLLFO	800	VLLFO-M	950
TOP PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLTPR	710	-	-
TOP PUSH BUTON OPERATOR	Adjustable upto 8MM	11.1MM	4MM	VLLTPBA	730	-	-
SIDE PUSH ROLLER OPERATOR	-	11.1MM	4MM	VLLSPR	810	-	-
SIDE PUSH BUTTON OPERATOR	Adjustable upto 8MM	-	-	VLLSPBA	810	-	-
CAT WHISKER (Nylon Rod)	130MM Long	-	-	VLLCW	730	-	-
SIDE OPERATING LEVER WITH STEEL ROD	-	-	-	VLLJW	730	VLLJW-M	850
PULL CORD TYPE	-	-	-	VLLPC	1100	-	-
BELT SWAY TYPE	-	-	-	VLLBS	1100	-	-
TOP PUSH NORMAL ROLLER OPERATOR	-	-	-	VLLTPN	730	-	-
GENERAL PURPOSE TOP PLUNGER OPERATOR	-	-	-	VLLGS	630	-	-
GENERAL PURPOSE ANGULAR ROLLER LEVER	-	-	-	VLLGSA	630	-	-

FOR LIMIT SWITCH WITH 2NO+2NC CONTACTS PLEASE ADD RS. 410/- IN THE ABOVE PRICES

LIMIT SWITCH - 1NO + 1NC CONTACT ARRANGEMENT

Execution	Design	Arrangement	STD PKG	NO. Of CONTACTS	CAT NO.	PRICE (in Rs.)
OPEN	With Push Button	Normal Action	30	INO+INC	LS-000-0	140
		Snap Action	30	INO+INC	LS-000-1	150
	With Push Rod and Protective Cover	Normal Action	30	INO+INC	LS-1010-0	160
		Snap Action	30	INO+INC	LS-1010-1	170
In Oil tight Die Cast Aluminum Enclosure	With Normal Roller Lever IP-65 D.O.P	Normal Action	1	INO+INC	LS-100-0	460
		Snap Action	1	INO+INC	LS-100-1	470
In Non-Oil Tight Die Cast Aluminum Enclosure	With Normal Roller Lever	Normal Action	1	INO+INC	ELS-100-0	375
		Snap Action	1	INO+INC	ELS-100-1	385

A=AC D=DC

HSC SERIES PLUG-IN RELAY

PART NUMBER	COIL VOLTS	COIL OHMS	PRICE(Rs.)
2C/O HSC 6D	6V DC	30	150
2C/O HSC 12D	12V DC	200	150
2C/O HSC 24D	24V DC	500	145
2C/O HSC48D	48V DC	2250	170
2C/OHSC 110D	110V DC	10	200
3C/O HSC 12D	12V DC	150	190
3C/O HSC 24D	24V DC	500	190
3C/O HSC 48D	48V DC	2250	220
3C/O HSC 110D	110V DC	10K	235
2C/O HSC 6A	6V AC	7	160
2C/O HSC 12A	12V AC	30	160
2C/O HSC 24A	24V AC	110	160
2C/OHSC 110A	110V AC	2400	170
2C/O HSC 240A	240VAC	9500	210
3C/O HSC 24A	24V AC	110	200
3C/O HSC 110A	110V AC	2400	200
3C/O HSC 240A	240V AC	9500	235

SCREW TERMINAL RELAY SOCKETS WITH DIN RAIL MOUNTING, PANEL MOUNTING

PART NUMBER	PRICE(Rs.)
RS 8E (8 PIN)	60
RS 11E(11PIN)	65
RETAINING CLIP	10



*OPTION: Relays with LED can be supplied at an additional charge of Rs. 10/-



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

Control & Signaling Devices Ø 22.5mm

PUSH BUTTON Ø22.5MM

DESCRIPTION	STD. PK G.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
FLUSH BUTTON	24	2XVAF-1 2XVAF-2 2XVAF-3 2XVAF-4 2XVAF-5 2XVAF-6	65	6XVAF-1 6XVAF-2 6XVAF-3 6XVAF-4 6XVAF-5 6XVAF-6 6XVAF-8	63
PROJECTING BUTTON	12	2XVAP-2 2XVAP-3 2XVAP-4 2XVAP-6 2XVAP-8	70	6XVAP-2 6XVAP-3 6XVAP-4 6XVAP-6 6XVAP-8	68
BOOTED BUTTON	24	2XVAB-2 2XVAB-3 2XVAB-4 2XVAB-6 2XVAB-8	98	6XVAB-2 6XVAB-3 6XVAB-4 6XVAB-6 6XVAB-8	95
MUSHROOM BUTTON	10	2XVAM-2 2XVAM-3 2XVAM-4	100	6XVAM-2 6XVAM-3 6XVAM-4	95
JUMBO MUSHROOM BUTTON	10	2XVAJ-3 2XVAJ-4	150	6XVAJ-3 6XVAJ-4	140
PUSH TO ON PUSH TO OFF	12	2XVAPPN-3 2XVAPPN-4	130	6XVAPPN-3 6XVAPPN-4	125
MUSHROOM PRESS TO LOCK TURN TO RESET	10	2XVAPR-3 2XVAPR-4	140	6XVAPR-3 6XVAPR-4	130
TWIN ACTUATOR SPRING RETURN GREEN KNOB MARKED 1 & RED KNOB MARKED 0	12	2XVADB	130	6XVADB	120

KEY LOCKABLE MAINTAINED POSITION

DESCRIPTION	STD. PKG.	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
KEY REMOVABLE IN-PRESSED (ACTUATED) POSITION	10	2XVAK-1L-4	330	-	-
BOTH PRESSED AND UNPRESSED POSITION	10	2XVAK-3L-4	330	-	-
KEY REMOVABLE IN-UNPRESSED (UNACTUATED) POSITION	10	2XVAK-2L-4	330	-	-
EMERGENCY STOP PRESS TO LOCK KEY TO RESET	10	2XVAK-PL-4	330	6XVAK-PL-4	310

SELECTOR MAINTAINED CONTACT

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2 POSITION *3 POSITION	12 12	2XVA2S 2XVA3S	185 185	6XVA2S 6XVA3S	180 180

KEY SELECTOR WITH LOCKING OPTION

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-2- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT POSITION - LEFT POSITION - RIGHT & LEFT POSITION	12	2XVA1-2CL 2XVA2-2CL 2XVA3-2CL	330 330 330	- 6XVA2-2CL -	- 310 -
-3- POSITION MAINTAINED CONTACTS KEY REMOVABLE IN: - RIGHT & LEFT POSITION - LEFT, CENTRE & RIGHT POSITION - CENTRE POSITION	12	2XVA4-3CL 2XVA5-3CL 2XVA6-3CL	330 330 330	- - 6XVA6-3CL	- - 310

3 position Selector with or without key locking Option, all contacts open in center position.



**SPRING RETURN SELECTOR BUTTON WITH
LOCKING OPTION Ø22.5mm**

DESCRIPTION	STD. PKG.	METALIC BEZEL				PLASTIC BEZEL			
		WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE		WITHOUT KEY LOCKABLE		WITH KEY LOCKABLE	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
-Left to Right -Right to Left	12 12	2XVAS-1 2XVAS-2	200 200	2XVAS-1A 2XVAS-2A	330 330	6XVAS-1 6XVAS-2	185 185	6XVAS-1A 6XVAS-2A	300 300

-2 POSITION- Spring Return from:

-Left to Right	12	2XVAS-1	200	2XVAS-1A	330	6XVAS-1	185	6XVAS-1A	300
-Right to Left	12	2XVAS-2	200	2XVAS-2A	330	6XVAS-2	185	6XVAS-2A	300

-3 POSITION- Spring Return from:

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITHOUT KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in center position	12	2XVAS-3	200	6XVAS-3	-
Right to Centre maintained on Left all contact open in center position	12	2XVAS-4	200	6XVAS-4	-
Left to Centre & Right to center. all contacts open in center position	12	2XVAS-5	200	6XVAS-5	195

DESCRIPTION	STD. PKG.	METALIC BEZEL		PLASTIC BEZEL	
		WITH KEY LOCKABLE			
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
Left to Centre maintained on Right all contact open in center position	12	2XVAS-3A	330	6XVAS-3A	-
Right to Centre maintained on Left all contact open in center position	12	2XVAS-4A	330	6XVAS-4A	-
Left to Centre& Right to center. all contacts open in center position	12	2XVAS-5A	330	6XVAS-5A	300

CONTACT BLOCK SUITABLE FOR Ø22.5MM BUTTON

DESCRIPTION	STD. PKG.	FOR 2XV SERIES		FOR 6XV SERIES	
		REAR CONNECTION		REAR CONNECTION	
		CAT NO.	PRICE IN Rs.)	CAT NO.	PRICE IN Rs.)
With NO Contacts	50	V1	58	H	55
With NC Contacts	50	V2	58	1	55
With NO Contact Gold plated	50	V7	90	H	-
*With 1NO +1NC Contacts	20	*V3	100	2	-
10 A NO / NC	50	V1/V2	70	-	-
FRONT CONNECTION					
With NO Contacts	50	V4	58		
With NC Contacts	50	V5	58		
*With 1NO +1NC Contacts	20	V6	99		

**V3 (1NO+1NC) Blocks are supplied with Special Mounting Bracket, only these Brackets should be used while mounting Push Button. Contact Blocks are added on Type and can be stacked up to 4NO+4NC Contact.

***SUFFIX COLOR CODE: WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8**



LUMINOUS BUTTON Ø22.5MM WITH BA-9S FILAMENT BULB

DESCRIPTION	STD. PKG.	LUMINOUS SPRING RETURN				LUMINOUS 2 POSITION SELECTOR				LUMINOUS 3 POSITION SELECTOR			
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
Luminous Button with Lamp Holder with Polycarbonate Lense with Bulb but without Contact Element	12	2XVALSTR-3 2XVALSTR-4 2XVALSTR-5 2XVALSTR-6 2XVALSTR-7 2XVALSTR-8	170	2XVALST-3 2XVALST-4 2XVALST-5 2XVALST-6 2XVALST-7 2XVALST-8	150	2XVA2SILR-3 2XVA2SILR-4 2XVA2SILR-5 2XVA2SILR-6 2XVA2SILR-7 2XVA2SILR-8	280	2XVA2SIL-3 2XVA2SIL-4 2XVA2SIL-5 2XVA2SIL-6 2XVA2SIL-7 2XVA2SIL-8	270	2XVA3SILR-3 2XVA3SILR-4 2XVA3SILR-5 2XVA3SILR-6 2XVA3SILR-7 2XVA3SILR-8	270	2XVA3SIL-3 2XVA3SIL-4 2XVA3SIL-5 2XVA3SIL-6 2XVA3SIL-7 2XVA3SIL-8	280

PILOT LIGHT Ø22.5MM WITH BA-9S FILAMENT BULB

DESCRIPTION	STD PKG	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Pilot Light with Polycarbonate Lense with Lamp Holder and Lense Assembly with BA-9S Filament Bulb	12	2XVILR-3 2XVILR-4 2XVILR-5 2XVILR-6 2XVILR-7	125	2XVIL-3 2XVIL-4 2XVIL-5 2XVIL-6 2XVIL-7	120

Luminous Twin Button Ø22.5 mm With BA-9S Filament Bulb

DESCRIPTION	STD. PKG.	WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
TWIN LUMINOUS ACTUATOR WITH FLUSH GREEN KNOB MARKED 1& RED KNOB MARKED 0 WITH LAMP HOLDER, WITH AMBER LENSE WITH BULB BUT WITHOUT CONTACT ELEMENT	12	2XVADBLSTR-3 2XVADBLSTR-4	240 240	2XVADBLST-3 2XVADBLST-4	220 220

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



**LED CONTROL & SIGNALLING DEVICES Ø22.5MM
LED INDICATORS**

DESCRIPTION	STD KG.	STANDARD		STANDARD TYPE		BAREL TYPE	
		CAT NO.	PRICE	CAT NO.	PRICE	CAT NO.	PRICE
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, 110V,48V,24V AC/DC supply	12	2XVLDIL-S-1	230	6XVLDIL-S-1	220	2XVLDIL-BN-1	185
		2XVLDIL-S-3	160	6XVLDIL-S-3	150	2XVLDIL-BN-3	110
		2XVLDIL-S-4	160	6XVLDIL-S-4	150	2XVLDIL-BN-4	110
		2XVLDIL-S-5	160	6XVLDIL-S-5	150	2XVLDIL-BN-5	110
		2XVLDIL-S-6	230	6XVLDIL-S-6	220	2XVLDIL-BN-6	185
		2XVLDIL-S-8	160	6XVLDIL-S-8	150	2XVLDIL-BN-8	110
Do- but suitable for common voltages from 24V AC/DC to 220V AC/DC ratings- Multi voltages	12	2XVLDIL-U1	300	—	—	2XVLDIL-BN-U1	265
		2XVLDIL-U2	230			2XVLDIL-BN-U2	190
		2XVLDIL-U3	230			2XVLDIL-BN-U3	190
		2XVLDIL-U4	230			2XVLDIL-BN-U4	190
		2XVLDIL-U5	230			2XVLDIL-BN-U5	190
		2XVLDIL-U6	300			2XVLDIL-BN-U6	265
		2XVLDIL-U7	300			2XVLDIL-BN-U7	265
		2XVLDIL-U8	230			2XVLDIL-BN-U8	190

LED LUMINOUS BUTTON Ø22.5MM

DESCRIPTION	STD PKG	METAL BEZEL		PLASTIC BEZEL	
		CAT NO.	PRICE	CAT NO.	PRICE
LED Pilot Light in glass filled Thermo Plastic Housing & Polycarbonate Lense, with Cluster /Chip LED & integral circuit suitable for 220V, 110V,48V,24V AC/DC supply Luminous Spring Return	12	2XVLDLST-1	280	6XVLDLST-1	270
		2XVLDLST-3	210	6XVLDLST-3	200
		2XVLDLST-4	210	6XVLDLST-4	200
		2XVLDLST-5	210	6XVLDLST-5	200
		2XVLDLST-6	280	6XVLDLST-6	270
		2XVLDLST-8	210	6XVLDLST-8	200

Luminous Twin Button Ø22.5MM With Led Indicators

DESCRIPTION	STD. PKG.	IN METALIC BAZEL		IN PLASTIC BAZEL	
		WITH SERIES RESISTOR SUITABLE		WITHOUT SERIES RESISTOR SUITABLE	
		FOR 220V,110V,48V,24V SUPPLY		FOR 110V,48V,24V SUPPLY	
		CAT NO.	PRICE (IN RS.)	CAT NO.	PRICE (IN RS.)
Do-But 2-Position Luminous Selector	12	2XVLD2SL-1	430	2XVADBLD	240
		2XVLD2SL-3	350		
		2XVLD2SL-4	350		
		2XVLD2SL-5	350		
		2XVLD2SL-6	430		
		2XVLD2SL-8	350		
Do-But 3-Position Luminous Selector	12	2XVLD3SL-1	450	6XVADBLD	240
		2XVLD3SL-3	360		
		2XVLD3SL-4	360		
		2XVLD3SL-5	360		
		2XVLD3SL-6	450		
		2XVLD3SL-8	360		

PUSH BUTTON Ø30.5MM

DESCRIPTION	STD PKG	STANDARD		BARREL TYPE	
		Cat No.	Prices (In Rs.)	Cat No.	Prices (In Rs.)
Flush	30	ASRM-2	180	STS-2	150
		ASRM-3	180	STS-3	150
		ASRM-4	180	STS-4	150
		ASRM-6	180	STS-6	150
Projecting	20	ASRM-8	180	STS-8	150
		ASRU-2	190		
		ASRU-3	190		
		ASRU-4	190		
		ASRU-6	190		
		ASRU-8	190		
Mushroom	20	AST-2	220	STM-2	160
		AST-3	220	STM-3	160
		AST-4	220	STM-4	160
		AST-6	220	STM-6	160
		AST-8	220	STM-8	160
		ASPR-4	240		
Stay put.	10	AS-2S	290	STP-4	220
Selector 2-Position	20	AS-3S	290		
Selector 3-Position	20				
Emergency Stop-Press to Lock & Key to Reset	10	AS-IPL	435		
		AS-2L	425		

CONTACT BLOCK SUITABLE FOR Ø30.5MM BUTTON

DESCRIPTION	STD. PKG.	CAT NO.	PRICE (in Rs.)
1NO +1NC- Suitable for AS Series	30	ES-1	145
1 NO -Do-	50	ES-2	120
1NC-Do-	50	ES-3	120
1NO+1NC-Suitable for ST Series			
Rear Connection	10		
Front Connection	20		

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



LED INDICATORS Ø 6.5, 8.5, 9.5, 12.5, 14.5, 16.5, 19.5 MM

DESCRIPTION	STD PKG	SUITABLE PANEL Ø	CAT NO.	With Flying Leads Input (FL)	With Solderable Lugs Input (S.L)	With Screw Terminals Input (S.T)
-------------	---------	------------------	---------	------------------------------	----------------------------------	----------------------------------

LED Indicators in Nickel Chrome Plated Brass Body-Barrel Shape, Integral Circuit Suitable for common voltages: 5V,6V,12V,18V,24V,30V,40V,50V,60V AC/DC

Single or Cluster LED's of 3mm,5mm size	20	6.5MM	2XVLD-6-3 2XVLD-6-4 2XVLD-6-8	90 90 90	90 90 90	- - -
-DO-	20	8.5MM	2XVLD-8-3 2XVLD-8-4 2XVLD-8-8	95 95 95	95 95 95	110 110 110
-DO-	20	9.5MM	2XVLD-9-3 2XVLD-9-4 2XVLD-9-8	100 100 100	100 100 100	- - -

-DO-but suitable for voltages:24V,110V,220V AC or DC

-DO-	20	12.5MM	2XVLD-12-3 2XVLD-12-4 2XVLD-12-8	105 105 105	105 105 105	115 115 115
-DO-	20	14.5MM	2XVLD-14-3 2XVLD-14-4 2XVLD-14-8	110 110 110	110 110 110	120 120 120
-DO-	20	16.5MM	2XVLD-16-3 2XVLD-16-4 2XVLD-16-8	120 120 120	120 120 120	135 135 135
-DO-	12	19.5MM	2XVLD-19-3 2XVLD-19-4 2XVLD-19-8	- - -	- - -	135 135 135
HVCC Unit FOR Voltages above 60V for VLD6 Please specify required voltage 110V or 220V AC or DC	20	-	HVCC VOLTAGE	-	-	100

Please suffix FL, SL or ST for type of Input Terminal required.

For LED INDICATORS in White, Blue & Clear color Please Add Rs. 40/- in above Prices.

LED INDICATORS SUITABLE FOR Ø 25.5 MM & 30.5 MM

DESCRIPTION	In thermo plastic housing with plastic lens holder & Nut					
	Ø25.5mm IN BARREL SHAPE		Ø30.5mm IN BARREL SHAPE		Ø30.5mm IN SQUARE SHAPE	
	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)	Cat No.	Price (In Rs.)
LED Pilot Light barrel type with Polycarbonate Lense, cluster LED with integral circuit suitable for operating at 220V, 110V,48V,24V, AC/DC Supply	2XVLDIL-25BN-1	220	2XVLDIL-30BN-1	230	SM-4LED-3	210
	2XVLDIL-25BN-3	150	2XVLDIL-30BN-3	160	SM-4LED-4	210
	2XVLDIL-25BN-4	150	2XVLDIL-30BN-4	160	SM-4LED-5	210
	2XVLDIL-25BN-5	150	2XVLDIL-30BN-5	160	SM-4LED-6	270
	2XVLDIL-25BN-6	220	2XVLDIL-30BN-6	230	SM-4LED-7	270
	2XVLDIL-25BN-7	220	2XVLDIL-30BN-7	230	SM-4LED-8	210
	2XVLDIL-25BN-8	150	2XVLDIL-30BN-8	160		

Standard Packing for Pilot Light in Ø30.5 MM & 25.5MM is 15&10 respectively.

PILOT LIGHTS SUITABLE FOR Ø30.5 MM

DESCRIPTION	STG PKG			
		MM	CAT NO.	PRICE (IN RS.)
PILOT LIGHT -White Phenolic & Metallic Body/Polycarbonate Lense &Metallic Lense Holder suitable for beyonet type filament Bulb 7W/10W Supply but without Bulb.	10	30.5	SM-4R-3	150
			SM-4R-4	150
			SM-4R-5	150
			SM-4R-6	150
			SM-4R-7	150
			SM-4R-8	150
			SM-4P	150

SPARES FOR 22.5MM- SERIES 2XV

SPARES FOR 22.5MM	TYPE	PRICE (IN RS.)
Filament Bulb BA-9S 2.6 Watt (Max)	2XVBLB	20
Polycarbonate Lense for Pilot Light	2XVILP	20
Lense Holder Assembly for Pilot Light	2XVIL-CP	40
Lense Holder Assembly for Luminous Button	2XVILST/R-CP	48
Adaptor for Assembly of 30.5mm in 22.5 mm	2XVADP	20
Lense Holder Assembly for 2 Position & 3 Position Selector	2XVA2/3SIL-CP	135
Inscription Plates with Start, stop, On, Off, forward, Reverse Legends	2XV-IP	20
Padlocking Device for Projecting Head	2XVAP-PD	65
Padlocking Device for Mushroom Head	2XVAM-PD	70
Transparent Silicon Protective boot for Actuator	2XVBB	40
Lense for Twin Actuator	2XVADB-LP	20
Bulb Extractor- to remove or fit the Bulb from front	2XV-DBE	25
Blanking Plug for 22.5mm Hole	2XV-BL	20

SUFFIX COLOR CODE : WHITE-1, BLACK-2, GREEN-3, RED-4, AMBER-5, BLUE-6, CLEAR-7, YELLOW-8



VAISHNO **HOTLINE**

LOCAL CONTROL STATIONS

PUSH BUTTON STATION IN CAST ALUMINIUM & THERMO PLASTIC ENCLOSURE

UNITS	WITH Ø22.5MM ACTUATOR AND INO OR INC CONTACT BLOCK				WITH Ø30.5MM ACTUATOR AND INO+1NC CONTACT BLOCK	
	IN CAST ALUMINIUM ENCLOSURE		IN THERMO PLASTIC ENCLOSURE		IN CAST ALUMINIUM ENCLOSURE	
DESCRIPTION	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)	CAT NO.	Price (In.Rs.)
ONE UNIT	PS-2219	500	PS-3219	475	PS-1519	660
TWO UNIT	PS-2229	700	PS-3229	680	PS-1529	960
THREE UNIT	PS-2239	950	PS-3239	800	PS-1539	1200
FOUR UNIT	PS-2249	1200	PS-3249	1100	PS-1549	1550

For Push Button Station with Canopy, extra Price @ 12% will be charged.

PBS Tailor made to customers specification can be made available in Cast Aluminum Enclosure.

P.B.S in Plastic enclosure are available only without Canopy.

F.R.P PUSH BUTTON STATION (HOT MOULDED FIBRE REINFORCED POLYSTER)

TYPE	STYLE NO.	SIZE OF BOXES L*W*H	NUMBER OF 2.5MM ² 4MMCLIP ON TYPETERMINAL BLOCK	CABLE ENTRY	Price (Rs.)
FRP/2291S	1 PUSH BUTTON	140*95*70	-	1 WITH PLUG	1100
FRP/2292S	2 PUSH BUTTON	140*95*70	-	1 WITH PLUG	1300
FRP/2293S	3PUSH BUTTON	140*135*70	-	2WITH PLUG	1800
FRP/2294S	4 PUSH BUTTON	140*135*70	-	2WITH PLUG	2000
FRPB/2295S	5 PUSH BUTTON	170*170*90	-	2 WITH PLUG	2200
FRPB/2296S	6 PUSH BUTTON	170*170*90	-	2 WITH PLUG	2500
FRPB/2291T*	1 PUSH BUTTON	140*95*70	4 TB	1 WITH PLUG	1500
FRPB/2292T*	2 PUSH BUTTON	150*120*70	6 TB	2 WITH PLUG	2100
FRPB/2293T*	3PUSH BUTTON	170*170*90	8 TB	2 WITH PLUG	2500
FRPB/2294T*	4 PUSH BUTTON	230*130*80	10 TB	2 WITH PLUG	2800
FRPB/2294T*	4 PUSH BUTTON	170*170*90	10 TB	2 WITH PLUG	2850
FRPB/2292AM72*	2PUSH BUTTON+ AMMETER	230*130*80	10 TB	2 WITH PLUG	4200
FRPB/2291AM72*	1 PUSH BUTTON + AMMETER	170*170*90	10 TB	2 WITH PLUG	2500
FRPB/2292 SS72*	2PUSH BUTTON+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4200
FRPB/2290 AMSS72*	AMMETER + SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4500
FRPB/2291 AMSS72*	1 PUSH BUTTON WITH AMMETER+ SELECTOR SWITCH	230*130*80	10 TB	2 WITH PLUG	4600

Push Button Station*marked are duly wired - Prices are with INO or INC Contact Blocks for each Button.

Prices are with Standard Shrouded Spring Return Actuator, however in case of requirement of other Push Button instead of standard, please deduct the List Price of Shrouded Button and add the Price of the required button.

PENDENT PUSH BUTTON STATIONS (CAST ALUMINIUM ENCLOSURE)

TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)	TYPE	WAY/ROW	CAT NO.	PRICE (IN RS.)
ONE UNIT	SINGLE	PS-P1	650	TEN UNIT	Double	PS-P10	3300
TWO UNIT	SINGLE	PS-P2	900	TWELVE UNIT	Double	PS-P12	4000
THREE UNIT	SINGLE	PS-P3	1250	FOURTEEN UNIT	Double	PS-P14	4300
FOUR UNIT	SINGLE	PS-P4	1600	SIXTEEN UNIT	Double	PS-P16	4800
FIVE UNIT	SINGLE	PS-P5	1800	EIGHTEEN UNIT	Double	PS-P18	5500
SIX UNIT	SINGLE	PS-P6	2200	TWENTY UNIT	Double	PS-P20	6000
EIGHT UNIT	SINGLE	PS-P8	2600				

Pendent Push Button Stations are Supplied with 1NO+NC Contact Blocks

F.R.P. EMPTY ENCLOSURE (FIBRE GLASS REINFORCED POLYSTER ENCLOSURE)

TYPE'	L*W*H	PRICE (in Rs.)	TYPE'	L*W*H	PRICE (in Rs.)
FRP-1413 EY	140*135*70	1200	FRP-1512 EY	150*120*70	1600
FRP-1495 EY	140*95*70	1150	FRP-1717 EY	170*170*90	2000
FRP-2313 EY	230*130*80	1800			

JUNCTION BOX (CAST ALUMINIUM AND F.R.P ENCLOSURE)

JUNCTION BOX-CAST ALUMINIUM				JUNCTION BOX-F.R.P ENCLOSURE			
TYPE	SIZE	NUMBER OF 2.5MM ² MM ² TERMINAL BLOCK	PRICE (IN RS.)	TYPE	SIZE	NUMBER OF 2.5MM ² MM ² TERMINAL BLOCK	PRICE (IN RS.)
CAJB-4	125*70*55	4	1600	FRJB-4	140*135*70	4	1400
CAJB-6	125*70*55	6	1700	FRJB-6	140*135*70	6	1500
CAJB-10	125*70*55	10	1800	FRJB-10	140*135*70	10	1600
CAJB-12	125*70*55	12	1900	FRJB-12	150*120*70	12	1750
CAJB-18	180*70*55	18	2600	FRJB-18	230*130*80	18	2600
CAJB-20	225*125*55	20	3100	FRJB-20	230*130*80	20	2700
CAJB-24	225*125*55	24	3200	FRJB-24	230*130*80	24	2800
CAJB-36	325*300*70	36	8000	FRJB-36	320*170*80	36	4200
CAJB-50	325*300*70	50	8400	FRJB-50	320*170*80	50	4500

NEON JEWEL LIGHT

TYPE	STD PKG	Panel Cutout mm	CAT NO.	PRICE (IN RS.)
FRONT ROUND NUT FIXING WITH LEAD	50	10	MS-7-3, MS-7-5, MS-7-7, MS-7-8	40
FRONT ROUND NUT FIXING WITH LEAD	100	10	MS-14-3, MS-14-5, MS-14-7, MS-14-8	50
FRONT ROUND NUT FIXING WITH LEAD	50	8	MS-19-3, MS-19-5, MS-19-7, MS-19-8	45
FRONT ROUND NUT FIXING WITH BRASS TERMINAL & SCREW CONNECTION	50	15	MS-17-3, MS-17-5, MS-17-7, MS-17-8	50



CAUTION ! WHILE BUYING VAISHNO PRODUCTS LOOK FOR ORIGINAL



TRADE MARK AND THE LOGO DEVICE AS SHOWN ON PRODUCTS AND PACKING.

MEASURING INSTRUMENTS
 ANALOG PANEL METERS

VOLTMETERS AC				SQUARE INSTRUMENTS				AMMETERS AC			
RANGES	72-MM	96-MM	144-MM	RANGES	72-MM	96-MM	144-MM	RANGES	72-MM	96-MM	144-MM
	SIF-72	SIF-96	SIF-144		SIF-72	SIF-96	SIF-144		SIF-72	SIF-96	SIF-144
Any Single Range 15v to 300V	380.00	430.00	600.00	Any Single Range Up to 30 Amps	380.00	390.00	550.00	Any Single Range 35A to 100A	430.00	450.00	600.00
Any Single Range 0-500 to 600V	410.00	450.00	650.00	0-150 to 0-200A	-	550.00	725.00				
VOLTMETERS DC				AMMETERS DC							
UPTO 30 VOLT	550.00	630.00	940.00	UPTO 30 A	520.00	550.00	950.00				
35 TO 300 VOLT	630.00	675.00	960.00								
UPTO 500 VOLT	670.00	700.00	990.00								



INDUSTRIAL HOOTERS

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 105db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD. PKG.	CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	STD. PKG.
HH001-A	220 V A.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	560	01	HH001-D	220 V D.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	710	01
HH002-A	110 V A.C.		560	01	HH002-D	110 V D.C.		710	01
HH003-A	24 V A.C.		560	01	HH003-D	24 V D.C.		710	01
HH004-A	12 V A.C.		560	01	HH004-D	12 V D.C.		730	01
HH005-A	30 V A.C.		560	01	HH005-D	30 V D.C.		730	01
HH006-A	50 V A.C.		560	01	HH006-D	50 V D.C.		730	01
HH007-A	65 V A.C.		560	01	HH007-D	65 V D.C.		730	01

RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE

ELECTRONIC BUZZERS

RANGE: 50 Mtr. SOUND LEVEL: 90db TO 95db-INDIVIDUAL VOLTAGES

CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	PRICE PER UNIT	CAT NO.	RATING VOLTAGE	LIMITING VOLTAGE	PRICE PER UNIT	PRICE PER UNIT
			SINGLE TONE	THREE TONE				SINGLE TONE	THREE TONE
			RS.	RS.				RS.	RS.
HSB001-A	220 V A.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	650	710	HSB001-D	220 V D.C.	RANGE WILL BE $\pm$ 10% OF RATED VOLTAGE	660	710
HSB002-A	110 V A.C.		650	710	HSB002-D	110 V D.C.		660	710
HSB003-A	24 V A.C.		650	710	HSB003-D	24 V D.C.		660	710
HSB004-A	12 V A.C.		660	720	HSB004-D	12 V D.C.		660	710
HSB005-A	30 V A.C.		660	720	HSB005-D	30 V D.C.		660	710
HSB006-A	48 V A.C.		660	720	HSB006-D	48 V D.C.		660	710
HSB00U	24-240V AC/DC			770	50*50 Mini Buzzer			470	

HRC FUSE HOLDERS (ENCLOSED TYPE)

CAT NO.	RATING VOLTAGE	CONNECTION	PRICE PER UNIT (RS.)	STD. PKG.
VMF-20	20 AMP	FRONT	115	5
VMB-20		BUS BAR	120	5
VMP-20		REAR	125	5
VMF-32	32 AMP	FRONT	170	5
VMB-32		BUS BAR	180	5
VMF-63	63 AMP	FRONT	240	5
VMB-63		BUS BAR	280	5
VMF-125	125 AMP	FRONT	500	5
VMB-125		BUS BAR	600	1

HRC FUSE BASES-OPEN TYPE

BAKELITE MOULDED BASE				DMC MOULDED BASE		PROCELAIN MOULDED BASE	
RATING	CONNECTION	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)	CAT NO.	PRICE PER UNIT (RS.)
160 AMP.	Circlip	FBO-125	180	FBO-160 (CD)	180	FBO-160 (C)	125
250 AMP.	Circlip	FBO-250C	352	FBO-250 (SD)	390	FBO-250 (CP)	380
250 AMP.	Spring Loaded	FBO-250 (S)	362	FBO-250 (CD)	400	FBO-250 (SP)	390
400 AMP.	Circlip	FBO-400C	418	FBO-400 (SD)	470	FBO-400 (CP)	460
400 AMP.	Spring Loaded	FBO-400 (S)	440	FBO-400 (SD)	475	FBO-400 (SP)	465
630 AMP.	Spring Loaded	FBO-630 (S)	590	FBO-630 (SD)	640	FBO-630(SP)	620

HEAVY DUTY FOOT SWITCHES

CAT NO.	CONNECTION	TYPE	PRICE PER UNIT
VFS-C1	1 NO + 1 NC	WITH GUARD	2100
VFS-C2	1 NO + 1 NC	WITHOUT GUARD	1920
VFS-C3	2 NO + 2NC	WITH GUARD	2400
VFS-C4	2 NO + 2 NC	WITHOUT GUARD	2450
VFS-C5	1 NO + 1 NC	WITH SHIELD GUARD	2450
VFS-C6	2 NO + 2 NC	WITH SHIELD GUARD	2700





MRP LIST No 01/26

**EFFECTIVE FROM 01.01.2026
TERMS & CONDITIONS**

- **Prices**
The Prices mentioned in this Price List No. 01/26 effective 01-01-2026 supersedes all previous Price Lists and are standard Prices ruling at the time of dispatch on F.O.R Noida basis.
- **Alteration**
The Prices are subject to change without notice.
- **Jurisdiction**
The courts at Noida will have jurisdiction to settle all disputes raised.
- **Duties and Taxes**
Prices do not Include Any Taxes & Levies
- **Insurance**
Insurance will be to your Account.
- **Others**





Authorized Stockist

Mfd. By:

Hotline Switchgear & Controls

(ISO 9001: 2015 CERTIFIED)

D-2, SECTOR- 8, NOIDA (U.P.)-201301 INDIA

PH.: +91-9650599170, 9818644135, 9810431003

e-mail: sales@hsc.in ; marketing@hsc.in